

HEWLETT-PACKARD CO,CORPORATE HQ -- NICKEL CADMIUM BATTERY, P/N 04935-62901 --
6140-01-274-0739

===== Product Identification =====

Product ID:NICKEL CADMIUM BATTERY, P/N 04935-62901
MSDS Date:07/15/1994
FSC:6140
NIIN:01-274-0739
MSDS Number: CBTGT
=== Responsible Party ===
Company Name:HEWLETT-PACKARD CO,CORPORATE HQ
Address:3000 HANOVER ST
City:PALO ALTO
State:CA
ZIP:94304-1112
Country:US
Info Pho

ne Num:415-857-1501/FOR MSDS 800-468-8347
Emergency Phone Num:415-857-1501
Preparer's Name:S. Z. MANSDORF AND ASSOC
CAGE:28480

=== Contractor Identification ===

Company Name:HEWLETT-PACKARD CO, CORPORATE HQ
Address:3000 MINUTEMAN RD
Box:City:ANDOVER
State:MA
ZIP:01810-1032
Country:US
Phone:404-648-8754/FAX: 800-947-3299
CAGE:28480

===== Composition/Information on Ingredients =====

Ingred Name:NICKEL (SARA 313) (CERCLA)
CAS:7440-02-0
RTECS #:QR5950000
Other REC Limits:NONE R
ECOMMENDED
OSHA PEL:1 MG/M3
ACGIH TLV:1 MG/M3; 9596

Ingred Name:CADMIUM (SARA 313) (CERCLA)
CAS:7440-43-9
RTECS #:EU9800000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.2 MG/M3 DUST; Z-2
ACGIH TLV:0.01 MG/M3 DUST;9596
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:COBALT (SARA 313)
CAS:7440-48-4
RTECS #:GF8750000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.1 MG/M3
ACGIH TLV:0.02 MG/M3; A3; 9596

its:NONE RECOMMENDED
OSHA PEL:1 MG(NI)/M3
ACGIH TLV:0.1 MG(NI)/M3; 9596
EPA Rpt Qty:10 LBS
DOT Rpt Qty:10 LBS

Ingred Name:CADMIUM HYDROXIDE
CAS:21041-95-2
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.05 MG CD/M3
ACGIH TLV:0.05 MG CD/M3

Ingred Name:COBALT HYDROXIDE
CAS:1307-86-4
RTECS #:GG0904000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:0.05 MG/M3(COBALT)
ACGIH TLV:0.1 MG/M3

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)
CAS:1310-58-3
RTECS #:TT2100000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C
2 MG/M3
ACGIH TLV:C 2 MG/M3; 9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO
Health Hazards Acute and Chronic:THIS PRODUCT IS REGARDED AS AN
"ARTICLE" BY DEFINITION UNDER 29 CFR 1910.1200 (C). THE PRODUCT
CONTAINS NICKEL, CADMIUM AND COLBALT COMPOUNDS, AS WELL
AS
POTASSIUM HYDROXIDE. THE PHYSICAL FORM OF THE PRODUCT, HOWEVER,
PRECLUDES EXPOSURE. CONTACT WITH CONTENTS MAY CAUSE SKIN/EYE
IRRITATION, MAY LEAD TO CANCER.
Explanation of Carcinogenicity:CADMIUM AND NICKEL AND THEIR COMPOUNDS
ARE CONSIDERED POTENTIAL HUMAN CARCINOGENS BY NTP AND IARC.
Effects of Overexposure:SKIN IRRITATION, CORROSIVE EYE DAMAGE.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

=====

First Aid:IF SKIN CONTACT WITH CONTENTS OCCURS, WASH AFFECTED AREAS THOROUGHLY WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS. IF EYE CONTACT OCCURS, FLUSH THOROUGHLY WITH RUNNING WATER FOR AT LEAST 15 MINUTES, HOLDING EYELIDS OPEN. GET PROMPT MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:DRY CHEMICAL, FOAM, CARBON DIOXIDE

Fire Fighting Procedures:USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS, OPERATING IN THE POSITIVE PRESSURE MODE AND FULL FIRE FIGHTING CLOTHING.

Unusual Fire/Explosion Hazard:CADMIUM, NICKEL AND COBALT FUMES MAY BE EVOLVED IN FIRE SITUATIONS.

===== Accidental Release Measures =====

Spill Release Procedures:RECOVER PRODUCT AND PLACE IN SUITABLE CONTAINER FOR REUSE OR DISPOSAL. AVOID CONDITIONS THAT MAY CAUSE SHORT CIRCUITING. IF BATTERY CONTENTS ARE RELEASED, DO NOT TOUCH SPILLED MATERIAL. TAKE UP WITH SAND OR OTHER ABSORBENT & COLLECT FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY PLACE. DO NOT SHORT-CIRCUIT. MAY CAUSE THERMAL BURN OR SERVE AS IGNITION SOURCE IN FLAMMABLE OR EXPLOSIVE ATMOSPHERE.

Other Precautions:ALL CHEMICALS SHOULD BE HANDLED SO AS TO PREVENT EYE CONTACT AND EXCESSIVE OR REPEATED SKIN CONTACT. APPROPRIATE EYE AND SKIN PROTECTION SHOULD BE EMPLOYED IF EXPOSURE TO CONTENTS IS ANTICIPATED. INHALATION OF DUST/VAPORS SHOULD BE AVOIDED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL CONDITIONS OF USE.

Ventilation:NONE REQUIRED UNDER NORMAL CONDITIONS OF USE.

Protective Gloves:NONE REQUIRED UNDER NORMAL CONDITIONS

Eye Protection:SAFETY GLASSES

Other Protective Eq

Equipment: AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices: WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

THIS PRODUCT IS REGARDED AS AN "ARTICLE" BY DEFINITION UNDER 29 CFR 1910.1200 (C). THE PRODUCT CONTAINS NICKEL, CADMIUM AND COBALT COMPOUNDS, AS WELL AS POTASSIUM HYDROXIDE. THE PHYSICAL FORM OF THE PRODUCT, HOWEVER, PRECLUDES EXPOSURE.

=====
Physical/Chemical Properties =====

HCC:N1

Boiling Pt: B.P. Text: NOT GIVEN

Melt/Freeze Pt: M.P/F.P Text: NOT GIVEN

Vapor Pressure: NOT GIVEN

Vapor Density: NOT GIVEN

Specific Gravity: NOT GIVEN

Evaporation Rate & Reference: NOT GIVEN

Solubility in Water: INSOLUBLE

Appearance and Odor: SEALED METALLIC CYLINDER, NO ODOR

Percent Volatiles by Volume: NIL

=====
Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES
NONE SPECIFIED BY MANUFACTURER.

Stability

Stability Condition to Avoid: AVOID PROLONGED EXPOSURE TO HUMID CONDITIONS OR EXCESSIVE HEAT. DO NOT PUNCTURE, MUTILATE OR INCINERATE.

Hazardous Decomposition Products: OXIDES OF CARBON AND METALLIC OXIDES UPON BURNING.

=====
Disposal Considerations =====

Waste Disposal Methods: DO NOT INCINERATE. DISPOSE OF IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE AND LOCAL LAWS OR REGULATIONS.

=====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.