

FOSTER PRODUCTS, CORP. -- SEALFAS FOSTER 30-36 -- 8040-00-273-8708

=====
Product Identification
=====

Product ID:SEALFAS FOSTER 30-36

MSDS Date:12/30/1994

FSC:8040

NIIN:00-273-8708

MSDS Number: CBTMF

=== Responsible Party ===

Company Name:FOSTER PRODUCTS, CORP.

Address:3900 JACKSON ST. NE

City:MINNEAPOLIS

State:MN

ZIP:55421

Country:US

Info Phone Num:612-781-8071/FAX 612-782-1755

Emergency Phone N

um:800-228-5635 EX 018/800-424-9300

CAGE:KO427

=== Contractor Identification ===

Company Name:FOSTER PRODUCTS, CORP.

Address:3900 JACKSON ST. NE

Box:City:MINNEAPOLIS

State:MN

ZIP:55421

Country:US

Phone:612-781-8071/FAX 612-782-1755

CAGE:KO427

=====
Composition/Information on Ingredients
=====

Ingred Name:CHLORINATED PARAFFIN (SARA 313)(VP NIL @ 20C)

CAS:63449-39-8

RTECS #:RV0480000

Fraction by Wt: 10-30%

Other REC Limits:NONE SPECIFIED

Ingred Name:ETHYL ALCOHOL (LEL 4.3%) (V

P 44 @ 20C) (FP: 55F)(LD50 7060
MG/KG ORAL RAT)(LC50=31,623PPM/4H RAT)
CAS:64-17-5
RTECS #:KQ6300000
Fraction by Wt: 1-5%
Other REC Limits:NONE SPECIFIED
OSHA PEL:1000 PPM
ACGIH TLV:1000 PPM

Ingred Name:VOC = 48 G/L OF MATERIAL LESS WATER & EXEMPT SOLVENTS
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NOT RELEVANT

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
CAS:1317-65-3
RTECS #:EV9580000
Fraction by Wt: 10-15%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15MG/M3TDUST/RESP 5
ACGIH TLV:10 MG/M3 TDUST

Ingred Name:KAOLIN
CAS:1332-58-7
RTECS #:GF1670500
Fraction by Wt: 10-30%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15MG/M3TDUST/RESP 5
ACGIH TLV:10MG/M3TDUST/RESP 2

Ingred Name:TITANIUM DIOXIDE
CAS:14808-60-7
RTECS #:VV7330000
Fraction by Wt: 1-5.0%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3TDUST/RESP 5
ACGIH TLV:10 MG/M3 TDUST

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES

Skin: YES Ingestion: YES
Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO
Health Hazards Acute and Chronic: EYES: CONTACT W/LIQUID MAY CAUSE IRRITATION. SKIN: PROLONGED/REPEATED CONTACT W/LIQUID MAY CAUSE IRRITATION. INGESTION: SMALL AMOUNTS NOT ANTICIPATED TO BE HARMFUL.
Explanation of Carcinogenicity: CHLORINATED PARAFFIN IDENTIFIED AS ANIMAL CARCINOGEN
Medical Cond Aggravated by Exposure: NO KNOWN EFFECTS ON OTHER ILLNESSES.

=====
===== First Aid Measures =====
=====

First Aid: EYES: FLUSH IMMEDIATELY W/WATER 15 MINUTES. CALL DR IF IRRITATION PERSISTS. SKIN: WASH W/ SOAP & WATER. WASH CONTAMINATED CLOTHING BEFORE REUSE. INHALATION: REMOVE TO FRESH AIR. INGESTION: IF PERSON CAN SWALLOW GIVE 1 GLASS WATER OR MILK. DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL AID. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====
===== Fire Fighting Measures =====

Flash Point Method: SCC
Flash Point
:>200F, >93C
Autoignition Temp: Autoignition Temp Text: NA
Lower Limits: NA
Upper Limits: NA
Extinguishing Media: WATER SPRAY, FOAM, DRY CHEMICAL, CO2 ON DRIED PRODUCT.
Fire Fighting Procedures: PERSONS EXPOSED TO PRODUCTS OF COMBUSTION SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.
Unusual Fire/Explosion Hazard: THERE IS THE POSSIBILITY OF PRESSURE BUILDUP IN CLOSED CONTAINERS WHEN HEATED. WATER SPRAY MAY BE USED TO COOL THE CONTAINERS.

=====
===== Accidental Release Measures =====

Spill Release Procedures: DIKE IF NECESSARY. CONTAIN W/INERT ABSORBENT & TRANSFER TO CONTAINERS FOR DISPOSAL. KEEP SPOILED PRODUCT OUT OF SEWER/WATER SHEDS/WATER SYSTEM.

=====
===== Handling and Storage =====

Handling and Storage Precautions: LEVELS IN EXCESS OF ACCEPTABLE EXPOSURE CAN ACCUMULATE IN NON-VENTED HEAD SPACES ABOVE EMULSION. WEAR APPROPRIATE PROTECTIVE EQUIPMENT WORKING W/PROD.

Other

Precautions:AVOID TEMPERATURE EXTREMES IN STORAGE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY REQUIRED. USE NIOSH/MSHA APPROVED RESPIRATOR IF CONDITIONS WARRANT.

Protective Gloves:RUBBER GLOVES TO PREVENT CHRONIC CONTACT

Eye Protection:WEAR SAFETY GLASSES, CHEM SAFETY GOGGLES

Other Protective Equipment:PREVENT PROLONGED/REPEATED CONTACT BY USING APPROPRIATE PROTECTIVE CLOTHING. WASH CONTAMINATED CLOTHING BEFORE REUSE.

Wor

k Hygienic Practices:LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

NK

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>200F,>93C

Melt/Freeze Pt:M.P/F.P Text:NOT EST.

Vapor Pres:NOT EST.

Vapor Density:NOT EST.

Spec Gravity:1.28

pH:7.75

Evaporation Rate & Reference:NOT EST.

Appearance and Odor:WHITE TO STANDARD LIQUID, MILD SWEET ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicato

r/Materials to Avoid:YES

Hazardous Decomposition Products:HYDROGEN CHLORIDE & PHOSGENE.

INCOMPLETE COMBUSTION CAN YIELD LOW MOLLECULAR WEIGHT HYDROCARBONS, CARBON MONOXIDE.

=====
===== Disposal Considerations =====

Waste Disposal Methods:NOT A HAZARDOUS WASTE UNDER 40 CFR 261. SOLIDIFY & DISPOSE OF IN APPROVED LANDFILL. CONSULT FEDERAL, STATE, LOCAL AUTHORITIES FOR MORE RESTRICTIVE REQUIREMENTS.

Disclaimer (provided with this information by the compi

ling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.