

S.C. JONSON WAX -- TECHNIQUE BASE COAT #14140-3-4 TO 14144-3-4 -- 7930-01-380-8358

=====
Product Identification
=====

Product ID:TECHNIQUE BASE COAT #14140-3-4 TO 14144-3-4

MSDS Date:01/13/1993

FSC:7930

NIIN:01-380-8358

MSDS Number: CBTXX

=== Responsible Party ===

Company Name:S.C. JONSON WAX

Address:1525 HOWE ST

City:RACINE

State:WI

ZIP:53403-2237

Country:US

Info Phone Num:414-631-2777

Emergency

Phone Num:800-228-5635

Preparer's Name:TERRY A. MAYERS

CAGE:NO353

=== Contractor Identification ===

Company Name:S.C. JONSON WAX

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2237

Country:US

Phone:414-631-2777

CAGE:NO353

Company Name:SC JOHNSON AND SON INC

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2236

Country:US

Phone:800-725-6737

CAGE:32204

=====
Composition/Information on Ingredients
=====

Ingred Name:STYRENE/ACRYLIC POLYMERS

Fraction by Wt: 10-20%

Other REC Limits:NONE RECOMMENDED

Ingred Name:DIETHYLENE GLYCOL MONOETHYL ETHER (SARA 313)

CAS:111-90-0

Fraction by Wt: 3-6%

Other REC Limits:SUPPLIER REC 30 PPM.

Ingred Name:TRIBUTOXYETHYL PHOSPHATE (313)

CAS:78-51-3

RTECS #:KJ9800000

Fraction by Wt: 1-3%

Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: 70-80%

Other REC Limits:NONE RECOMMENDED

RTECS #:9999999VO

Fraction by Wt: NA

Other REC Limits:NONE RECOMMENDED

OSHA PEL:NOT RELEVANT

ACGIH

TLV:NOT RELEVANT

Ingred Name:ZINC OXIDE (SARA 313) (CERCLA)

CAS:1314-13-2

RTECS #:ZH4810000

Fraction by Wt: 0.2-0.6%

Other REC Limits:PEL/TLV 5MG/M3 RDUST

OSHA PEL:5 MG/M3 FUME/STEL 10

ACGIH TLV:5 MG/M3 FUME/STEL 10

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects of Overexposure:PROLONGED/REPEATED CONTACT OF UNDILUTED PRODUCT
W/SKIN MAY CAUSE MINOR IRRITA

TION.

Medical Cond Aggravated by Exposure:NONE KNOWN TO SC JOHNSON WAX.

=====
===== First Aid Measures =====

First Aid:FLUSH EYES W/WATER 15 TO 20 MINUTES. IF IRRITATION PERSISTS

GET MEDICAL AID. WASH SKIN W/PLENTY OF WATER. IF IRRITATION

PERSISTS GET MEDICAL AID. IF INGESTED DRINK LARGE AMOUNTS WATER OR
MILK & GET ME DICAL AID.

=====
===== Fire Fighting Measures =====

Flash Point:NA

Lower Limits:NA

Upper Limits:NA

Extin

quishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG.
Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.
Unusual Fire/Explosion Hazard:NO SPECIAL HAZARDS KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:CONTAINS AMMONIA & ZINC. DO NOT LET
SPILLED/LEAKING MATERIALS ENTER WATER COURSE. MAY BE TOXIC TO
AQUATIC LIFE. ABSORB W/OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR
SCRAPE UP & CONTAINERIZE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE W/ADEQUATE
VENTILATION. KEEP FROM FREEZING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE
CONDITIONS.

Ventilation:GENERAL ROOM VENTILATION ADEQUATE.

Protective Gloves:IF CHRONIC CONTACT, ANY IMPERVIOUS.

Eye Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE

Work Hygienic Practices:USE GOOD PERSONAL H
YGIENE PRACTICES.

Supplemental Safety and Health

*PH = 8.4-9.2

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>200F,>93C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:AS WATER

Vapor Density:NOT EST.

Spec Gravity:1.05

pH:*

Evaporation Rate & Reference:NOT EST. * 8.1 - 8.5

Solubility in Water:COMPLETE

Appearance and Odor:MILKY WHITE, OPAQUE LIQUID, MILD ODOR

Percent Volatiles by Volume:NA

===== Stability and Reactivity Data =====

=====

Stability Indicator/Materials to Avoid: YES

NK

Hazardous Decomposition Products: WHEN EXPOSED TO FIRE PRODUCES NORMAL PRODUCTS OF COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods: NO SPECIAL METHOD. OBSERVE ALL APPLICABLE REGS/LOCAL ORDINANCES REGARDING DISPOSAL OF NON-HAZARDOUS MAT'LS. WASTE FROM NORMAL USE MAY BE SEWERED TO A PUBLIC OWNED TREATMENT WORKS IN COMPLIANCE W/APPLICABLE FEDERAL/STATE/LOCAL PRETREATMENT REQ.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.