

NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC -- FOAM-BREAK DEFOAMER #0650  
-- 7930-01-393-6674

===== Product Identification =====

Product ID:FOAM-BREAK DEFOAMER #0650

MSDS Date:01/01/1991

FSC:7930

NIIN:01-393-6674

MSDS Number: CBVBZ

=== Responsible Party ===

Company Name:NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST

City:PHILADELPHIA

State:PA

ZIP:19123-3803

Country:

US

Info Phone Num:215-922-1200

Emergency Phone Num:215-922-1200

Preparer's Name:F.C.

CAGE:93607

=== Contractor Identification ===

Company Name:NATIONAL CHEMICAL LABORATORIES OF PENNSYLVANIA INC

Address:401 N 10TH ST

Box:City:PHILADELPHIA

State:PA

ZIP:19123-3803

Country:US

Phone:215-922-1200

CAGE:93607

===== Composition/Information on Ingredients =====

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000

Fraction by Wt: PROP

Other REC Limits:NONE RECOMMENDED

Ingred Name:DIMETHYL

POLYSILOXANE  
CAS:63148-62-9  
RTECS #:JT6484500  
Fraction by Wt: PROP  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALKYLPHENOL ETHOXYLATE  
CAS:9016-45-9  
RTECS #:MD0900000  
Fraction by Wt: PROP  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MAY CAUSE MINOR SKIN/EYE IRRITATION.  
MAY BE HARMFUL IF SWALLOWED.  
Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:EYES: FLUSH W/WATER AT LEAST 15 MINUTES. GET MEDICAL AID.  
SKIN: FLUSH THOROUGHLY W/WATER. IF IRRITATION PERSISTS GET MEDICAL  
AID. INGESTION: DO NOT INDUCE VOMITING. GIVE MILK, EGG WHITES,  
GELATIN, OR IF THESE NOT AVAILABLE GIVE LARGE AMOUNTS WATER. GET  
MEDICAL AID.

===== Fire Fighting Measures =====

Flash Point Metho  
d:TOC  
Flash Point:NONE TO BOILING  
Lower Limits:NOT EST.  
Upper Limits:NOT EST.  
Extinguishing Media:NONE  
Fire Fighting Procedures:NONE  
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:RECONTAINERIZE BY MOPPING, WET VACUUM, OR USE  
SUITABLE ABSORBENT. RINSE REMAINING MATERIAL TO DRAINS. BE CAUTIOUS  
OF SLIPPERY FLOORS.

===== Handling and Storage =====

Handling and Storage Prec

autions:STORE BETWEEN 40 & 120F.  
Other Precautions:KEEP OUT OF REACH OF CHILDREN. FOR SALE/USE/STORAGE  
BY SERVICE PERSONNEL ONLY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT REQUIRED  
Ventilation:NOT REQUIRED  
Protective Gloves:NOT REQUIRED  
Eye Protection:NOT REQUIRED  
Other Protective Equipment:NONE  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212F,100C  
Vapor Pr  
es:AS WATER  
Vapor Density:AS WATER  
Spec Gravity:1.002  
pH:7.0  
Evaporation Rate & Reference:AS WATER  
Solubility in Water:DISPERSES  
Appearance and Odor:OPAQUE, THIN WHITE LIQUID, BLAND ODOR  
Percent Volatiles by Volume:96.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS & OXIDIZERS  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:CARBON OXIDES

===== Disposal Considerations =====  
=====

Waste Disposal Methods:FOLLOW LOCAL, STATE, FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume resp

onsibility for the suitability of this information to their particular situation.