

S.C. JONSON WAX -- RUGBEE EXTRACTION SC -- 7930-01-398-0985

===== Product Identification =====

Product ID:RUGBEE EXTRACTION SC

MSDS Date:08/02/1994

FSC:7930

NIIN:01-398-0985

MSDS Number: CBVDH

=== Responsible Party ===

Company Name:S.C. JONSON WAX

Address:1525 HOWE ST

City:RACINE

State:WI

ZIP:53403-2237

Country:US

Info Phone Num:414-631-2777

Emergency Phone Num:800-228-5635

CAGE:NO353

=== Contract

or Identification ===

Company Name:S.C. JONSON WAX

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2237

Country:US

Phone:414-631-2777

CAGE:NO353

Company Name:SC JOHNSON AND SON INC

Address:1525 HOWE ST

Box:City:RACINE

State:WI

ZIP:53403-2236

Country:US

Phone:800-725-6737

CAGE:32204

===== Composition/Information on Ingredients =====

Ingred Name:SODIUM CITRATE

CAS:68-04-2

Fraction by Wt: 1-3%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM LAURYL SULFATE

CAS:68585

-47-7  
Fraction by Wt: 5-10%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:BUTYL DIPROPASOL  
CAS:29911-28-2  
Fraction by Wt: 10-15%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER  
CAS:7732-18-5  
RTECS #:ZC0110000  
Fraction by Wt: 70-80%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:MONOETHANOLAMINE (LD50 2050 MG/KG ORAL RAT)  
CAS:141-43-5  
RTECS #:KJ5775000  
Fraction by Wt: 1-3%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:3 PPM/STEL 6  
ACGIH TLV:3 PPM/STEL 6

Ingred Name:CARBOXYLATED POLYMER SALT  
F  
raction by Wt: 1-3%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC = MONOETHANOLAMINE. THEORETICAL VOC = 0.20 LB/GL.  
RTECS #:99999999VO  
Fraction by Wt: NA  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT RELEVANT  
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 EST 500-5000 MG/KG RATS  
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES

: MAY CAUSE CHEMICAL BURNS. SKIN:  
MAY CAUSE DRYING, DEFATTING, CHEMICAL BURNS. INHALATION: MAY CAUSE  
IRRITATION TO NOSE, THROAT, RESPIRATORY TRACT. INGESTION: MAY BE  
CORROSIVE TO MOUTH/DIGESTIVE T RACT.  
Medical Cond Aggravated by Exposure:PERSON W/PREEXISTING SKIN DISORDERS  
MAY BE MORE SUSCEPTIBLE TO IRRITATING EFFECTS.

===== First Aid Measures =====

First Aid:EYES: FLUSH IMMEDIATELY W/WATER 20 MINUTES. IF IRRITATION  
PERSISTS GET MEDICA  
L AID. SKIN: IMMEDIATELY REMOVE CONTAM  
CLOTHES/SHOES/LEATHER GOODS. RINSE W/PLENTY OF WATER. INHALATION:  
MOVE TO FRESH AIR. INGESTION: DRINK 1-2 GLASSES OF WATER OR MILK.  
DON'T GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. INDUCE  
VOMITING. GET IMMEDIATE MEDICAL AID.

===== Fire Fighting Measures =====

Flash Point:NONE  
Autoignition Temp:Autoignition Temp Text:NA  
Lower Limits:NA  
Upper Limits:NA  
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FO  
G.  
Fire Fighting Procedures:NORMAL FIRE FIGHTING PROCEDURES MAY BE USED.  
Unusual Fire/Explosion Hazard:CORROSIVE MATERIAL.

===== Accidental Release Measures =====

Spill Release Procedures:DON'T LET SPILLED OR LEAKING MATERIAL ENTER  
WATER COURSE. MAY BE TOXIC TO AQUATIC LIFE. ABSORB W/OIL-DRI OR  
SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP & CONTAINERIZE.

===== Handling and Storage =====

Handling and Storage Precautions:STOR  
E IN COOL DRY PLACE W/ADEQUATE  
VENTILATION. WASH CONTAMINATED CLOTHING/EQUIPMENT BEFORE REUSE.  
WASH THOROUGHLY AFTER HANDLING. KEEP FROM FREEZING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NO SPECIAL REQUIREMENTS UNDER NORMAL USE  
CONDITIONS.  
Ventilation:GENERAL ROOM VENTILATION ADEQUATE.  
Protective Gloves:IF CHRONIC CONTACT, ANY IMPERVIOUS.  
Eye Protection:\*\nOther Protective Equipment:IF MAJOR EXPOSURE POSSIBLE TO EYES/SKIN,  
WEAR

AND USE APPROPRIATE PROTECTIVE EQUIPMENT.

Supplemental Safety and Health

\*NOT REQUIRED UNLESS CONTACT W/UNDILUTED CONTACT POSSIBLE. FOR  
UNDILUTED PRODUCT, SAFETY GLASSES W/SIDE SHIELDS.

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:>200F,>93C

Melt/Freeze Pt:M.P/F.P Text:NOT AVAIL

Vapor Pres:NOT AVAIL

Vapor Density:NOT AVAIL

Spec Gravity:1.02

pH:11.0

Evaporation Rate & Reference:NOT AVAILABLE

Solubility in Water:COMPLETE

Appearance and Odor:C

LEAR LIQUID, FRUITY ODOR

Percent Volatiles by Volume:>10.0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS (MURIATIC), STRONG OXIDIZERS (LIQ CHLORINE), ALLUMINUM,  
ZINC (GALVANIZED).

Hazardous Decomposition Products:WHEN EXPOSED TO FIRE PRODUCES NORMAL  
PRODUCTS OF COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL OF UNDILUTED PRODUCT REGULATED UNDER  
ENVIRONMENTAL/TRANSPORTATION LAWS AS A CORROSIVE WASTE.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for th

e suitability of this information to their particular situation.