

DIVERSEY CORP -- DIVERPAK, 09508 -- 7930-01-350-6442

=====
Product Identification
=====

Product ID:DIVERPAK, 09508
MSDS Date:03/18/1996
FSC:7930
NIIN:01-350-6442
MSDS Number: CCBHV
=== Responsible Party ===
Company Name:DIVERSEY CORP
Address:12025 TECH CENTER DR
City:LIVONIA
State:MI
ZIP:48150
Country:US
Info Phone Num:313-458-5000
Emergency Phone Num:303-592-1024;800-424-9300(CHEMTREC)
CAGE:73042

=== Contractor Identification ===
Company Name:DIVERSEY CORP
Address:12025 TECH CENTER DRIVE
Box:City:LIVONIA
State:MI
ZIP:48150-5000
Country:US
Phone:313-450-5000
CAGE:73042

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM CARBONATE (2:1)
CAS:497-19-8
RTECS #:VZ4050000
OSHA PEL:N/K
ACGIH TLV:N/K

Ingred Name:SODIUM HYDROXIDE (CERCLA)
CAS:1310-73-2
RTECS #:WB4900000
Fraction by Wt: 45%
OSHA PEL:2 MG/M3
ACGIH TLV:C 2 MG/M3
EPA Rpt Qty:1000 LBS
DOT Rpt Q

ty:1000 LBS

Ingred Name:S-TRIAZINE-2,4,6(1H,3H,5H)-TRIONE, DICHLORO-, SODIUM SALT;
(SODIUM DICHLORO-S-TRIAZINETRIONE)

CAS:2893-78-9

RTECS #:XZ1900000

OSHA PEL:N/K

ACGIH TLV:N/K

Ingred Name:TRIPHOSPHORIC ACID, PENTASODIUM SALT; (SODIUM PHOSPHATE,
TRIBASIC) (CERCLA)

CAS:7758-29-4

RTECS #:YK4570000

OSHA PEL:N/K

ACGIH TLV:N/K

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:POLYOXYPROPYLENE GLYCOL

CAS:9003-11-6

RTECS #:MD0911050

OSHA PEL:N/K

ACGIH TLV:N/K

=====

Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: CORROSIVE TO SKIN AND EYES.

MISTS ARE CORROSIVE TO SKIN, EYES AND RESPIRATORY TRACT. CHRONIC:
NONE KNOWN.

Explanation of Carcinogenicity:NOT RELEVANT.

Effects of Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:SENSITIVE EYES,
SKIN, IMPAIRED

PULMONARY FUNCTION.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. GET MEDICAL ATTENTION. EYES:
FLUSH THOROUGHLY WITH FRESH WATER FOR AT LEAST 15 MINUTES. GET
MEDICAL ATTENTION. SKIN: FLUSH WITH FRESH WATER FOR AT LEAST 15
MINUTES. WASH WITH SOAP AND WATER. INGESTION: GIVE WATER, DO NOT
INDUCE VOMITING. GET MEDICAL ATTENTION. NEVER GIVE ANYTHING BY
MOUTH TO AN UNCONSCIOUS PERSON.

=====

=====
Fire Fighting Measures
=====

Flash Point:NONE

Extinguishing Media:WATER, FOAM, CARBON DIOXIDE, DRY CHEMICALS.

Fire Fighting Procedures:WEAR NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT .

Unusual Fire/Explosion Hazard:EXTREMELY HIGH TEMPERATURES COULD BREAK DOWN INORGANIC CHLORINE RELEASING AGENT.

=====
Accidental Release Measures
=====

Spill Release Procedures:FLUSH SMALL AMOUNTS TO DRAIN AFTER DILUTION AND NEUTRAL

IZATION. COLLECT AND RETURN LARGE AMOUNTS TO CONTAINER.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED; KEEP FROM HEAT SOURCES. DO NOT REMOVE FROM DELIVERY CONTAINER.

Other Precautions:DO NOT USE WATER GREATER THAN 140F FOR DISSOLVING PRODUCT IN CONTAINER.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE. USE NIOSH APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN .

Ventilation:LOCAL VENTILATION.

Protective Gloves:RUBBER, ALKALI RESISTANT.

Eye Protection:ANSI APPROVED CHEM WORKERS GOGGLES (SUP DAT)

Other Protective Equipment:ANSI APPROVED EMERGENCY EYEWASH & DELUGE SHOWER . CLOTHING AND FOOTWEAR TO PREVENT SKIN CONTACT.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

EYE PROTECTION: AND FULL LENGTH FACESHIELD .

=====
Physical/Chemical Properties
=====

Spec Gravity:1.35

Evaporation Rate & Reference:>1 (BUTYL ACETATE=1)

Solubility in Water:25%

Appearance and Odor:WHITE POWDER, WITH MILD ODOR IN DISPENSING CONTAINER

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

FLAMMABLE LIQUIDS, ACTIVE METALS, ORGANIC HALOGEN COMPOUNDS, NITROGEN COMPOUNDS, STRONG ACIDS CAUSE VIOLENT REACTIONS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous

Decomposition Products:CHLORINE GASES IF HEATED ABOVE 250F.

===== Disposal Considerations =====

Waste Disposal Methods:REMOVE/DEFACE LABEL BEFORE SELLING CONTR/DISP
CONCENTRATE PH ADJUSTMENT, DISCHARGE TO DRAIN. TRIPLE RINSE EMPTY
CONTR, RETURN TO OPERATION. CONTAINS PHOSPHATES. CONSULT LOC/STATE
REGS FOR HAZ WASTE DI SP. DISPOSE OF I/A/W LOC, STATE & FED REGS .

Disclaimer (provided with this information by the compiling agencies):

This informatio

n is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.