

BLACKHAWK AUTOMOTIVE INC -- 84-013,84-405 THRU 84-407 NAPA E6011 MILD STEEL ROD --
3439-00-262-2656

=====
Product Identification
=====

Product ID:84-013,84-405 THRU 84-407 NAPA E6011 MILD STEEL ROD

MSDS Date:06/01/1988

FSC:3439

NIIN:00-262-2656

MSDS Number: CCBZH

=== Responsible Party ===

Company Name:BLACKHAWK AUTOMOTIVE INC

Box:1606

City:WAUKESHA

State:WI

ZIP:53187

Country:US

Info Phone Num:414

-542-6611

Emergency Phone Num:414-542-6611

CAGE:EO393

=== Contractor Identification ===

Company Name:BLACKHAWK AUTOMOTIVE INC

Box:1606

City:WAUKESHA

State:WI

ZIP:53187

Country:US

Phone:414-542-6611

CAGE:EO393

Company Name:NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address:ONE LINCOLN WAY

Box:City:ST. LOUIS

State:MO

ZIP:63120-1578

Country:US

Phone:414-255-5520

CAGE:050Q3

=====
Composition/Information on Ingredients
=====

Ingred Name:IRON

CAS:7439-89-6

RTECS #:NO4565500

Other REC L

imits:NONE RECOMMENDED

Ingred Name:MANGANESE (SARA 313)
CAS:7439-96-5
RTECS #:OO9275000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C, 5 MG/M3 (FUME)
ACGIH TLV:0.2 MG/M3; 9596

Ingred Name:SILICON
CAS:7440-21-3
RTECS #:VW0400000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:CELLULOSE (PAPER
FIBER)
CAS:9004-34-6
RTECS #:FJ5691460
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3; 9596

Ingred Name:SILICON DIOXIDE
CAS:112945-52-5
RTECS #:VV7310000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:SODIUM SILICATE
CAS:1344-09-8
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM SILICATE
CAS:1312-76-1
Other REC Limits:NONE RECOMMENDED

Ingred Name:SODIUM TITANATE
CAS:12034-34-3
Other REC Limits:NONE RECOMMENDED

Ingred Na

me:POTASSIUM TITANATE
CAS:12030-97-6
Other REC Limits:NONE RECOMMENDED

Ingred Name:FELDSPAR
CAS:68476-25-5
Other REC Limits:NONE RECOMMENDED

Ingred Name:GRAPHITE, NATURAL
CAS:7782-42-5
RTECS #:MD9659600
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MPPCF; Z-3
ACGIH TLV:2 MG/M3 RDUST; 9596

Ingred Name:IRON OXIDE
CAS:1309-38-2
RTECS #:OM4800000
Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)
CAS:1317-65-3
RTECS #:EV9580000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:MOLYBDENUM
CAS:7439-98-7
RTECS #:QA4680000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 PPM.
ACGIH TLV:10 PPM.

Ingred Name:FLUORSPAR
CAS:14542-23-5
Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM HYDROXIDE (CERCLA)
CAS:1310-58-3
RTECS #:TT2100000
Other REC Limits:NONE RECOMMENDED
OSHA PEL:C 2 MG/M3
ACGIH TLV:C 2 MG/M3; 9596
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
===== Hazards Identification =====

=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:CHRONIC OVEREXPOSURE MAY LEAD TO
SIDEROSIS.

Effects of Overexposure:DIZZINESS, NAUSEA, DRYNESS OR IRRITATION OF
NOSE, THROAT, AND EYES.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Ai

d:MOVE TO FRESH AIR. CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point:NA

Autoignition Temp:Autoignition Temp Text:NA

Lower Limits:NA

Upper Limits:NA

===== Handling and Storage =====

Handling and Storage Precautions:ARC & SPARKS COULD BE SOURCE OF
IGNITION OF COMBUSTIBLE PRODUCTS.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respirat

ory Protection:WELD FUME RESPIRATOR OR AIR LINE RESPIRATOR FOR
CONFINED SPACE OR WHERE EXPOSURES ARE ABOVE TLV.

Ventilation:LOCAL EXHAUST:IN CONFINED OR POORLY VENTILATED SPACE.

MECHANICAL (GEN):IN SEMI-OPEN OR POORLY NATURALLY VENTILATED SPACE

Protective Gloves:WELDER'S PROTECTIVE GLOVES.

Eye Protection:FCSHIELD, SAFETY GLASSES.

Other Protective Equipment:WELDER'S PROTECTIVE CLOTHING TO PROTECT
AGAINST SPARKS, HOT MATERIAL.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Sup

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:NA

Melt/Freeze Pt:M.P/F.P Text:NA

Decomp Temp:Decomp Text:NP

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:NA

pH:NP

Viscosity:NP

Evaporation Rate & Reference:NA

Solubility in Water:NA

Appearance and Odor:NA

Percent Volatiles by Volume:NA

Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NO

NE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CO₂, CO, OZONE.

===== Disposal Considerations =====

Waste Disposal Methods:NONE SPECIFIED BY MANUFACTURER. HMIS:DISCARD ANY PRODUCT/RESIDUE/DISPOSAL CONTAINER/LINER IN ENVIRONMENTALLY ACCEPTABLE MANNER APPROVED BY FED/STATE/LOC REGS.

Disclaimer (provided with this information by the compiling agencies):

This information is formul

ated for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.