View NSN Online: https://aerobasegroup.kr/nsn/6850-01-043-8511

Product ID:SCREWLOOSE 3A,B,C MSDS Date:08/01/1990 FSC:6850 NIIN:01-043-8511 MSDS Number: CCCDN === Responsible Party === Company Name: SILOO (BOUGHT BY CRC CHEMICALS USA) Box:2549 **City:WARMINSTER** State:PA ZIP:18974 Country:US Info Phone Num:215-674-4300 Emergency Phone Num:215-674-4300 Pr eparer's Name: A.B. REED CAGE:EO289 === Contractor Identification === Company Name:NAPA, A DIVISION OF LINCOLN AUTOMOTIVE Address:ONE LINCOLN WAY Box:City:ST. LOUIS State:MO ZIP:63120-1578 Country:US Phone:414-255-5520 CAGE:050Q3 Company Name:SILOO Box:2549 **City:WARMINSTER** State:PA ZIP:18974 Country:US Phone:215-674-4300 CAGE:54037 Company Name: SILOO (BOUGHT BY CRC CHEMICALS USA) Box:2549 City:WARMINSTER State:PA ZIP:18974 Country:US Phone:215-674-4300 CAGE:EO289

======= Composition/Infor

mation on Ingredients =========

Ingred Name:PETROLEUM DISTILLATE CAS:64742-47-8 RTECS #:OA5504000 Fraction by Wt: 89% Other REC Limits:NONE RECOMMENDED

Ingred Name:PARAFFINIC OIL BASE CAS:64742-54-7 RTECS #:PY8035500 Fraction by Wt: 11% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name: ADDITIVE PRIMARILY FATTY ACIDS & FATTY ACID ESTERS. Fraction by Wt: NP Other REC Limits: NONE RECOMMENDED

================== Hazards Identification

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER. Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE:MAY CAUSE BURNIGN & IRRITATION OG EYES. SKIN CONTACT WILL CAUSE DRYNESS. INHALATION OF MIST MAY CAUSE BREATHING PROBLEMS. VAPORS MAY ALSO CAUSE HEADACHES OR NAUSEA. CHRONIC:PROLONGED EXPOSURE TO SKIN MAY CAUSE DEVELOPMENT OF DERMATITIS. Explanation of Carcinoge

nicity:PER MSDS:CHEM LISTED AS CARCINOGEN/POT

CARCINOGEN:NTP/IARC/OSHA:NO.

Effects of Overexposure:BURNING & IRRIT OF EYE. SKIN DRYNESS. BREATHING PROBLEMS. HEADACHES, NAUSEA, DERMATITIS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:IF SYMPTOMS PERSIST CALL PHYSICIAN. INHAL:REMOVE TO FRESH AIR. APPLY ARTIFICIAL RESP IF NECESSARY. EYE:FLUSH W/LG AMTS OF WATER. SKIN:WASH W/WATER.

REMOVE CONTAMINATED CLOTHING. INGEST:DO NOT INDUCE V OMIT. CALL PHYSICIAN.

Flash Point Method:COC Flash Point:175F,79C Autoignition Temp:Autoignition Temp Text:NP Lower Limits:NA **Upper Limits:NA** Extinguishing Media:CO2, FOAM, DRY CHEMICAL. Fire Fighting Procedures:NONE SPECIFIED BY MANUFACTURER. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===

Spill Release Procedures: REMOVE ANY SOURCES OF IGNITION. VENTILATE AREA. USE ABSORBENT TO PICK UP WASTE MATERIAL. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: STORE IN COOL DRY PLACE. Other Precautions: NONE SPECIFIED BY MANUFACTURER.

Respiratory Protection: USE SELF-CONTAINED BREATHING APPARATUS FOR CONC ABO

VE TLV.

Ventilation: ADEQUATE VENTILATION TO MAINTAIN VAPOR CONC BELOW TLV. Protective Gloves:SOLVENT RESISTANT. Eye Protection:SAFETY GLASSES. Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER. Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER. HMIS: LAUNDER CONTAMIN CLOTHING BEFORE REUSE.

Supplemental Safety and Health

HCC:V4 Boiling Pt:B.P. Text:380F,193C Melt/Freeze Pt:M.P/F.P Text:NA Decomp Temp: Decomp Tex

t:NP Vapor Pres:NA Vapor Density:>AIR Spec Gravity:0.80 pH:NP Viscosity:NP Evaporation Rate & amp; Reference:NA Solubility in Water:NEGLIGIBLE. Appearance and Odor:AMBER LIQUID, PETROLEUM ODOR. Percent Volatiles by Volume:91 Corrosion Rate:NP

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. HMIS:ALL IGNITION SOURCES. Hazardous Decomposition Prod ucts:CO2, CARBON MONOXIDE.

Waste Disposal Methods:DISCARDED FILLED CANS OR PARTIALLY USED CANS ARE HAZARDOUS WASTE-OBSERVE LOCAL, STATE AND FEDERAL REGULATIONS. CONTAINS NO CHEMS FOUND IN SEC 313 OF SARA TITLE III.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoev er,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.