Product ID:NP-6030 TONER BLACK (NPG-7), F 41-7901-000 MSDS Date:05/01/1992 FSC:6850 NIIN:01-418-4996 **MSDS Number: CCCKL** === Responsible Party === Company Name: CANON U.S.A., INC. Address:ONE CANON PLAZA City:LAKE SUCCESS State:NY ZIP:11042 Country:US Info Phone Num:516-488-6700 Emer gency Phone Num:516-488-6700/800-424-9300(CHEMTREC) CAGE:08YZ7 === Contractor Identification === **Company Name: CANON USA INC** Address: ONE CANON PLZ Box:City:NEW HYDE PARK State:NY ZIP:11042 Country:US Phone:516-328-5000; 5600 CAGE:08YZ7

Ingred Name:STYRENE ACRYLATE COPOLYMER Fraction by Wt: 40 - 50% Other REC Limits:NONE RECOMMENDED

Ingred Name:STYRENE POLYMER Fraction by Wt: 5 - 15% Other REC Limits:NONE RECOMMENDED

Ingred N

ame:IRON OXIDE CAS:1317-61-9 Fraction by Wt: 40 - 50% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG/M3 ACGIH TLV:5 MG/M3

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT KNOWN. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: TARGET ORGANS: EYE, RESPIRATORY AND GASTROINTESTINAL TRACTS. ACUTE- EYE CONTACT MAY CAUSE IRRITATION. LOW HA ZARD FOR INDUSTRIAL HANDLING. INHALATION MAY CAUSE MILD RESPIRATORY TRACT IRRITATION. INGESTI ON MAY CAUSE GASTRIC DISTURBANCES. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure: IRRITATION, NAUSEA Medical Cond Aggravated by Exposure: PERSONS WITH PRE-EXISTING EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT. First Aid:GET MEDICAL H ELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER FOR 15 MINUTES. HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DRINK SEVERAL GLASSES OF WATER. SEEK ME DICAL ATTENTION. Flash Point:NONE Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, SAND, FOAM/DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING A ND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard: AS WITH ANY FINELY DIVIDED ORGANIC SOLID, DUST MAY BE EXPLOSIVE IF MIXED WITH AIR IN CRITICAL PROPORTIONS AND IN THE PRESENCE OF AN IGNITION SOURCE. Spill Release Procedures: SWEEP SPILL ONTO PAPER AND PLACE IN FIBER CARTON, AVOID RAISING DUST. Neutralizing Agent:NOT RELEVANT 

SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS Protective Gloves:LATEX RECOMMENDED Eye Protection:SAFETY GLASSES/GOGGLES RECOMMENDED Other Protective Equipment:EYE WASH STATION, SAFETY SHOWER, PROTECTIVE CLOTHING

Work Hygienic Practices: OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

HCC:N1 NRC/State Lic Num:NOT RELEVANT Melt/Freeze Pt:M.P/F.P Text:212F,100C Spec Gravity:1.0 - 2.0 Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:NEGLIGIBLE Appearance and Odor:FINE POWDER - SLIGHT PLASTIC ODOR

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stability Condition to Avoid:EXCESSIVE HEAT Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE

====== Dispos

Waste Disposal Methods:NO SPECIAL DISPOSAL TECHNIQUE REQUIRED. ENSURE COMPLICANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. CONTRACT WITH A LICENSED WASTE DISPOSAL FACILITY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accura te and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.