

LUBRICATING SPECIALITIES CO -- DEXRON III/MERCON AUTOMATIC TRANSMISSION FLUI

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 00-657-4959
MSDS Date: 05/19/1995
MSDS Num: CCHTP
Product ID: DEXRON III/MERCON AUTOMATIC TRANSMISSION FLUID
MFN: 01
Responsible Party
Cage: 2X769
Name: LUBRICATING SPECIALITIES CO
Address: 8015 PARAMOU
NT BLVD
City: PICO RIVERA CA 90660-4888
Info Phone Number: 213-928-3311
Emergency Phone Number: 213-928-3311/800-424-9300(CHEMTREC)
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 2X769
Name: TECHNOLUBE PRODUCT COMPANY
Address: 8015 PARAMOUNT BLVD.
City: PICO RIVERA CA 90660-4811
Phone: 562 776-4000 GEN: 562-776-4000

=====
Item Des
cription Information
=====

Item Manager: S9G
Item Name: HYDRAULIC FLUID,AUTOMATIC TRANSMISSION
Unit of Issue: CN
Quantitative Expression: 00000000005GL
UI Container Qty: 1
Type of Container: STD COML PKG

=====
Ingredients
=====

Cas: 64742-54-7
RTECS #: PY8035500
Name: MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED (MILD), HEAVY PARAFFINIC
% Wt: &

It;90
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 5 MG/M3 (OIL MIST)
ACGIH TLV: 5 MG/M3 (OIL MIST)

=====
Health Hazards Data
=====

LD50 LC50 Mixture: TLV 5MG/M3 OIL MIST
Route Of Entry Inds - Inhalation: NO
Skin: YES
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: NOT NORMALLY EXPECTED TO CAUSE ANY ACUTE ILL EFFECTS EXCEPT IN VERY SENSITIVE INDIVIDUALS. PROLONGED AND/OR REPEATED CONTACT MAY PRODUCE MILD SKIN IRRITATION AND INFLAMMATION.
Explanation Of Carcinogenicity: PRODUCT CONTAINS NO MATERIALS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA.
Signs And Symptions Of Overexposure: SKIN IRRITATION AND INFLAMMATION.
Medical Cond Aggravated By Exposure: PERSONNEL WITH PRE-EXISTING SKIN DISORDER SHOULD AVOID CONTACT.
First Aid: INGESTION-DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN.
INHALATION-REMOVE FROM CONTAMINATED AREA. APPLY ARTIFICIAL RESPIRATION. IF UNCONSCIOUS, CONSULT PHYSICIAN. EYE-FLUSH WITH COPIOUS AMOUNTS OF WATE R. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN. SKIN-WASH WITH SOAP AND WATER. CONSULT A PHYSICIAN IF IRRITATION/INFLAMMATION DEVELOPES.

=====
Handling and Disposal
=====

Spill Release Procedures: STOP FLOW. WIPE OR MOP UP OR ABSORB WITH DIATOMACEOUS EARTH OR OTHER INERT MATERIAL. STORE IN APPROPRIATE CONTAINER FOR DISPOSAL.
Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.
Waste Disposal Methods: IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.
Handling And Storage Precautions: AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF IGNITION. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOORS. PROPER FOOTWEAR REQUIRED.
Other Precautions: WASH OR TAKE SHOWER IF GENERAL CONTACT OCCURS. REMOVE OIL-SOAKED CLOTHING AND LAUNDRER BEFORE REUSE. DISCARD CONTAMINATED LEATHER GLOVES AND SHOE

S.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: COC

Flash Point Text: >392F,>200C

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Haza

rd: SLIGHTLY COMBUSTIBLE, WHEN HEATED ABOVE FLASH

POINT WILL RELEASE FLAMMABLE VAPORS WHICH CAN BURN IN OPEN OR BE EXPLOSIVE IN CONFINED SPACES IF EXPOSED TO SPARKS

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED.

Ventilation: SUFFICIENT TO MAINTAIN ATMOSPHERE BELOW TLV LIMIT.

Protective Gloves: RECOMMENDED.

Eye Protection: REQUIRED.

Other Protective Equipment: CHE

MICALLY RESISTANT BOOTS AND APRONS RECOMMENDED.

Work Hygienic Practices: WASH HANDS WITH SOAP AND WATER BEFORE EATING, DRINKING OR SMOKING.

Supplemental Safety and Health: NONE.

=====
Physical/Chemical Properties
=====

HCC: V6

B.P. Text: >617F,>325C

M.P/F.P Text: UNKNOWN

Decomp Text: UNKNOWN

Vapor Pres: <0.01

Vapor Density: > AIR

Spec Gravity: 0.863

Viscosity: UNKNOWN

Evaporation Ra

te & Reference: LESS THAN ETHER

Solubility in Water: NEGLIGIBLE

Appearance and Odor: RED OILY LIQUID, PETROLEUM ODOR.

Percent Volatiles by Volume: NIL

Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: DO NOT HEAT ABOVE FLASH POINT.

Materials To Avoid: STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: CARBON MONOXIDE AND ASPHYXI

ANTS.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NONE. WILL NOT OCCUR.

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 2X769
Trans ID NO: 80977
Product ID: DEXRON III/MER
CON AUTOMATIC TRANSMISSION FLUID
MSDS Prepared Date: 05/19/1995
Review Date: 11/26/1996
MFN: 1
Net Unit Weight: 36.7 LBS
AF MMAC Code: NR
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: CN
Container QTY: 1
Type Of Container: STD COML PKG
Additional Data: OIL, N.O.S. PER MANUFACTURER

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TR

TRANSPORTATION

=====
Detail IMO Information
=====

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
HAZCOM Label
=====

Product ID: DEXRON III/MERCON AUTOMATIC TRANSMISSION FLUID
Cage: 2X769
Company Name: TECHNOLUBE PRODUCT COMPANY
Street: 8015 PARAMOUNT BLVD.
City: PICO RIVERA CA
Zipcode: 90660-4811
Health Emergency Phone: 213-928-3311/800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 11/26/1996
Status Code: C
Label Date: 11/26/1996
Origination Code: F
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: CAUTION
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: AVOID STORAGE NEAR OPEN FLAME OR OTHER SOURCES OF
IGNITION. EXCESSIVE MISTING MAY CAUSE SLIPPERY FLOORS. PROPER FOOTWEAR

REQUIRED. EMPTY CONTAINERS RETAIN RESIDUE AND CAN BE DANGEROUS. DO NOT CUT, WELD OR EXPOSE CONTAINERS TO IGNITION SOURCES. FIRST AID: IN CASE OF INGESTION, DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN. IN CASE OF INHALATION, REMOVE FROM CONTAMINATED AREA. APPLY ARTIFICIAL RESPIRATION. IF UNCONSCIOUS, CONSULT PHYSICIAN. IN CASE OF EYE CONTACT, FLUSH WITH LARGE AMOUNTS OF WATER. IF IRRITATION DEVELOPS, CONSULT A PHYSICIAN. IN CASE OF SKIN CONTACT, WASH WITH SOAP AND WATER. CONSULT A PHYSICIAN IF IRRITATION/INFLAMMATION DEVELOPS

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation