

VICTOR AUTOMOTIVE PRODUCTS INC -- BATTERY WASHERS -- 5330-01-217-1854

=====  
Product Identification  
=====

Product ID:BATTERY WASHERS

MSDS Date:09/25/1989

FSC:5330

NIIN:01-217-1854

MSDS Number: CCJBQ

=== Responsible Party ===

Company Name:VICTOR AUTOMOTIVE PRODUCTS INC

Address:3512 N. KOSTNER

City:CHICAGO

State:IL

ZIP:60641

Country:US

Info Phone Num:312-298-8870

Emergency Phone Num:517-463-1164

CAGE

:0YE50

=== Contractor Identification ===

Company Name:BALKAMP INC

Address:2601 S HOLT ROAD

Box:City:INDIANAPOLIS

State:IN

ZIP:46241

Country:US

Phone:317-244-7241

CAGE:70842

Company Name:NAPA, A DIVISION OF LINCOLN AUTOMOTIVE

Address:ONE LINCOLN WAY

Box:City:ST. LOUIS

State:MO

ZIP:63120-1578

Country:US

Phone:414-255-5520

CAGE:050Q3

Company Name:VICTOR AUTOMOTIVE PRODUCTS INC

Address:501 S WOLF RD

Box:City:DES PLAINES

State:IL

ZIP:60016

Country:US

Phone:800-423-4201

CAGE:0YE50

=====  
Comp

osition/Information on Ingredients =====

Ingred Name:DISTILLATES, HYDRODESULFURIZED MIDDLE; (MINERAL SEAL OIL)  
CAS:64742-80-9  
RTECS #:JN9202000  
Other REC Limits:NONE RECOMMENDED

Ingred Name:PARAFFINS  
Fraction by Wt: 57.0%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:OLEFINS  
Fraction by Wt: 1.4%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:AROMATICS  
Fraction by Wt: 15.6%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:NAPHTHEN  
ES  
Fraction by Wt: 26.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3 (OIL MIST)  
ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHAL:HEADACHE & STUPOR. SKIN:IRRIT.  
EYES:BLURRING, WATERING & IRRIT. INGEST:NAUSEA, VOMITING. DO NOT  
INDUCE VOMI  
TING. GET MED ATTN.  
Explanation of Carcinogenicity:CARCINOGENICITY:NONE.  
Effects of Overexposure:HEADAHCE, STUPRO, SKIN IRRIT, BLURRING OF EYES,  
WATERING, IRRIT. NAUSEA, VOMITING.  
Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:INHAL:MOVE TO VAPOR-FREE AREA. SKIN:WASH W/SOAP/WATER.  
EYES:FLUSH W/COPIOUS AMTS OF WATER. INGEST:GET MED ATTN. DO NTO  
INDUCE VOMIT.

===== Fire Fighting Measures

Flash Point Method:COC  
Flash Point:265F,129C  
Autoignition Temp:Autoignition Temp Text:NP  
Lower Limits:0.7  
Upper Limits:5.0  
Extinguishing Media:COW, FOG, DRY CHEMICAL, FOAM.  
Fire Fighting Procedures:AVOID USE OF WATER.  
Unusual Fire/Explosion Hazard:WILL REACT W/STRONG OXIDZING AGENTS.

===== Accidental Release Measures =====

Spill Release Procedures:NO SPILLAGE OR RELEASING WILL OCCUR AS THE  
CHEMICAL IS PART OF THE WASHER.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM HIGH TEMPERATURES OR  
OPEN FLAME.  
Other Precautions:PRODUCT IS NOT BIODEGRADABLE & SHOULD NEVER BE  
DISPOSED OF IN A DRAIN GOING TO SEWER. IT DOES CONTAIN AN OIL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED.  
Ventilation:LOC EXHAU:UNLIKELY BUT SHOULD BE USED IF AN EXTREMELY LARGE  
AMT OF THE WASTERS ARE PRESENT IN UNPAKAGED STATE.  
Work Hygienic Practices:WASH HANDS IF SKIN CONTACT HAS BEEN MADE.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:470F,243C  
Melt/Freeze Pt:M.P/F.P Text:NA  
Decomp Temp:Decomp Text:NP  
Vapor Pres: