

A T & T NETWORK SYSTEMS -- KS-7470 OIL L1, PRODUCT CODE 400289211 -- 9150-00-448-5009  
===== Product Identification =====

Product ID:KS-7470 OIL L1, PRODUCT CODE 400289211

MSDS Date:03/18/1991

FSC:9150

NIIN:00-448-5009

MSDS Number: CCJTN

=== Responsible Party ===

Company Name:A T & T NETWORK SYSTEMS

Address:1 OAK WAY

City:BERKLEY HEIGHTS

State:NJ

ZIP:07922

Country:US

Info Phone Num:908-204-8243

Eme

Agency Phone Num:908-204-8243 OR 800-424-9300

CAGE:0PWA9

=== Contractor Identification ===

Company Name:AT AND T NETWORK SYSTEMS

Address:1 OAK WAY

Box:City:BERKLEY HEIGHTS

State:NJ

ZIP:07922

Country:US

CAGE:0PWA9

===== Composition/Information on Ingredients =====

Ingred Name:NO. 2 DIESEL FUEL (CALLED "PETROLEUM BASED OIL" ON MSDS)

CAS:68334-30-5

RTECS #:HZ1800000

Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50

Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:THE TOXICOLOGICAL PROPERTIES OF THIS PRODUCT MAY NOT HAVE BEEN FULLY INVESTIGATED. PROLONGED &/OR REPEATED SKIN CONTACT MAY CAUSE IRRITATION & DERMATITIS. EYE CONTACT MAY CAUSE IRRITATION. INHALATION OF CONCENTRATED MISTS OR VAPORS MAY CAUSE INTOXICATION, HEADACHE, NAUSEA & POSSIBLE COMA.

Exp

lanation of Carcinogenicity:MFR GAVE THE ABOVE LISTINGS ON THE MSDS BUT NO OTHER COMMENTS ABOUT CARCINOGENICITY WERE RECORDED.

Effects of Overexposure:PROLONGED &/OR REPEATED SKIN CONTACT:IRRITATION & DERMATITIS. EYE CONTACT:IRRITATION. INHALATION OF CONCENTRATED MISTS OR VAPORS:INTOXICATION, HEADACHE, NAUSEA & POSSIBLE COMA.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS.

=====  
===== First Aid Measures =====

First Aid:IF ANY IRR

ITATION PERSISTS OR SEVERE, GET MEDICAL ATTENTION.

EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. INHALED:REMOVE FROM CONTAMINATED AREA. AID OR RESTORE BREATHING AS NEEDED. INGESTED:IF CONSCIOUS, GIVE LARGE AMOUNTS OF WATER & INDUCE VOMITING. NOTHING BY MOUTH IF UNCONSCIOUS.

=====  
===== Fire Fighting Measures =====

Flash Point:>400F,>204C

Autoignition Temp:Autoignition Temp Text:N.D.

Lower Limits:1

Upper Limits:6

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM

Fire Fighting Procedures:DO NOT USE WATER STREAM AS IT WILL SPREAD BURNING MATERIAL. USE SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:NONE

=====  
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB SPILLS W/INERT MATERIAL & PLACE IN APPROPRIATE SEALED CONTAINER FOR DISPOSAL.

Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

=====

===== **Handling and Storage**=====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED WHEN NOT IN USE. NO SMOKING IN AREAS OF STORAGE& USE. STORE AWAY FROM HEAT & SOURECES OF IGNITION.

Other Precautions:MFR GAVE NO INFORMATION OF MSDS.

===== **Exposure Controls/Personal Protection**=====

Respiratory Protection:RESPIRATORS ARE NOT REQUIRED UNDER NORMAL CONDITIONS OF USE. USE APPROPRIATE RESPIRATOR IF TLV FOR MINERAL OIL IS EXCEEDED.

Ventilation:MECHANICAL (GENERAL) VENTILATION SHOULD BE ADEQUATE.  
Protective Gloves:NEOPRENE, NITRILE, POLYVINYL ALCOHOL  
Eye Protection:SAFETY GLASSES W/SIDE SHIELDS  
Other Protective Equipment:MFR GAVE NO INFORMATION OF MSDS.  
Work Hygienic Practices:USE GOOD HYGIENIC PRACTICES.  
Supplemental Safety and Health  
MSDS RECEIVED FROM THE NAVY (FOCAL POINT N). NSN IDENTIFIED BY FOCAL POINT N.

===== **Physical/Chemical Properties**=====

HCC:V6  
NRC/State Lic Num:NONE  
Boiling Pt:B.P  
. Text:>400F,>204C  
Vapor Pres:0.001 MM  
Spec Gravity:0.88  
pH:N.D.  
Evaporation Rate & Reference:0.001 (N-BUAC = 1)  
Solubility in Water:INSOLUBLE  
Appearance and Odor:CLEAR ODORLESS LIQUID.  
Percent Volatiles by Volume:0

===== **Stability and Reactivity Data**=====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:AVOID FIRE, SPARKS, OTHER SOURCES OF IGNITION, HIGHLY OXIDATIVE CONDITIONS  
Hazardous Decomposition Products:CA

RBON MONOXIDE, CARBON DIOXIDE  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF I/A/W FEDERAL, STATE & LOCAL RULES & REGULATIONS. INCINERATION AT A PERMITTED, APPROVED SITE MAY BE APPROPRIATE.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.