

COURTAULDS AEROSPACE INC -- AMINE ACTIVATOR DES LOW IR EPOXY PA ACTIVATOR 910X654  
-- 8010-01-050-4082

===== Product Identification =====

Product ID:AMINE ACTIVATOR DES LOW IR EPOXY PA ACTIVATOR 910X654

MSDS Date:12/18/1991

FSC:8010

NIIN:01-050-4082

Kit Part:Y

MSDS Number: CCKBC

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE INC

Address:757 CALIFORNIA ST

Box:1800

City:GLENDALE

State:C

A

ZIP:91203

Country:US

Info Phone Num:818-549-7973

Emergency Phone Num:818-549-7973

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:XYLENE )ARA 313) (CERCLA) VP 10

CAS:1330-20-7

RTECS #:ZE2100000

Fraction by Wt: 5.0%

Other REC Limits:NONE

RECOMMENDED  
OSHA PEL:100 PPM 150 STEL  
ACGIH TLV:100 PPM/150STEL  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ETHYL BENZENE (SARA 313) VP 7.1

CAS:100-41-4

RTECS #:DA0700000

Fraction by Wt: AIR, MAY COLLECT IN

LOW/CONFINED AREAS.USE GROUNDING/BONDING PROCEDURES WHEN  
TRANSFERRING. AVOID FREE-FALL LIQUID. DON'T SMOKE. KEEP FROM HOT  
SURFACES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE TLV EXCEEDED OR SPRAY MIST PRESENT, US

E

NIOSH/MSHA APPROVED RESPIRATOR. IN CONFINED AREA, AIR-SUPPLIED  
RESPIRATORS. FOLLOW RESPIRATOR MFR DIRECTION/OSHA REGULATION 29 CFR  
1910.134 FOR RESPIRATOR USE.

Ventilation:GEN GILUTION/LOCAL EXHAUST TO KEEP LEVEL BELOW TLV/PEL.

WHERE EMPLOYEES NOT EXPOSED KEEP LEVEL BELOW 25% OF LEL.

Protective Gloves:CHEMICAL RESISTANT GLOVES.

Eye Protection:SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment:PROTECTIVE CLOTHING, SAFETY SHOWER, EYEBATH,  
WASHING FACILITIES

SHOULD BE AVAILABLE.

Supplemental Safety and Health

DO NOT ENTER AREAS W/O FOLLOWING APPROPRIATE PROCEDURES INCLUDING AIR  
MONITERING, USE OF SUPPLIED AIR IF NECESSARY & PRESENCE OF OBSERVER  
FOR ASSISTANCE. OBSERVE PRECAUTIONARY LABEL WARNINGS.

=====  
===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:180 TO 277F

Vapor Density:>AIR

Spec Gravity:0.87

Evaporation Rate & Reference:SLOWER THAN BUAC

Appearance and Odor:CLEAR LIQUID, SOLVENT ODOR

Per

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES

NONE RECOGNIZED

Stability Condition to Avoid: NONE RECOGNIZED

Hazardous Decomposition Products: PRODUCTS OF COMBUSTION HAZARDOUS  
(CARBON MONOXIDE, CARBON DIOXIDE).

===== Disposal Considerations =====

Waste Disposal Methods: PACKAGE, STORE, TRANSPORT, MANAGE IN ACCORDANCE  
W/LOCAL, STATE, FEDERAL REGULATIONS. NO METHOD  
IS TO BE USED THAT  
WOULD POSE ENVIRONMENTAL OR HUMAN HEALTH THREAT, INCLUDING ANY  
WHICH WOULD CONTAMINATE GROUND OR SURFACE WATER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.