

LUBRICATING SPECIALITIES CO, T -- NAVSEA DWG 6381773-1,A 0900

=====
MSDS Safety Information
=====

FSC: 9150
NIIN: 01-263-8427
MSDS Date: 06/04/1993
MSDS Num: CCKDJ
Product ID: NAVSEA DWG 6381773-1,A 0900
MFN: 02
Responsible Party
Cage: 2X769
Name: LUBRICATING SPECIALITIES CO, TECHNOLUBE PROD DIV
Address: 8015 PARAMOUNT BLVD
City: PICO RIVERA CA 90660-4888
Info Phone Number: 562-928-3311, FAX 562-928-1428
Emergency Phone Number: 562-928-3311, CHEMTREC 800-424-9300
Preparer's Name: UNKNOWN
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 8Y842
Name: LUBRICATING SPECIALTIES CO. TECHNOLUBE PRODUCTS DIV
Address: 3365 E. SLAUSON AVE
City: LOS ANGELES CA 90058
Phone: 562-776-4033; FAX:562-776-4003
Cage: 1DL10
Name: NAUGHTON ENERGY CORP
Address: RT 940
Box: 709
City: POCONO PINES PA 18350-0709
Phone: 570-646-0422
Cage: 2X769
Name: TECHNOLUBE PRODUCT COMPANY
Address: 8015 PARAMOUNT BLVD.
City: PICO RIVERA CA 90660-4811
Phone: 562 776-4000 GEN: 562-776-4000

=====
Item Description Information
=====

Item Manager: S9G
Item Name: HYDRAULIC FLUID,PETROLEUM BASE
Specification Number: NONE
Type/Grad

e/Class: NONE
Unit of Issue: CN
Quantitative Expression: 00000000005GL
UI Container Qty: 0
Type of Container: CAN

=====
Ingredients
=====

Cas: 64742-46-7
RTECS #: JN9379645
Name: HYDROTREATED MIDDLE PETROLEUM DISTILLATE
% Wt: <85
Other REC Limits: NONE RECOMMENDED
OSHA PEL: 5 MG/M3 AS OIL MIST
ACGIH TLV: 5 MG/M3 AS OIL MIST
=====

Health Hazards

Data

=====
LD50 LC50 Mixture: TLV FOR OIL MIST IS 5 MG/M3.
Route Of Entry Inds - Inhalation: NO
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: TARGET ORGANS:NONE. ACUTE- EYES/SKIN/ORAL:NOT NORMALLY EXPECTED TO CAUSE ANY ILL EFFECTS EXCEPT IN VERY SENSITIVE INDIVIDUALS. INHALE:NO SIGNIFICANT ADVERSE HEALTH EFFECTS ARE EXPECTED TO OCCUR ON SHORT TERM EXPOSURE. CHRONIC- MAY CAUSE MILD SKIN IRRITATION & INFLAMMATION.
Explanation Of Carcinogenicity: NONE
Signs And Symptoms Of Overexposure: SLIGHT IRRITATION, NAUSEA
Medical Cond Aggravated By Exposure: INDIVIDUALS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUCCEPTIBLE TO THE EFFECTS FROM EXPOSURE TO THIS PRODUCT.
First Aid: GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALED:REMOVE TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. ORAL:DO NOT INDUCE VOMITING. IF CONSCIOUS, RINSE MOUTH WITH WATER. SEEK MEDICAL ATTENTION. IF SPONTANEOUS VOMITING OCCURS, KEEP HEAD BELOW HIPS.
=====

Handling and Disposal

=====
Spill Release Procedures: PICK UP SPILL WITH INERT MATERIAL SUCH AS SAND, CLAY, EARTH. SHOVEL INTO CONTAINERS FOR DISPOSAL. PREVENT RUN-OFF TO ENTER WATERWAYS, SEWERS.
Neutralizing Agent: NOT RELEVANT
Waste Disposal Methods:

DISPOSE OF IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. INCINERATION IS RECOMMENDED.

Handling And Storage Precautions: STORE AWAY FROM STRONG OXIDIZERS. KEEP OUT OF REACH OF CHILDREN.

Other Precautions: AVOID CONTACT WITH EYES AND SKIN. WASH THOROUGHLY AFTER HANDLING. LAUNDRER CLOTHING BEFORE REUSE. AVOID INHALING MISTS. EMPTY CONTAINERS OF THIS PRODUCT MAY BE HAZARDOUS DUE TO THE RETENTION OF RESIDUE S. DO NOT TAKE INTERNALLY.

=====

=====

Fire and Explosion Hazard Information

=====

Flash Point Text: >212F,>100C

Lower Limits: UNKNOWN

Upper Limits: UNKNOWN

Extinguishing Media: WATER FOG, FOAM, DRY CHEMICAL/CARBON DIOXIDE. WATER OR FOAM MAY CAUSE FROTHING.

Fire Fighting Procedures: DO NOT ENTER ANY ENCLOSED OR CONFINED AREA WITHOUT PROPER PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS.

Unusual Fir

e/Explosion Hazard: SLIGHTLY COMBUSTIBLE. WHEN HEATED ABOVE FLASH POINT, WILL RELEASE FLAMMABLE VAPORS WHICH CAN BURN IN OPEN OR BE EXPLOSIVE IN CONFIED SPACES.

=====

Control Measures

=====

Respiratory Protection: NONE NORMALLY REQUIRED. IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOS

H-APPROVED ORGANIC VAPO R RESPIRATOR.

Ventilation: GENERAL ROOM VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves: NITRILES IF PROLONGED/REPEATED CONTACT

Eye Protection: SAFETY GOGGLES/GLASSES

Other Protective Equipment: EYE WASH STATION AND SAFETY SHOWER. INDUSTRIAL-TYPE WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DISCARD CONTAMINATED LEATHER GLOVES AND SHOES.

Supplemental Safety and Health: FORMULA CH

ANGED. FOR PREVIOUS FORMULATION, SEE
PNI A, SAME NSN.

=====
Physical/Chemical Properties
=====

HCC: V6
NRC/State LIC No: NOT RELEVANT
B.P. Text: >392F,>200C
M.P/F.P Text: UNKNOWN
Decomp Text: UNKNOWN
Vapor Pres: <0.01 @68F
Vapor Density: >1
Spec Gravity: 0.860
Viscosity: UNKNOWN
Solubility in Water: NEG
Appearance and Odor: YELLOW OILY LIQUID - PETROLEUM ODOR
Percent Volatiles by Vo
lume: NIL
Corrosion Rate: UNKNOWN

=====
Reactivity Data
=====

Stability Indicator: YES
Stability Condition To Avoid: HEATING ABOVE FLASH POINT
Materials To Avoid: STRONG OXIDIZING AGENTS
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, ASPHYXIANTS
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====

Other Information

Transportation Information

Responsible Party Cage: 2X769
Trans ID NO: 119439
Product ID: NAVSEA DWG 6381773-1,A 0900
MSDS Prepared Date: 06/04/1993
Review Date: 12/09/1996
MFN: 2
Radioactivity: NOT RELEVANT
Net Unit Weight: 35.9 LBS
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: CN
Container QTY: 0
Type Of Container: CAN

Detail DOT Information

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

Detail IATA Information

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail AFI Information

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
HAZCOM Label
=====

Product ID: NAVSEA DWG 6381773-1,A 0900

Cage: 2X769

Company Name: TECHNOLUBE PRODUCT COMPANY

Street: 8015 PARAMOUNT BLVD.

City: PICO RIVERA CA

Zipcode: 90660-4811

Health Emergency Phone: 310-928-3311/800-424-9300(CHEMTREC)

Date Of Label Review: 12/09/1996

Status Code: C

Label Date: 12/09/1996

Year Procured: 1997
=====

Disclaimer (provided w

ith this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or

viability by or to any person or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such

use. Any person

utilizing this instruction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify

and assume responsibility for the suitability of this information to their

particular situation regardless of similarity to a corresponding Department

of Defense or other government situation.