

PENRECO A DIVISION OF PENNZOIL PRODUCTS -- DRAKEOL 35 MINERAL OIL USP --
9150-01-307-0287

===== Product Identification =====

Product ID:DRAKEOL 35 MINERAL OIL USP
MSDS Date:01/20/1994
FSC:9150
NIIN:01-307-0287
MSDS Number: CCKHH
=== Responsible Party ===
Company Name:PENRECO A DIVISION OF PENNZOIL PRODUCTS
Address:4401 PARK AVENUE
City:DICKINSON
State:TX
ZIP:77539
Country:US
Info Phone Num:800-546
-6040
Emergency Phone Num:800-546-6040
CAGE:NO404
=== Contractor Identification ===
Company Name:PENRECO A DIVISION OF PENNZOIL PRODUCTS
Address:4401 PARK AVENUE
Box:City:DICKINSON
State:TX
ZIP:77539
Country:US
Phone:800-546-6040
CAGE:NO404
Company Name:SINGER SEWING CO
Country:US
CAGE:0FHH0
Company Name:THE SINGER CO
Address:8 STAMFORD FORUM
Box:City:STAMFORD
State:CT
ZIP:06904
Country:US
CAGE:77948

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL,

WHITE
CAS:8042-47-5
RTECS #:PY8047000
Fraction by Wt: 100% %
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT GIVEN FOR PRODUCT AS A WHOLE
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE CONTACT MAY BE MINIMALLY
IRRITATING. SKIN CONTACT NOT EXPECTED TO CAUSE IRRITATION.
INHALATION UNLIKELY UNLESS MIST OCCURS. ASPIRAT
ION HAZARD.
INGESTION MAY CAUSE LAXATIVE EFFECTS.
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT
CARCINOGENS.
Effects of Overexposure:EYE IRRITATION. CHEMICAL PNEUMONIA, ABDOMINAL
CRAMPS, DIARRHEA, LIPID GRANULOMA.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH WATER FOR 15
MINUTES WHILE HOLDING EYELIDS
OPEN. GET MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING.
WASH WITH SOAP AND WATER. IF IRRITATION PERSIST, GET MEDICAL
ATTENTION. INHALATION: REMOVE TO FRESH AIR. RESTORE BREATHING. GET
MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GET MEDICAL
ATTENTION.

===== Fire Fighting Measures =====

Flash Point Method:COC
Flash Point:420F,216C
Lower Limits:NOT GIVEN
Upper Limits:NOT GIVEN
Extinguishing Me

dia:USE DRY CHEMICAL, FOAM OR CARBON DIOXIDE.

Fire Fighting Procedures:WATER MAY BE INEFFECTIVE BUT CAN BE USED TO COOL CONTAINERS EXPOSED TO HEAT OR FLAME. CAUTION SHOULD BE EXERCISED WHEN USING WATER OR FOAM AS FROTHING MAY OCCUR

Unusual Fire/Explosion Hazard:DENSE SMOKE MAY BE GENERATED WHILE BURNING, CARBON DIOXIDE, CARBON DIOXIDE AND OTHER OXIDES MAY BE GENERATED AS PRODUCTS OF COMBUSTION.

===== Accidental Release Measures =====

Spill Release Pr

cedures:NOTIFY APPROPRIATE AUTHORITIES. CONTAIN SPILL IMMEDIATELY. DO NOT ALLOW SPILL TO ENTER SEWERS OR WATER COURSES. REMOVE ALL SOURCES OF IGNITION. ABSORB WITH APPROPRIATE INERT MATERIAL SUCH AS SAND, CLAY, ETC. COLLECT FOR DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT TRANSFER TO UNMARKED CONTAINERS. STORE IN CLOSED CONTAINERS AWAY FROM HEAT, SPARKS, OPEN FLAME OR OXIDIZING MATERIAL.

Other Precautions:CONSUMPTION OF FOOD AND BEVERAGE SHOULD BE AVOIDED IN WORK AREAS WHERE HYDROCARBONS ARE PRESENT. ALWAYS WASH HANDS AND FACE WITH SOAP AND WATER BEFORE EATING, DRINKING OR SMOKING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF EXPOSURE MAY OR DOES EXCEED OCCUPATION EXPOSURE LIMITS USE A NIOSH-APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE. IN ACCORD WITH 29 CFR 1910.134 USE EITHER AN

ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR.

Ventilation:LOCAL EXHAUST AND MECHANICAL (GENERAL) VENTILATION AS REQUIRED TO MAINTAIN EXPOSURE LEVELS.

Protective Gloves:RECOMMENDED FOR LONG-TERM HANDLING.

Eye Protection:IF SPLASHING POSSIBLE, SPLASHPROOF GOGGLES

Other Protective Equipment:CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP

AP AND WATER

BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

NONE SPECIFIED BY MANUFACTURER.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:655F,346C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Vapor Pres: < 1

Vapor Density:> 1

Spec Gravity:0.882

Evaporation Rate & Reference:< 1 (EHTYL ETHER=1)

Solubility in Water:INSOLUBLE

Appearance and Odor:TRANSPARENT WATER-WHITE LIQUID, NO ODOR

=====

== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, OTHER OXIDES

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of t

his information to their particular situation.