View NSN Online: https://aerobasegroup.kr/nsn/6850-00-135-2879

Product ID: ETHYLENE GLYCOL BASED ANTIFREEZE & COOLANT MSDS Date:07/21/1995 FSC:6850 NIIN:00-135-2879 MSDS Number: CCLNQ === Responsible Party === Company Name: OLD WORLD INDUSTRIES INC Address:4065 COMMERCIAL AVE City:NORTHBROOK State:IL ZIP:60062-1851 Country:US Info Phone Num:847-559-2000 Emergency Phone Num:800-424-9300(CHEMTREC) Preparer's Name:MR. MICHAEL REED CAGE:0U3B1 === Contractor Identification === Company Name: OLD WORLD INDUSTRIES INC Address:4065 COMMERCIAL AVE Box:City:NORTHBROOK State:IL ZIP:60062-1851 Country:US Phone:847-559-2000/2116/FAX: 847-559-2173 CAGE:0U3B1

Ingred Name:ETHYLENE GLYCOL (SARA 313) (CERCLA) CAS:107-21-1 RTECS #:KW2975000 Fraction by Wt: 90-95% Other REC Limit s:NONE RECOMMENDED ACGIH TLV:C STEL39PPM,A4,VAP96 EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:DIETHYLENE GLYCOL CAS:111-46-6 RTECS #:ID5950000 Fraction by Wt: 0-5% Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM PHOSPHATE; DIBASIC CAS:7758-11-4 Fraction by Wt: 1-2% Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:LD50 ORAL RATS 6000-13000MG/KG RANGE. Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Repo

rts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE:SLIGHT

TRANSIENT(TEMP)IRRIT,CORNEAL INJURY UNLIKELY,VP/MIST IRRIT.SKIN:PROL/REP EXPO NOT LIKELY TO CAUSE SIGNIFICANT IRRIT.SINGLE PROL EXPO NOT LIKELY TO BE ABSORBED THRU SKIN IN HARMFUL AMTS;REP EXPO RESULT IN ABSORPTION OF HARMFUL AMTS.MASSIVE CONTACT W/DMG SKIN/MATL SUFFICIENTLY HOT TO BURN MAY RESULT(SIGN/SYMP)

Explanation of Carcinogenicity: PER MSDS: BASED ON DATA FROM LONG-TERM

ANIMAL STUDIES ETHYLENE GLYCOL IS NOT BELIEVED TO POSE CARCINOGENIC RISK TO MAN.

Effects of Overexposure:HEALTH:ABSORPTION OF POT LETHAL AMTS.INGEST:SINGLE DOSE MODERATE TOCITIY.EXCESSIVE EXPO CNS EFFECTS,CARDIOPULM EFFECTS(METABOLIC ACIDOSIS),KIDNEY FAILURE.SM AMTS NOT LIKELY TO CUASE INJURY;LG AMTS SER IOUS INJURY,DEATH.INHAL:@RM TEMP MIN EXPO;HI TEMP ADVERSE EFFECTS FROM VAP.

Medical Cond Aggravated by Exposure:TARGET ORGANS:REP EXCESS EXPO SEVERE KIDNEY,LIVER,GI

EFFECTS(NAU, VOMIT, ANESTHETIC, NARCOTIC EFFECTS). KIDNEY FAILURE, DEATH IN BURN PATIENTS SUGGESTS ETHYLENE GLYCOL MAY BE FACTOR. TOPICAL APPLIC NOT APPR

First Aid:ENSURE DR HAS ACCESS TO MSDS.EYE:IMMED FLUSH W/LG AMTS OF WATER FOR 15MINS,LIFT EYELIDS.GET MED ATTN ASAP.SKIN:FLUSH IMMED W/LG AMTS OF WATER FOR @LEAST 15MINS WHILE REMOVING CONTMAIN CLOTH.IRRIT PERS IST GET MED ATTN PROMPTLY.INHAL:IMMED REMVOE TO

FRESH AIR.CALL EMERG MED CARE.NOT BREATH GIVE ART RESP;BREATH DIFFI GIVE OXY.INGEST:GIVE 2 GLASSES OF WATER.IMMED CALL DR.INDUCE VOMIT IF CONSC(SUPPLEM)

ADEQUATE PRECAUT TO KEEP PEOPLE/CHILDREN AWAY FROM SPILL.PVC COATED RUBB GLOVES/MONOGOGG/FCSHIELD TO BE USED.DON;T DUMPT INTO SE

WERS/GROUND/INTO BODY OF WATER.SO AK W/ABSORBENT/DIKE/PUMP.COMPLY W/STATUES FOR NOTI

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Handling and Storage Precautions: PRODUCT ON SURFACE CAN CAUSE SLIPPERY CONDITIONS.AVOID BREATH SPRAY MIST.KEEP OUT OF REACH OF CHILDREN.PRODUCT BECOME SOLID @TEMP