View NSN Online: https://aerobasegroup.com/nsn/8040-00-944-7292

BONDED PRODUCTS INC -- SPEC 20-20 PART B MMM-A-1754 #SPEC2020B -- 8040-00-944-7292

============ Product Identification ==============

Product ID:SPEC 20-20 PART B MMM-A-1754 #SPEC2020B

MSDS Date:07/01/1996

FSC:8040

NIIN:00-944-7292

Kit Part:Y

MSDS Number: CCMJK === Responsible Party ===

Company Name: BONDED PRODUCTS INC

Address:439 S BOLMAR ST

Box:39

City:WEST CHESTER

State:PA

ZIP:19382-4933

Country:US Preparer's

Name: JOHN BARTUSIAK

CAGE:19092

=== Contractor Identification ===

Company Name: ABBEY COLOR INC DBA ABBEY PRODUCTS AND BONDED

Address:400 E TIOGA ST Box:City:PHILADELPHIA

State:PA

ZIP:19134-1127 Country:US

Phone:215-739-9960

CAGE:19092

======= Composition/Information on Ingredients ========

Ingred Name: POLYAMIDE RESIN

CAS:68410-23-1

Other REC Limits: NONE RECOMMENDED

Ingred Name: CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits: NONE RECOMMENDED

OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name: BARIUM SULFATE CAS:7727-43-7 RTECS #:CR0600000 Other REC Limits:10 MG/M3 OSHA PEL:NK MG/M3 TDUST ACGIH TLV:5 MG/M3 Ingred Name: CERAMIC FIBER Other REC Limits: NONE RECOMMENDED ========= Hazards Identification =============== Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: MODERATELY IRRITATING TO SKIN/EYES. Effects of Overexposure: INHALATION: MAY CAUSE HEADACHE. SKIN/EYE: MAY CAUSE MODERATE IRRITATION, POSSIBLE SENSITIZATION. SKIN ABSORPTION. SKIN ITCHES/BECOMES PINK. INGESTION: MAY CAUSE NAUSEA/VOMITING. Medical Cond Aggravated by Exposure: PREVIOUS ALLERGIES/SKIN CONDITIONS. First Aid:INHALATION: MOVE TO FRESH AIR. GIVE OXYGEN/ARTIFICIAL RESP IF NEEDED, SKIN: WASH W/SOAP & WATER, EYES: FLUSH W/WATER AT LEAST 15 MINUTES. SEE DR. ===== ======== Fire Fighting Measures =============== Flash Point Method:COC Flash Point:>250F,>121C Lower Limits:NA **Upper Limits:NA** 

Extinguishing Media: FOAM, CO2, DRY CHEMICAL, WATER FOG.

Fire Fighting Procedures: CONTAINERS EXPOSED TO FIRE SHOULD BE KEPT COOL W/WATER SPRAY. FIREFIGHTERS SHOULD WEAR SCBA.

Unusual Fire/Explosion Hazard: HANDLE AS COMBUSTIBLE MATERIAL

======== Accidental Release Measures ===========

Spill Release Procedures: CONTAIN SPILL. REMOVE I

AREA. ABSORB SPILLED PRODUCT/SCRAPE UP FOR PROPER DISPOSAL. CLEAN UP CONTAMINATED AREA W/SOAP & WATER.
========== Handling and Storage ============
Handling and Storage Precautions:WORK IN WELL-VENTILATED AREA. WASH HANDS W/SOAP & WATER AFTER HANDLING. STORE IN COOL AREA. AVOID FLAME/SPARKS.
Other Precautions:PRACTICE GOOD PERSONAL HYGIENE TO AVOID INHALATION, SKIN/EYE CONTACT. AVOID BREATHING HEATED VAPORS. WASH CONTAM CLOT
HES BEFORE REUSE. DISCARD CONTAM SHOES/LEATHER ARTICLES. DISCARD HEAVILY CONTAM CLO THES. USE PROTECTIVE CLOTHES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NIOSH APPROVED RESPIRATOR.  Ventilation:LOCAL EXHAUST. GENERAL MECHANICAL VENTILATION  Protective Gloves:IMPERVIOUS  Eye Protection:SPLASH PROOF GOGGLES OR FACE SHIELD  Other Protective Equipment:RUBBER APRON. NIOSH RESPIRATOR IF SANDING.  SAFETY SPRAY/SHOWER & EYEBATH.  Work Hygienic Pract ices:USE PROTECTIVE CLOTHES. WASH EXPOSED SKIN  W/SOAP & WATER AFTER USING/BEFORE EATING.  Supplemental Safety and Health  NK
======== Physical/Chemical Properties ==========
Vapor Density:NA Spec Gravity:1.2 Evaporation Rate & Description Water:SLIGHT Appearance and Odor:BLACK PASTE, SLIGHT AMMONIA ODOR
======================================
Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS, NATURAL RUBBER

Stability Condition to Avoid:TEMPERATURES >110F.	
Hazardous Decomposition Products:OXIDES OF CARBON, OXIDES OF NITROGEN	۱,
PHENOLICS	

======= Disposal Considerations ===========

Waste Disposal Methods:REACT PART A W/PART B. INCINERATE OR DISPOSE IN APPROVED AREA THAT COMPLIES W/FEDERAL, STATE, LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.