

MINNESOTA MINING AND MFG CO AUTOMOTIVE TRADES DIV -- 08609 WINDO-WELD PRIMERLESS
SUPER FAST URETHANE -- 8030-01-320-4710

===== Product Identification =====

Product ID:08609 WINDO-WELD PRIMERLESS SUPER FAST URETHANE

MSDS Date:12/09/1992

FSC:8030

NIIN:01-320-4710

MSDS Number: CCMKC

=== Responsible Party ===

Company Name:MINNESOTA MINING AND MFG CO AUTOMOTIVE TRADES DIV

Address:3M CENTER

City:ST PAU

L

State:MN

ZIP:55144-1000

Country:US

Info Phone Num:612-733-1110

Emergency Phone Num:612-773-1110

CAGE:52157

=== Contractor Identification ===

Company Name:3M MINNESOTA MINING AND MFG CO ADHESIVES SEALERS DIV

Address:3M CTR

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:800-364-3577/651-737-6501(24 HOURS)

CAGE:04963

Company Name:MINNESOTA MINING AND MFG CO AUTOMOTIVE TRADES DIV

Address:3M CTR

Box:City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:612-737-4114

CAGE:52157

Company

Name:NAPA, A DIVISION OF LINCOLN AUTOMOTIVE
Address:ONE LINCOLN WAY
Box:City:ST. LOUIS
State:MO
ZIP:63120-1578
Country:US
Phone:414-255-5520
CAGE:050Q3

=====
===== Composition/Information on Ingredients =====

Ingred Name:HYDROTREATED HEAVY NAPHTHA
CAS:64742-48-9
Fraction by Wt: 10-20%
Other REC Limits:NONE SPECIFIED

Ingred Name:TALC (CONTAINING ASBESTOS)
CAS:14807-96-6
RTECS #:MW2700000
Fraction by Wt: 10-20%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.2 FIBERS/CC
ACGIH TLV:0.2 FIB
ER/CC,A1;9596

Ingred Name:HYDROGENATED TERPHENYLS
CAS:61788-32-7
RTECS #:WZ6535000
Fraction by Wt: 10-20%
Other REC Limits:NONE SPECIFIED
OSHA PEL:0.5 PPM
ACGIH TLV:0.5 PPM; 9596

Ingred Name:SILICA GEL
CAS:112945-52-5
RTECS #:VV7310000
Fraction by Wt: 1-10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:6 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:CARBON BLACK
CAS:1333-86-4
RTECS #:FF5800000
Fraction by Wt: 1-10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:3.5 MG/M3
ACGIH TLV:3.5 MG/M3; 9596

Ingred Name:AC

RYLIC POLYMER NEW JERSEY TRADE SECRET NO 04499600-5575P

Fraction by Wt: 1-10%

Other REC Limits:NONE SPECIFIED

Ingred Name:ZINC OXIDE (SARA 313) (CERCLA)

CAS:1314-13-2

RTECS #:ZH4810000

Fraction by Wt: 1-10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:METHYLENE BISPHENYL ISOCYANATE (MDI) (SARA 313)

CAS:101-68-8

RTECS #:NQ9350000

Fraction by Wt: