View NSN Online: https://aerobasegroup.kr/nsn/7930-01-393-6629

Product ID:NOTHING-AEROSOL #0359 MSDS Date:11/27/1995 FSC:7930 NIIN:01-393-6629 MSDS Number: CCMXT === Responsible Party === Company Name: SELIG CHEMICAL INDUSTRIES INC Address:840 SELIG DR SW City:ATLANTA State:GA ZIP:30336-2229 Country:US Info Phone Num:404-691-9220, IN DC 202-483-4616 Em ergency Phone Num:800-424-9300 (CHEMTREC) CAGE:86938 === Contractor Identification === Company Name: SELIG CHEMICAL INDUS, DIV OF NATIONAL SERVICE INDUS Address:840 SELIG DR SW Box:City:ATLANTA State:GA ZIP:30378 Country:US Phone:404-691-9220 CAGE:86938

Ingred Name:ETHYL ALCOHOL (ETHANOL) CAS:64-17-5 RTECS #:KQ6300000 Fraction by Wt: >1.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Ingred Name:2-BU

TOXYETHANOL (SARA 313) CAS:111-76-2 RTECS #:KJ8575000 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED OSHA PEL:25 PPM SKIN ACGIH TLV:25 PPM SKIN

Ingred Name:ISOBUTANE CAS:75-28-5 RTECS #:TZ4300000 Fraction by Wt: >1.0% Other REC Limits:NONE RECOMMENDED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: SKIN: CAN BE SLIGH TLY

IRRITATING W/PROLONGED CONTACT. EYE: CAN BE IRRITATING ON CONTACT. INHALATION: CAN CAUSE DIZZINESS, NAUSEA, HEADACHE ON PROLONGED EXPOSURE. INGESTION: MAY CAUSE NAUSEA. CH RONIC: APLASTIC ANEMIA AFTER LONG-TERM USE DUE TO SKIN ABSORPTION OF 2-BUTOXYETHANOL (AVOIDED BY WEARING RUBBER GLOVES).

Medical Cond Aggravated by Exposure:RESPIRATORY DISORDERS, SKIN DISORDERS.

First Aid:SKIN: WASH W/SOAP & WAT

ER. EYES: FLUSH IMMED W/PLENTY WATER 15 MINUTES. INHALATION: MOVE TO FRESH AIR. GIVE OXYGEN IF NEEDED. SEE DR. INGESTION: CALL DR IMMEDIATELY. ONLY INDUCE VOMITING AT INSTRUCTIO NS OF DR. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS/DROWSY PERSON.

Flash Point:NONFLAMMABLE Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG. Fire Fighting Procedures:USE WATER SPRAY ON CANS TO PREVENT BURSTING. Unusual Fire/Ex plosion Hazard:WHEN AEROSOLS ARE EXPOSED TO TEMPS >120F, CANS MAY BURST.

Spill Release Procedures: LARGE: UNLIKELY DUE TO AEROSOL PACKAGING. IF SPILLED ABSORB W/ABSORBENT. PICK UP/DEPOSIT IN SUITABLE WASTE RECEPTICAL OR FLUSH TO DRAIN W/PLENTY OF WATER THEN CLEAN THOROUGHLY W/SUITABLE DETERGENT. RI NSE THOROUGHLY. Handling and Storage Precauti ons:KEEP AWAY FROM CHILDREN. HARMFUL IF SWALLOWED. AVOID CONTACT W/SKIN/EYES/CLOTHING. Respiratory Protection: GOOD VENTILAITON IS ALL THAT IS REQUIRED. Ventilation: GOOD VENTILATION IS ALL THAT IS REQUIRED Protective Gloves:NOT NORMALLY NECESSARY Eye Protection:NOT REQUIRED UNLESS SPLASHING CONDITIONS Work Hygienic Practices: NORMAL HYGIENE PRACTICES FOR HANDLING CHEMICALS. WASH THOROUGHLY AFTER HANDLING/BEFORE EATIN G/SMOKING/USING TOILET. Supplemental Safety and Health PRODUCT DETECTABLE BY ODOR. MAY BE POSSIBLE TO GET GAS CHROMATOGRAPH ON AIR SAMPLE AS WELL AS ON LIQUID. Boiling Pt:B.P. Text:148F,64C

Vapor Pres:60 PSIG Vapor Density:>1.0 Spec Gravity:0.972 VOC Pounds/Gallon:113 pH:9.5 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, COLORLESS LIQUID, FLORAL ODOR Percent Volatiles by Volume:100.0

====== Stability

Stability Indicator/Materials to Avoid:YES OXIDIZING AGENTS Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, FORMALDEHYDE

Waste Disposal Methods:PRODUCT CONSUMED IN USE. WHEN DISPOSING SPENT CONTAINER DON'T CRUSH/PUNCTURE/INCINERATE. CHECK LOCAL/STATE/FEDERAL REGS PRIOR TO DISPOSAL. PRODUCT NOT A HAZARDOUS WASTE UNDER RCRA.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.