

ITW PHILADELPHIA RESINS -- CHOCKFAST GRAY HARDENER

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-288-8459
MSDS Date: 01/24/1994
MSDS Num: CCQVF
Product ID: CHOCKFAST GRAY HARDENER
MFN: 03
Responsible Party
Cage: ITWPH
Name: ITW PHILADELPHIA RESINS
Address: 130 COMMERCE DR
City: MONTGOMERYVILLE P
A 18936
Info Phone Number: 215-855-8450
Emergency Phone Number: 800-424-9300(CHEMTREC)
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 20420
Name: ITW PHILADELPHIA RESINS
Address: 130 COMMERCE DR
City: MONTGOMERYVILLE PA 18936
Phone: 215-855-8450
Cage: ITWPH
Name: ITW PHILADELPHIA RESINS
Address: 130 COMMERCE DRIVE
Box: 454
City: MONTGOMERYVILLE PA 18936
Phone: 508-777-1100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: KT
UI Container Qty: 0

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

=====
Health Hazards Data
=====

=====

LD50 LC50 Mixture: SEE INGREDIENTS

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE:EYES:MAY CAUSE SEVERE IRRITATION AND BURNS WITH POSSIBLE DAMAGE. SKIN:SEVERE IRRITATION. INHALATION:MAY CAUSE IRRITATION TO THE UPPER RESPIRATORY TRACT. INGESTION:MAY CAUSE GI DISTRESS, IRRITATION OR ULCERATION, AND SEVERE BURNS OF THE MOUTH AND THROAT. CHRONIC:REPEATED OVEREX

POSURE TO THE (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptoms Of Overexposure: HLTH HAZS:PRODUCT MAY CAUSE RESPIRATORY SENSITIZATION OR ASTHMA, ALSO SKIN SENSITIZATION AND BURNS. EXCESSIVE OVEREXPOSURE TO DIETHYLENETRIAMINE HAS CAUSED LIVER AND KIDNEY DAMAGE IN LABORATORY ANIMAL S.

Medical Cond Aggravated By Exposure: PREEXISTING SKIN ALLERGIES MAY INCREASE THE CHANCES OF DEVELOPING INCREASED ALLERGIC SYMPTOMS.

First Aid: EYES:IMMED FLUSH W/PLENTY OF WA

TER FOR AT LST 15 MIN WHILE HOLDING

LIDS OPEN. GET PROMPT MED ATTN. SKIN:IMMED REMOVE CONTAM CLTHG. WASH AFFECTED AREAS W/SOAP & WATER FOR AT LST 15 MIN. GET MED ATTN IF EFTS DEVELOP. INHAL:REMOVE TO FRESH AIR & PROVIDE OXYG IF BRTHG IS DFCLT. GET MED ATTN IF EFTS OCCUR. INGEST:DO NOT INDUCE VOMIT. GIVE LG AMTS OF WATER/MILK IF AVAIL & TRANSPORT TO MED FACILITY.

=====

Handling and Disposal

=====

=====

Spill Release Procedures: AVOID PERSONAL CONTACT. WEAR CORRECT PERSONAL PROTECTIVE EQUIPMENT. DILUTE WITH WATER. ABSORB IN INERT MATL SUCH AS SAND, EARTH/VERMICULITE. SHOVEL INTO SUITABLE LBLD CNTNRS. RESIDUE MAY BE REMOVED W/ SFTY SOLV. PVNT SPILL FROM ENTERING SEWAGE SYSTEM.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN A COO

L, DRY PLACE WITH ADEQUATE

VENTILATION. KEEP AWAY FROM OPEN FLAME AND HIGH TEMPERATURES.

Other Precautions: AVOID PROLONGED OR REPEATED INHALATION OF HEATED VAPORS OR SPRAY MIST. AVOID PROLONGED OR REPEATED SKIN CONTACT. KEEP AWAY FROM HEAT.

TESTING: THIS PRODUCT HAS UNDERGONE TESTING FOR DOT CORROSIVITY AND WAS FOUND TO BE CORROSIVE.

=====
Fire and Explosion Hazard Information
=====

Flas

h Point Method: PMCC

Flash Point Text: 200F,93C

Extinguishing Media: CO*2, DRY CHEMICAL.

Fire Fighting Procedures: WEAR NIOSH APPRVD SCBA & FULL PROT EQUIP (FP N).

USE WATER SPRAY TO KEEP FIRE-EXPOSED CNTNRS COOL. IF SPILL IS IGNITED, USE WATER SPRAY TO DISPERSE VAPS.

Unusual Fire/Explosion Hazard: NONE KNOWN.

=====
Control Measures
=====

Respiratory Protection: NONE NORMALLY REQUIRED FOR MOST INDUSTRIAL

APPLICATIONS. UNDER CONDITIONS WHERE HIGH EXPOSURE IS LIKELY, USE A NIOSH APPROVED FULL-FACE AIR-PURIFYING RESPIRATOR.

Ventilation: ADEQUATE LOCAL EXHAUST VENTILATION OR OTHER CONTROLS TO PREVENT IRRITATION. IN CONFINED AREAS, USE A NIOSH APPRVD RESP.

Protective Gloves: CHEMICAL RESISTANT RUBBER GLOVES.

Eye Protection: ANSI APPROVED CHEM WORKERS GOGGS(SUPDAT)

Other Protective Equipment: ANSI APPROVED EMERGENCY EYE WASH AND DELUGE SHOWER (FP N). LONG SLEEVED CLOTHING.

Wor

k Hygienic Practices: PRACTICE GOOD HOUSEKEEPING PROCEDURES TO AVOID ALL SKIN CONT & BRTHG OF VAPS. WASH THORO AFTER HNDLG & BEFORE (SUPDAT)

Supplemental Safety and Health: USERS OF THE "L" VERSION SHOULD CONSULT THE "LR" VERSION FOR ADDITIONAL INFORMATION (FP N). PH (5% BY WEIGHT IN

WATER):10-11. HYGIENE PRACT:SMOKING, EATING OR USING THE TOILET FACILITIES. EYE PROT:AND FULL LENGTH FACESHIELD (FP N).

=====
Physical/Chemical Properties
=

el: CORROSIVE, POISON
Special Provision: B3,T18,T26
Non Bulk Pack: 202
Bulk Pack: 243
Max Qty Pass: 1 L
Max Qty Cargo: 30 L
Vessel Stow Req: B
Water/Ship/Other Req: 40

=====
Detail IMO Information
=====

IMO PSN Code: ESC
IMO Proper Shipping Name: CORROSIVE LIQUID, TOXIC, N.O.S. o
IMDG Page Number: 8149
UN Number: 2922
UN Hazard Class: 8
IMO Packaging Group: I/II/III
Subsidiary Risk Label: TOXIC
E
MS Number: 8-15
MED First Aid Guide NUM: 760

=====
Detail IATA Information
=====

IATA PSN Code: HLG
IATA UN ID Num: 2922
IATA Proper Shipping Name: CORROSIVE LIQUID, TOXIC, N.O.S. *
IATA UN Class: 8
Subsidiary Risk Class: 6.1
IATA Label: CORROSIVE & TOXIC
UN Packing Group: II
Packing Note Passenger: 808
Max Quant Pass: 1L
Max Quant Cargo: 30L
Packaging Note Cargo: 812

=====
Detail AFI Information
=====

AFI PSN Code: HLG
AFI Symbols: *
AFI Proper Shipping Name: CORROSIVE LIQUID, TOXIC N.O.S.
AFI Hazard Class: 8
AFI UN ID NUM: UN2922
AFI Packing Group: II
AFI Label: 6.1
Special Provisions: P4
Back Pack Reference: A12.3

=====
HAZCOM Label
=====

Product ID: CHOCKFAST GRAY HARDENER
Cage: I

TWPH
Company Name: ITW PHILADELPHIA RESINS
Street: 130 COMMERCE DRIVE
PO Box: 454
City: MONTGOMERYVILLE PA
Zipcode: 18936
Health Emergency Phone: 800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 10/18/1996
Status Code: C
Label Date: 10/18/1996
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES
Health Hazard: Severe
Contact Hazard: Severe
Fire Hazard: Slight
Reactivity Hazard: None
Hazard

And Precautions: CORROSIVE. ACUTE:EYES:MAY CAUSE SEVERE IRRITATION AND BURNS WITH POSSIBLE DAMAGE. SKIN:SEVERE IRRITATION. INHALATION:MAY CAUSE IRRITATION TO THE UPPER RESPIRATORY TRACT. INGESTION:MAY CAUSE GASTROINTESTINAL DISTRESS, IRRITATION OR ULCERATION, AND SEVERE BURNS OF THE MOUTH AND THROAT. CHRONIC:REPEATED OVEREXPOSURE TO THE PRODUCT MAY CAUSE RESPIRATORY SENSITIZATION OR ASTHMA, ALSO SKIN SENSITIZATION AND BURNS. EXCESSIVE OVEREXPOSURE TO DIETHYLENETRIAMINE HAS CAUSED LIVER AND KIDNEY DAMAGE IN LABORATORY ANIMALS.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.

