

SENTRY CHEMICAL CO INC -- ELECTRON AEROSOL,0365 -- 6850-01-371-8048

=====  
Product Identification  
=====

Product ID:ELECTRON AEROSOL,0365

MSDS Date:02/03/1995

FSC:6850

NIIN:01-371-8048

MSDS Number: CCVVC

=== Responsible Party ===

Company Name:SENTRY CHEMICAL CO INC

Address:1481 ROCK MOUNTAIN BLVD

Box:748

City:STONE MOUNTAIN

State:GA

ZIP:30086

Country:US

Info Phone Num:404-934-4242/FAX -0932/800-877

-3339

Emergency Phone Num:404-934-4242

CAGE:8S927

=== Contractor Identification ===

Company Name:SENTRY CHEMICAL CO INC

Address:1481 ROCK MOUNTAIN BLVD

Box:748

City:STONE MOUNTAIN

State:GA

ZIP:30086

Country:US

Phone:770-934-4242

CAGE:8S927

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MINERAL SPIRITS/PETROLEUM HYDROCARBON

CAS:64475-85-0

RTECS #:PY8240000

Fraction by Wt: >60%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3 AS OIL MIST

ACGIH TLV:5 MG/M3 AS O

IL MIST

Ingred Name:CARBON DIOXIDE  
CAS:124-38-9  
RTECS #:FF6400000  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5000 PPM  
ACGIH TLV:5000PPM/30000STEL;95

=====  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYES, SKIN, RESPIRATORY  
& GI TRACTS. ACUTE- INHALATION OF VAPORS IN HIGH  
CONCENTRATIONS/MISTS MAY CAUSE RESPIRATORY  
TRACT IRRITATION.  
CONTACT WITH EYES/SKIN MAY CAUSE IRRITATION. INGESTI ON CAN CAUSE  
GI TRACT IRRITATION. CHRONIC- REPEATED SKIN CONTACT MAY CAUSE  
EXCESSIVE DRYING OR FLAKING OF SKIN.  
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.  
Effects of Overexposure:IRRITATION, HEADACHE, NAUSEA, VOMITING,  
CAUGHING, DRYING AND FLAKING OF SKIN, TEARING  
Medical Cond Aggravated by Expos  
ure:PERSONS WITH PRE-EXISTING SKIN  
DISORDERS, EYE PROBLEMS OR IMPAIRED RESPIRATORY FUNCTION MAY BE  
MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=====  
===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SYMPTOMS PERSIST. INHALATION:REMOVE TO  
FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. EYES:FLUSH WITH WATER FOR  
15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER.  
INGESTION:D O NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:FLAMMABL AEROSOL  
Lower Limits:0.7%  
Upper Limits:6.0%  
Extinguishing Media:CARBON DIOXIDE, FOAM, SAND/DRY CHEMICAL. AVOID  
SPREADING ANY BURNING LIQUID WITH WATER SPRAY. WATER MAY BE  
INEFFECTIVE.  
Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-  
APPROVED SELF-CONTAINED BREATHING APPARATUS. COOL FIRE-EXPOSED  
CONTAINERS WITH WATER SPRAY.  
Unusual Fire/Explosion Hazard:S

PRAY CANS UNDER PRESSURE. CONTAINS  
FLAMMABLE LIQUID. EXPLOSION HAZARD EXISTS WHEN SPRAY CANS HEATED.  
DO NOT ENTER SPRAY CAN STORAGE AREA IF FIRE PRESENT.

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. VENTILATE AREA.  
REMOVE IGNITION SOURCES. LEAKING CONTAINERS CAN BE PLACED OUTDOORS.  
ALLOW PRESSURE TO DISSIPATE. ABSORB SPILL WITH NON-FLAMMABLE  
ABSORBENT SUCH AS SAND AND PLACE IN CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE SPRAY CANS IN COOL, WELL  
VENTILATED AREAS AWAY FROM SOURCES OF IGNITION, DIRECT SUNLIGHT AND  
INCOMPATIBLE MATERIALS. DO NOT STORE ABOVE 120F.

Other Precautions:"EMPTY" CONTAINERS RETAIN RESIDUE AND MAY BE  
DANGEROUS. AVOID REPEATED/PROLONGED SKIN CONTACT. KEEP OUT OF REACH  
OF CHILDREN. DO NOT SMOKE WHILE SPRAYING. AVOID BREATHING VAPORS OR  
MIST. DO NOT GET IN EYES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED. IF WORKING IN CONFINED  
AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES  
EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR  
NIOSH-APPROVED ORGANIC VAPOR RESPIRATOR.

Ventilation:LOCAL EXHAUST IS ADEQUATE.

Protective Gloves:NEOPRENE/NITRILE FOR REPEATED CONTACT

Eye Protection:CHEMICAL SAFETY GOGGLES IF SPRAYING

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWERS SHOULD BE  
AVAILABLE IN THE IMMEDIATE VICINITY OF ANY POTENTIAL EXPOSURE.

Work Hygienic Practices:USE ONLY AS DIRECTED ON LABEL. READ LABEL  
BEFORE USING PRODUCT. AVOID EYE CONTACT. WASH HANDS BEFORE EATING.

Supplemental Safety and Health

FLAMMABLE! CONTENTS UNDER PRESSURE. DO NOT USE IN CONFINED AREA OR AREA  
WITH LITTLE AIR MOVEMENT. EMPLOY MEANS TO PREVENT VAPOR BUILDUP.

===== Physical/Chemical Properties =

=====

HCC:V3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:320F,160C

Vapor Pres: