

BISCO INC -- ALL-BOND 2 PRIMER B -- 6520-01-388-2172

=====  
Product Identification  
=====

Product ID:ALL-BOND 2 PRIMER B  
MSDS Date:08/27/1994  
FSC:6520  
NIIN:01-388-2172  
Kit Part:Y  
MSDS Number: CCZDM  
=== Responsible Party ===  
Company Name:BISCO INC  
Address:1500 W THORNDALE AVE  
City:ITASCA  
State:IL  
ZIP:60143  
Country:US  
Info Phone Num:708-773-6633  
Emergency Phone Num:708-773-6633  
CAGE:0SPV4  
=== Contract  
or Identification ===  
Company Name:BISCO INC  
Box:UNKNOW  
CAGE:02NJ7  
Company Name:BISCO INC  
Address:1500 W THORNDALE AVE  
Box:City:ITASCA  
State:IL  
ZIP:60143  
Country:US  
Phone:708-773-6633  
CAGE:0SPV4

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ACETONE (SARA 313) (CERCLA)  
CAS:67-64-1  
RTECS #:AL3150000  
Fraction by Wt: 60-99%  
OSHA PEL:1000 PPM  
ACGIH TLV:750 PPM/1000 STEL  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ETHANOL  
CAS:64-17-5  
RTECS #:KQ6300000  
Fr

action by Wt: 10-40%  
OSHA PEL:N/K  
ACGIH TLV:N/K

Ingred Name:DIMETHYLACRYLATES; (BIPHENYL DIMETHACRYLATE)  
CAS:125086-31-9  
Fraction by Wt: 1-20%  
OSHA PEL:N/K  
ACGIH TLV:N/K

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE:MAY CAUSE EYE IRRITATION, AND  
SKIN SENSITIZATION IN  
SUSCEPTIBLE INDIVIDUALS. SIGNS & SYMPTOMS OF  
EXPOSURE:MAY CAUSE SEVERE EYE IRRITATION. TYPICAL ALLERGIC SYMPTOMS  
IN SUSCEPTIBLE INDIVIDUALS.  
Explanation of Carcinogenicity:NOT RELEVANT.  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NOT KNOWN.

=====  
===== First Aid Measures =====

First Aid:INGEST:CALL MD IMMEDIATELY . INHAL:REMOVE TO FRESH AIR.  
SUPPORT BREATHING (GIVE O\*2/ARTF RESP) . SKIN:THOROUGHLY WASH SKIN  
WIT  
H SOAP AND WATER. EYES:FLUSH WITH COPIOUS AMOUNTS OF WATER FOR  
AT LEAST 15 MINUTES, SEE A PHYSICIAN.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:-1F,-18C  
Lower Limits:2.6%  
Upper Limits:12.8%  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL.  
Fire Fighting Procedures:NONE. USE NIOSH APPROVED SCBA & FULL  
PROTECTIVE EQUIPMENT .  
Unusual Fire/Explosion Hazard:NONE.

=====  
===== Accidental Release Measures =====

