

DENTSPLY/YORK DIV (TRUBYTE) -- 688105 LUCITONE 199 POWDER -- 6520-01-297-4368

=====  
Product Identification  
=====

Product ID:688105 LUCITONE 199 POWDER  
MSDS Date:06/03/1994  
FSC:6520  
NIIN:01-297-4368  
MSDS Number: CDCNX  
=== Responsible Party ===  
Company Name:DENTSPLY/YORK DIV (TRUBYTE)  
Address:570 W COLLEGE AVE  
Box:872  
City:YORK  
State:PA  
ZIP:17405  
Country:US  
Info Phone Num:717-845-7511  
Emergency Phon  
e Num:717-845-7511  
CAGE:16969  
=== Contractor Identification ===  
Company Name:DENTSPLY/YORK DIV/TRUBYTE DIV  
Address:570 W COLLEGE AVE  
Box:872  
City:YORK  
State:PA  
ZIP:17405-0872  
Country:US  
Phone:717-845-7511  
CAGE:16969

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NO INGREDIENT FOR THIS FORMULATION\_INGREDIENT

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NT

P:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INHALATION: IRRITATION  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION

=====  
First Aid Measures  
=====

First Aid:INHALATION:REMOVE TO FRESH AIR. EYES: FLUSH W/WATER FOR 5  
MINS. SKIN: WASH W/SOAP & WATER. INGESTION: RINSE W/WATER. OBTAIN  
MEDICAL ATTENTION IN ALL CASES.

=====  
Fire Fighting Measures  
=====

Flash Point Method:TCC

Flash Poin

t:579.2F

Extinguishing Media:WATER CARBON DIOXIDE, DRY CHEMICAL, HALON

Fire Fighting Procedures:AVOID EXTINGUISHING METHODS WHICH MAY GENERATE  
DUST CLOUDS. WATER STREAM CAN DISPERSE DUST IN AIR, POSING AN  
EXPLOSION HAZARD.

Unusual Fire/Explosion Hazard:POLYMER DUST IS COMBUSTIBLE. EXPLOSIVE  
LIMIS OF HTE POLYMER PARTICLES SUSPENDED IN AIR ARE APPROXIMATELY  
THOSE OF COAL DUST. WEAR SCBA.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:

SWEEP UP TO AVOID SLIPPING HAZARD KEEP  
AIRBORNE PARTICULATE AT MINIMUM WHEN CLEANING UP.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE. KEEP  
CONTAINER CLOSED TO PREVENT WATER ABSORPTION/CONTAMINATION.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:NUISANCE DUST TYPE IF NEEDED

Ventilation:LOCAL EXHAUST

Supplemental Safety and Health

=====  
Physical

/Chemical Properties =====

Solubility in Water:INSOLUBLE

Appearance and Odor:PINK FREE FLOWING POWDER W/FAINT ODOR IN BULK

Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:572F

Hazardous Decomposition Products:METHYLMETHACRYLATE & CO

Conditions to Avoid Polymerization:572F

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation.