

EASTMAN KODAK COMPANY -- 146 3280 POTASSIUM BROMIDE (ANHYDROUS) -- 6750-00-291-9386

=====  
Product Identification  
=====

Product ID:146 3280 POTASSIUM BROMIDE (ANHYDROUS)

MSDS Date:03/06/1996

FSC:6750

NIIN:00-291-9386

MSDS Number: CDGNT

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:US

Info Phone Num:716-477-3194 MSDS :

800- 242-2424

Emergency Phone Num:716-722-5151

Preparer's Name:UNKNOWN.

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name:EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD

Box:City:ROCHESTER

State:NY

ZIP:14650-3129

Country:US

Phone:800-828-6203

CAGE:5K871

=====  
Composition/Inform

ation on Ingredients =====

Ingred Name:POTASSIUM BROMIDE  
CAS:7758-02-3  
RTECS #:TS7650000  
Fraction by Wt: 100%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS 3200-6400 MG/KG.  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYES. ACUTE- EYES:NO  
SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT  
IRRITATION. SKIN:LOW  
HAZARD FOR RECOMMENDED HANDLING. INHALE:EXPECTED TO BE A LOW HAZARD  
FOR RECOMMENDED HANDLING. ORAL:EX PECTED TO BE A LOW INGESTION  
HAZARD. CHRONIC- UNKNOWN.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:IRRITATION  
Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING EYE  
PROBLEMS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

===== First Aid Measures =====

First Aid:GET MEDICAL HELP IF SY  
MPTOMS PERSIST. INHALED:REMOVE TO FRESH  
AIR. EYES:FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN.  
SKIN:WASH WITH SOAP & WATER. ORAL:DRINK 1-2 GLASSES OF WATER. SEEK  
MEDICA L ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS  
PERSON.

===== Fire Fighting Measures =====

Flash Point:NONE  
Lower Limits:NOT RELEVANT  
Upper Limits:NOT RELEVANT  
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL  
FOR SURROUNDING FIRE. U

SE WATER SPRAY TO COOL FIRE EXPOSED  
CONTAINERS.

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION  
PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH TO SEWER WITH LARGE AMOUNT OF WATER IF  
PERMITTED OR SWEEP UP AND PLACE IN A CONTAINER FOR CHEMICAL WASTE.  
CLEAN SURFACE THOROUGHLY TO REMOVE RE  
SIDUAL CONTAMINATION. AVOID  
RAISING DUST.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. MINIMIZE DUST  
GENERATION AND ACCUMULATION.

Other Precautions:AVOID CONTACT WITH EYES. USE WITH ADEQUATE  
VENTILATION. WASH THOROUGHLY AFTER HANDLING. KEEP OUT OF REACH OF  
CHILDREN. DO NOT BREATHE DUST.

===== Exposure Controls/Personal Protection =====

Respiratory P

rotection:NONE SHOULD BE NEEDED.

Ventilation:GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES/HR)  
SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS

Protective Gloves:RUBBER/LATEX RECOMMENDED

Eye Protection:GOGGLES RECOMMENDED

Other Protective Equipment:EYE BATH, WASHING FACILITIES, SAFETY SHOWER

Work Hygienic Practices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND  
RECOMMENDED PROCEDURES.

Supplemental Safety and Health

ECOLOGICAL INFORMATION: THIS MATERIAL IS EXPECTED TO  
HAVE THE FOLLOWING

PROPERTIES: NO BIOCHEMICAL OXYGEN DEMAND, A LOW POTENTIAL TO AFFECT  
AQUATIC ORGANISMS. WHEN DILUTED WITH A LARGE AMOUNT OF WATER , THIS  
MATERIAL RELEASED DIRECTLY OR INDIRECTLY INTO THE ENVIRONMENT IS  
NOT EXPECTED TO HAVE A SIGNIFICANT IMPACT.

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NOT RELEVANT

Melt/Freeze Pt:M.P/F.P Text:1346F,730C

Spec Gravity:2.75

Viscosity:NOT RELEVANT

Evaporation Rate & Referenc

e:NOT RELEVANT  
Solubility in Water:APPRECIABLE  
Appearance and Odor:WHITE POWDER - ODORLESS

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE MATERIAL MAY  
REASONABLY COME INTO CONTACT.  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:HYDROGEN BROMIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISCHARGE, TR  
EATMENT OR DISPOSAL MAY BE SUBJECT  
TO FEDERAL, STATE OR LOCAL REGULATIONS. FLUSH TO SEWER WITH LARGE  
AMOUNT OF WATER, IF ALLOWED.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should s  
eek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.