View NSN Online: https://aerobasegroup.com/nsn/7930-01-328-5960 P-T TECHNOLOGIES, INC. -- PF DEGREASER SOLVENT \_\_\_\_\_\_ MSDS Safety Information \_\_\_\_\_ FSC: 7930 NIIN: 01-328-5960 MSDS Date: 12/08/1993 MSDS Num: CDHDX Product ID: PF DEGREASER SOLVENT MFN: 03 Responsible Party Cage: 0JVH6 Name: P-T TECHNOLOGIES, INC. Address: 108 4TH AVE. S. City: SAFETY HARBOR FL 3469 5 Info Phone Number: 800-441-7874 Emergency Phone Number: 800-441-7874 Proprietary Ind: Y Review Ind: Y Published: Y \_\_\_\_\_\_ Contractor Summary \_\_\_\_\_ Cage: 0JVH6 Name: P-T TECHNOLOGIES INC Address: 108 4TH AVENUE, SOUTH City: SAFETY HARBOR FL 34695 Phone: 813-726-4644 \_\_\_\_\_\_ Item Description Information \_\_\_\_\_ ======= Item Manager: GSA Item Name: CLEANING COMPOUND, SOLVENT-DETERGENT Specification Number: UNKNOWN Unit of Issue: BX Quantitative Expression: 00000000006EA UI Container Qty: 1 Type of Container: JUG \_\_\_\_\_ Ingredients \_\_\_\_\_\_ Name: \*\*\* PROPRIETARY \*\*\* \_\_\_\_\_

\_\_\_\_\_\_

\_\_\_\_\_

Health Hazards Data

LD50 LC50 Mixture: DERM LD50 RABBIT=>3.4G/KG/ORAL RAT=>5G/K

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: EYES: POSSIBLE IRRITATION/TEARING/REDNESS. SKIN: CHRONIC CONTACT MAY CAUSE DEFATTING/DRYNESS/EVENTUALLY DERMATITIS. EXCESSIVE INHAL CAN CAUSE IRRIT TO RESP TRACT/NAUSEA/DIZZINESS/HEADACHE. INGESTION: LOW ORDER ACUTE ORAL TOXICITY, BUT LG AMTS MAY CAUSE NAUSEA/VOMITING/GI IR

RIT.

MAY CAUSE INJURY IF ASPIRATED INTO LUNGS.

First Aid: EYES: FLUSH W/WATER 15 MIN. IF IRRIT PERSISTS CALL DR. SKIN: WASH THOROUGHLY W/SOAP & WATER. REMOVE CONTAM CLOTHES. INHALATION: IF AFFECTED BY VAPORS GET FRESH AIR. IF TROUBLE BREATHING SEE DR. INGEST ION: DO NOT INDUCE VOMITING. PRODUCT CONTAINS HYDROCARBONS. CONSULT DR.

\_\_\_\_\_\_

Handling and Disposal

\_\_\_\_\_\_

Spill Release Procedure

s: LAND SPILL: REMOVE IGNIT SOURCES. CONTAIN SPILL.

RECOVER FREE PRODUCT. ABSORB W/SUITABLE CHEM ABSORBENT FOR DISPOSAL VIA INCINERATION/BURIAL IN APPROVED LANDFILL. OBSERVE LOCAL/STATE/FED REGS. WATER: REMOVE BY SKIMMING OR USE SUITABLE ABSORBENT.

Handling And Storage Precautions: KEEP AWAY FROM HEAT SOURCES/OPEN FLAMES/OTHER IGNIT SOURCES. DON'T PUNCTURE/INCINERATE AEROSOL CANS. STORAGE TEMP AMBIENT.

Other Precautions: USE PROPER GROUNDING PROCEDURES. KEEP OUT OF REACH OF CHILDREN.

\_\_\_\_\_\_

Fire and Explosion Hazard Information

\_\_\_\_\_

Flash Point Method: TCC Flash Point Text: 144F,62C Autoignition Temp Text: 410F

Lower Limits: 1.3\* Upper Limits: 8.9\*

Extinguishing Media: CO2, FOAM, DRY CHEMICAL \*ESTIMATED AT 77F.

Fire Fighting Procedures: CLASS B FIRE PROCEDURES.

Unusual Fire/Explosion Hazard: HAZARDOUS COMBUSTION PRODUCTS: CARBON DIOXIDE,

CARBON MONOXIDE, SMOKE

\_\_\_\_\_

Control Measures
Ventilation: NORMAL ROOM VENTILATION ADEQUATE. USE FANS OR OTHER MECHANICAL VENTILATION IN ENCLOSED AREAS WHERE LARGE AMTS ARE USED. Protective Gloves: SOLVENT RESISTANT W/PROLONGED EXPOSURE. Eye Protection: SAFETY GLASSES RECOMMENDED
Physical/Chemical Properties
B. P. Text: 380 TO 430F Vapor Pres: <1 @ 20F Vapor Density: >1 (AIR=1) Spec Gravity: 0.76 PH: NA Evaporation Rate & Reference: 3.2 Solubility in Water: NONSOLUBLE Appearance and Odor: COLORLESS LIQUID, FAINT CITRUS ODOR Percent Volatiles by Volume: 100.00
Reactivity Data
Stability Indicator: YES  Materials To Avoid: STRONG OXIDIZING AGENTS  Hazardous Polymerization Indicator: NO
Toxicological Information
Ecological Information
MSDS Transport Information
Regulatory Information =====
======================================
Transportation Information
Responsible Party Cage: 0JVH6 Trans ID NO: 125762 Product ID: PF DEGREASER SOLVENT MSDS Prepared Date: 12/08/1993 Review Date: 03/06/1997 MFN: 3

Multiple KIT Number: 0 Review IND : Y

Unit Of Issue: BX Container QTY: 1

Type Of Container: JUG

\_\_\_\_\_

Detail DOT Information

\_\_\_\_\_

DOT PSN Code: JZF

DOT Proper Shipping Name: NAPHTHA,

**DOT PSN Modifier: SOLVENT** 

Hazard Class: 3 UN ID Num: UN1256 DOT Packaging Group: III Label: FLAMMABLE LIQUID Special Provision: B1,T7,T30 Packaging Exception: 150

Non Bulk Pack: 203 Bulk Pack: 242 Max Qty Pass: 60 L Max Qty Cargo: 220 L

Vessel Stow Req: A

\_\_\_\_\_

**Detail IMO Information** 

\_\_\_\_\_

IMO PSN Code: KJG

IMO Proper Shipping Name: NAPHTHA, SOLVENT

IMDG Page Number: 3368

UN Number: 1256 UN Hazard Class: 3.3 IMO Packaging Group: III EMS Number: 3-07

MED First Aid Guide NUM: 311

\_\_\_\_\_

**Detail IATA Information** 

\_\_\_\_\_

IATA PSN Code: RNY

IATA UN I D Num: 1256

IATA Proper Shipping Name: NAPHTHA

IATA PSN Modifier: ,SOLVENT

IATA UN Class: 3

IATA Label: FLAMMABLE LIQUID

UN Packing Group: III

Packing Note Passenger: 309

Max Quant Pass: 60L Max Quant Cargo: 220L Packaging Note Cargo: 310

\_\_\_\_\_

Detail AFI Information

\_\_\_\_\_\_

AFI PSN Code: RNY

AFI Proper Shipping Name: NAPHTHA

AFI PSN Modifier: ,SOLVENT

AFI Hazard Class: 3 AFI UN ID NUM: UN1256

AFI

Packing Group: III

AFI Label: FLAMMABLE LIQUID Back Pack Reference: A7.3

\_\_\_\_\_\_

HAZCOM Label

Product ID: PF DEGREASER SOLVENT

Cage: 0JVH6

Company Name: P-T TECHNOLOGIES INC

Street: 108 4TH AVENUE, SOUTH

City: SAFETY HARBOR FL

Zipcode: 34695

Health Emergency Phone: 800-441-7874

Label Required IND: Y

Date Of Label Review: 10/12/1999

Status Code: A Origination Code: G

Hazard And Precautions: EY

ES: POSSIBLE IRRITATION/TEARING/REDNESS. SKIN:

CHRONIC CONTACT MAY CAUSE DEFATTING/DRYNESS/EVENTUALLY DERMATITIS. EXCESSIVE

INHAL CAN CAUSE IRRIT TO RESP TRACT/NAUSEA/DIZZINESS/HEADACHE. INGESTION: LOW ORDER ACUTE ORAL TOXICITY, BUT LG AMTS MAY CAUSE NAUSEA/VOMITING/GI

IRRIT. MAY CAUSE INJURY IF ASPIRATED INTO LUNGS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by e

lements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of th

United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.