View NSN Online: https://aerobasegroup.kr/nsn/6850-01-263-9778

Product ID:FP-97A(M) PENETRANT MSDS Date:10/01/1999 FSC:6850 NIIN:01-263-9778 MSDS Number: CDJSY === Responsible Party === Company Name: MET-L-CHEK COMPANY Address:1639 EUCLID ST **City:SANTA MONICA** State:CA ZIP:90404-3770 Country:US Info Phone Num:310-450-1111 Emergency Phone Num:310-450-1111 Chemtrec In d/Phone:(800)424-9300 CAGE:98733 === Contractor Identification === Company Name: MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-00-M-D-183 CAGE:98733

Ingred Name:HYDROTREATED MIDDLE DISTILLATE CAS:64742-46-7 RTECS #:JN9379645 Minumum % Wt:40. Maxumum % Wt:70. Other REC Limits:NONE RECOMMENDED

======= Haza

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE CONTACT: LIQUID MAY CAUSE
IRRITATION, SKIN CONTACT: MAY CAUSE SKIN IRRITATION WITH PROLONGED
OR REPEATED CONTACT. SWALLOWING: SMALL AMOUNTS MAY NOT PRODUCE
HARMFUL EFFECTS. LARGE AMOUNTS MAY BE HARMFUL. INHALATION: SMALL
AMOUNTS MAY NOT BE HARMFUL. LARGE AMOUNTS MAY BE HARMFUL.
Explanation of Carcinogenicity:THIS MATERIAL IS NOT KNOWN TO CONTAIN
ANY CONSTITUENTS LISTED AS A CARCINOGEN BY THE INTERNATIONAL AGENCY
FOR RESEARCH ON CANCER, THE NATIONAL TOXICOLOGY PROGRAM, OR OSHA.
Effects of Overexposure:EYES: REDNESS, TEARING AND STINGING OF EYES.
SKIN: MAY CAUSE REDNESS, BURNING, AND CRACKING OF SKIN. STOMACH OR
INTESTINAL UPSET (NAUSEA, VOMITING, DIARRHEA), IRRITATION (NOSE, THROAT, AIRWAYS), CE NTRAL NERVOUS SYSTEM DEPRESSION (DIZZINESS, DROWSINESS, FATIGUE, HEADACHE, UNCONSCIOUSNESS).

First Aid:EYES: FLUSH WITH CLEAN WATER FOR AT LEAST 15 MINUTES. HOLD EYELIDS OPEN. SEEK MEDICAL ATTENTION. SKIN: REMOVE CONTAMINATED CLOTHING. WASH EXPOSED AREA WITH SOAP & WATER. IF SYMPTOMS PERSIST, SEEK ME DICAL ATTENTION. SWALLOWING: CALL A PHYSICIAN IMMEDIATELY. IF INDIVIDUAL IS DROWSY OR UNCONSCIOUS, DO NOT GIVE ANYTHING BY MOUTH; PLACE INDIVIDUAL ON THEIR LEFT SIDE WITH THE HEAD DOWN. DO NOT LEAVE THE INDIVIDUAL U

NATTENDED. INHALATION: REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE OXYGEN. GET MEDICAL ATTENTION IMMEDIATELY.

Flash Point Method:PMCC Flash Point:=93.3C, 200.F Autoignition Temp:Autoignition Temp Text:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:DRY CHEMICAL, WATER FOG, FOAM OR CARBON DIOXIDE. Fire Fighting Procedures:WATER MAY BE INEFFECTIVE. WATER SPR AY MAY BE

USED TO KEEP FIRE EXPOSED CONTAINERS COOL. WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACE PIECE OPERATE D IN THE PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:NONE KNOWN

Spill Release Procedures: VENTILATE AREA. REMOVE ALL SOURCES OF IGNITION. ISOLATE AREA. WEAR PROTECTIVE GEAR, KEEP UNNECESSARY PERSONNEL AWAY.

CONTAIN AND RECOVER LIQUID WHEN POSSIBLE. COLLECT LIQUID IN AN APPROPRIATE CONTAINE R OR ABSORB WITH AN INERT MATERIAL SUCH AS VERVICULITE, DRY SAND, OR EARTH; DO NOT USE COMBUSTIBLE MATERIALS, AND PLACE IN A CHEMICAL WASTE CONTAINER. DO NOT FLUSH TO SEWER.

Handling and Storage Precautions:STORE IN COOL, DRY WELL-VENTILATED LOCATION, AWAY FROM WHERE FIRE HAZARD MAY EXIST. STORE & USE IN NO SMOKING AREA

. EMPTY CONTAINERS MAY CONTAIN RESIDUE LIQUID & VAPORS. USE OF PRODUCT IN ELEVATED TE MPERATURE PROCESSING SHOULD BE EVALUATED TO ESTABLISH AND MAINTAIN SAFE OPERATING CONDITIONS. Other Precautions:PROTECT AGAINST PHYSICAL DAMAGE WITH HANDLING.

Respiratory Protection: PERSONAL RESPIRATORS (NIOSH APPROVED) IF EXPOSURE LIMIT IS EXCEEDED.

Ventilation: A SYSTEM OF LOCAL OR GENERAL EXHAUSE IS RECOMMENDED TO KEEP EMP

LOYEE EXPOSURE BELOW THE AIRBORNE EXPOSURE LIMITS. **(SEE BELOW) Protective Gloves:WEAR RESISTANT GLOVES.

Eye Protection:CHEMICAL SPLASH GOGGLES, SAFETY GLASSES OR FULL FACE SHIELD ***(SEE BELOW)

Other Protective Equipment: TO PREVENT REPEATED OR PROLONGED SKIN CONTACT, WEAR IMPERVIOUS CLOTHING AND BOOTS.

Work Hygienic Practices: EYE WASH AND QUICK-DRENCH FACILITIES SHOULD BE NEAR WORK AREA.LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. CLEAN SHOES BEFORE REUSE.

Supplemental Safety a

B.P. Text: @760 MM HG Decomp Temp:Decomp Text:NA Vapor Pres:NA Spec Gravity:0.969 @ 60F pH:NA Solubility in Water:INSOLUBLE. Appearance and Odor:FLUORESCENT YELLOW-GREEN LIQUID. SLIGHT HYDROCARBON

ODOR. Percent Volatiles by Volume:NA Corrosion Rate:NA

Stability Indicator/Materials to Avoid:YES AVOID STRONG OXIDIZING AGENTS. Conditions to Avoid Polymerization:WILL NOT OCCUR.

Toxicological Information:NO DATA AVAILABLE ON PRODUCT.

Ecological:NO DATA AVAILABLE ON PRODUCT.

Waste Disposal Methods:PROCESSING, USE OR CONTAMINATION OF THIS PRODUCT MAY CHANGE THE WASTE MANAGEMENT OPTIONS. STATE AND LOCAL DISPOSAL REGULATIONS MAY DIFFER FROM FEDERAL DISPOSAL REGULATIONS. DISPOSE OF CONTAINER AND UN USED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REQUIREMENTS.

Transport Information:NOT REGULATED.

SARA Title III Information: IMMEDIATE & DELAYED SECTION 211/312 HAZARD CLASS. NO SARA 313 COMPONENTS.

Federal Regulatory Information: TSCA LISTED.

State Regulatory Information:CALIFORNIA PROPOSITION 65 REQUIRES THE FOLLOWING STATEMENT- PRODUCT MAY CONTAIN DETECTABLE AMOUNTS OF SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

Disclaimer (provided with this information by the compiling agencies): This information is formulate

d for use by elements of the Department

of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.