

INTERNATIONAL PETROLEUM COMPAN -- AUTOMATIC TRANSMISSION FLUID

=====  
MSDS Safety Information  
=====

FSC: 9150  
NIIN: 01-353-4799  
MSDS Date: 04/30/1996  
MSDS Num: CDKRD  
Product ID: AUTOMATIC TRANSMISSION FLUID  
MFN: 01  
Responsible Party  
Cage: NO483  
Name: INTERNATIONAL PETROLEUM COMPANY  
Address: 210 SECOND STREET  
Box: 262

City: ST. MARYS WV 26170  
Info Phone Number: 304-684-3733 (8-5 MON-FRI)  
Emergency Phone Number: 304-684-3140 OR 304-684-3733 (8-5)  
Preparer's Name: UNKNOWN  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: NO483  
Name: INTERNATIONAL PETROLEUM COMPANY  
Address: 210 SECOND STREET  
Box: 262  
City: ST. MARYS WV 26170  
Phone: 304-684-3733 (8-5 MON-FRI)  
Cage: 0A1G5  
Name: PIT  
T PENN OIL CO  
Address: 426 FREEPORT RD  
Box: 296  
City: CREIGHTON PA 15030-0296  
Phone: 724-226-2712

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: HYDRAULIC FLUID,AUTOMATIC TRANSMISSION  
Specification Number: NONE  
Type/Grade/Class: NONE  
Unit of Issue: QT  
UI Container Qty: 1  
Type of Container: CONTAINER

=====  
Ingredients  
=====

=====  
Name: \*\*\* PROPRIETARY \*\*\*  
-----  
=====

Health Hazards Data  
=====

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: NO

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE: NOT EXPECTED TO PRESENT A SIGNIFIGANT HEALTH HAZARD UPON SHORT-TERM EX

POSURE. CHRONIC: PROLONGED OR REPEATED CONTACT WITH THIS MATERIAL MAY PRODUCE SKIN IRRITATION AND INFLAMMATION.

Explanation Of Carcinogenicity: NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Signs And Symptions Of Overexposure: SKIN-IRRITATION, INFLAMMATION.

Medical Cond Aggravated By Exposure: PERSONS WITH PRE-EXISTING SKIN DISORDERS SHOULD AVOID CONTACT.

First Aid: INHALED-REMOVE TO FRESH AIR IF OVEREXPOSED. EYES-FLUSH WITH WATER

FOR 15 MINUTES, LIFT LIDS. GET MEDICAL ATTENTION IF IRRITATION DEVELOPS.

SKIN-REMOVE BY WIPING THEN WASH WITH SOAP & WATER. REMOVE CON TAMINATED CLOTHES. DISCARD CONTAMINATEDLEATHER GLOVES & SHOES.

=====  
Handling and Disposal  
=====

Spill Release Procedures: CONTAIN SPILL; PREVENT FROM ENTERING WATER BODIES.

SAFELY STOP FLOW. EVACUATE NON-ESSENTIAL PERSONNEL. CLEAN-UP AS SOON AS POS

SIBLE. ABSORB WITH INERT MATERIAL & PLACE IN A CONTAINER FOR DISPOSAL.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: MAXIMIZE PRODUCT RECOVERY OR RECYCLING. CONDITIONS OF USE MAY CAUSE MATERIAL TO BECOME A "HAZARDOUS WASTE". DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL ENVIRONMENTAL REGULATIONS.

Handling And Storage Precautions: AVOID WATER CONTAIMINATION TO AVOID PRODUCT DEGRADATION. MINMUM FEASIBLE HANDLING TEMPERATURES SHOULD BE MAINTAINED.

Ot

her Precautions: PERSIODS OF EXPOSURE TO TEMPERATURES >200F SHOULD BE MINIMIZED. PRODUCT DEGRADATION MIGHT INCREASE HEALTH HAZARD RISKS. IF SPILLED: MAY REQUIRE NOTIFICATION OF NATIONAL RESPONSE CENTER AT 800-424-8802

=====  
Fire and Explosion Hazard Information  
=====

Flash Point Method: COC

Flash Point Text: 380F,193C

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL. WATER FOG & FOAM ARE

EFFECTIVE BUT MAY CAUSE FROTHING.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. USE WATER TO COOL FIRE EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: SLIGHTLY COMBUSTIBLE; NFPA CLASS III. WHEN HEATED ABOVE FLASH POINT, WILL RELEASE FLAMMABLE VAPORS WHICH BURN IN THE OPEN; EXPLODE IN CONFINED SPACES.

=====  
Control Measures  
=====

Respiratory Protection: NONE NORMALLY REQUIRED. IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR WITH ORGANIC VAPOR CARTRIDGE OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134.

Ventilation: USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves: IMPERVIOUS-NITRILE.

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:

DLA-: EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health: MSDS PRESENTED BY CAGE 0A1G5 FOR CONTRACT NUMBER SP0450-97-MM879.

=====  
Physical/Chemical Properties  
=====

HCC: V6

B.P. Text: >675F,>357C

M.P/F.P Text: UNKNOWN

Decomp Text:

UNKNOWN  
Vapor Pres: <0.1  
Vapor Density: >10  
Spec Gravity: 0.87  
Viscosity: UNKNOWN  
Evaporation Rate & Reference: UNKNOWN  
Solubility in Water: NEGLIGIBLE  
Appearance and Odor: RED-COLORED LIQUID; LUBE OIL ODOR.  
Corrosion Rate: UNKNOWN

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: KEEP AWAY FROM HEAT & OPEN FLAME.  
Materials To Avoid: NONE SPECIFIED BY MANUFACTURER.  
DLA-: STRONG OXIDIZING AGENTS.  
Hazardous Decomposition Products: NONE SPECIFIED BY MANUFACTURER.  
Conditions To Avoid Polymerization: NONE SPECIFIED BY MANUFACTURER.

=====  
Toxicological Information  
=====

=====  
Ecological Information  
=====

=====  
MSDS Transport Information  
=====

=====  
Regulatory Information  
=====

=====  
Other Information  
=====

=====  
Transportation Information  
=====

Responsible Party Cage: NO483  
Trans ID NO: 128465  
Product ID: AUTOMATIC TRANSMISSION FLUID  
MSDS Prepared Date: 04/30/1996  
Review Date: 03/26/1997  
MFN: 1  
Net Unit Weight: 1.8 LBS  
Multiple KIT Number: 0  
Review IND: Y  
Unit Of Issue: QT  
Container QTY: 1  
Type Of Container: CONTAINER

=====  
Detail DOT Information  
=====

DOT PSN Code: ZZZ  
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTA

TION

=====  
Detail IMO Information  
=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION  
=====

=====  
Detail IATA Information  
=====

IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
Detail AFI Information  
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

=====  
HAZCOM Label  
=====

Product ID: AUTOMATIC TRANSMISSION FLUID

Cage: NO483

Assigned IND: Y

Company Name: INTERNATIONAL PETROLEUM COMPANY

Street: 210 SECOND STREET

PO Box: 262

City: ST. MARYS WV

Zipcode: 26170

Hea

lth Emergency Phone: 412-226-2712

Date Of Label Review: 03/26/1997

Status Code: C

Label Date: 03/26/1997

Year Procured: 1997

Signal Word: CAUTION

Health Hazard: None

Contact Hazard: None

Fire Hazard: Slight

Reactivity Hazard: None  
=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expr

essly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume res

ponsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.