View NSN Online: https://aerobasegroup.kr/nsn/6525-01-098-5799

EASTMAN KODAK COMPANY -- 863 8553 RP X-OMAT LO FIXER & REPLENISHER, WORK SOLUTION -- 6525-01-098-5799

Product ID:863 8553 RP X-OMAT LO FIXER & REPLENISHER, WORK SOLUTION

MSDS Date:08/09/1995

FSC:6525

NIIN:01-098-5799

Kit Part:Y

MSDS Number: CDLVQ === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:1465

0

Country:US

Info Phone Num:716-477-3194 MSDS:800-242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

======= Composition/Information on Ingredients ========

Ingred Name: AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000 Fraction by Wt: 10-15% Other REC Limits:NONE R

## **ECOMMENDED**

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 80-85%

Other REC Limits: NONE RECOMMENDED

Ingred Name: SODIUM THIOSULFATE

CAS:7772-98-7

RTECS #:XN6476000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: ACETIC ACID (CERCLA)

CAS:64-19-7

RTECS #:AF1225000 Fraction by Wt: 100C

Melt/Freeze Pt:M.P/F.P Text:NP Decomp Temp:Decomp Text:NP

Vapor Pres:24 Vapor Density:0.6 Spec Gravity:1.092

pH:SUPPLE Viscosity:NP

Evaporation Rate & Dr. Reference: NP

Solubilit

y in Water: COMPLETE

Appearance and Odor:LIQUID, COLOR/ODOR NOT AVAILABLE.

Percent Volatiles by Volume:80-85

Corrosion Rate:NP

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS,BASES,SODIUM HYPOCHLORITE(BLEACH),STRONG OXIDIZING AGENTS.CONTACT W/BASE LIBERATES FLAMM MATL.

Stability Condition to Avoid: NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:NITROGEN OXIDES (NOX), SUFLUR DIOXIDE, AMMONIA, CHL

ORAMINE. HAZ COMBUST F	PROD:NONE	(NON-COMBUS	TIBLE).
------------------------	-----------	-------------	---------

======= Disposal Considerations ===========

Waste Disposal Methods:DISCHARGE/TREATMENT/DISPOSAL MAY BE SUBJECT TO NATIONAL/STATE/LOCAL LAWS. FLUSH TO SEWER W/LG AMTS OF WATER. CHEM(S) SUBJ TO REPORTING REQMTS OF SEC 313 TITLE III SARA/40CFR372:NONE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The U nited States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.