

KAISER CEMENT, CORP. -- KAISER-PERMANENTE -- 5610-00-242-3792

===== Product Identification =====

Product ID:KAISER-PERMANENTE

MSDS Date:02/25/1988

FSC:5610

NIIN:00-242-3792

MSDS Number: CDPGD

=== Responsible Party ===

Company Name:KAISER CEMENT, CORP.

Address:1333 NORTH CALIFORNIA BOULEVARD

Box:8019

City:WALNUT CREEK

State:CA

ZIP:94596-1209

Country:US

Info Phone Num:415-256-3074

Emergency Phone N

um:415-256-3074

CAGE:KO798

=== Contractor Identification ===

Company Name:KAISER CEMENT CORPORATION

Address:1333 N CALIFORNIA BLVD SUITE 445

Box:City:WALNUT CREEK

State:CA

ZIP:94596-1209

Country:US

Phone:415-938-7020

CAGE:86467

Company Name:KAISER CEMENT, CORP.

Address:1333 NORTH CALIFORNIA BOULEVARD

Box:8019

City:WALNUT CREEK

State:CA

ZIP:94596-1209

Country:US

Phone:415-256-3074

CAGE:KO798

===== Composition/Information on Ingredients =====

Ingred Name:PORTLAND CEMENT

CAS:659

97-15-1
RTECS #:VV8770000
Other REC Limits:5 MG/M3 RDUST
OSHA PEL:30 MPPCF
ACGIH TLV:10 MG/M3 TDUST

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE: IRRIT. INHAL: UPPER RESP TRACT
IRRIT. SKIN: ALKALI BURNS. CHRONIC: ALLERGIC DERMATITIS.

=====
===== First Aid Measures =====

First Aid:SKIN: WA
SH W/SOAP & WATER. EYE: IRRIGATE W/WATER. CALL DR
IMMED. INGEST: GIVE WATER. INDUCE VOMIT. CALL DR IMMED.

=====
===== Fire Fighting Measures =====

Flash Point:NA
Autoignition Temp:Autoignition Temp Text:NA
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:NA
Fire Fighting Procedures:NA
Unusual Fire/Explosion Hazard:NA

=====
===== Accidental Release Measures =====

Spill Release Procedures:USE DRY CLEANUP METHODS TO MINIMIZE AIRBORNE
DISPERSION.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED RESPIRATOR IF DUSTY.
Ventilation:PROVIDE VENTILATION TO MINIMIZE AIRBORNE DISPERSION.
Protective Gloves:YES
Eye Protection:TIGHT FITTING GOGGLES.
Other Protective Equipment:BARRIER CREAM, BOOTS, CLOTHING.
Work Hygienic Practices:SHOWER W/SOAP & WATER AFTER WORK.
Supplemental Safety and Health
NK

=====
===== Physical/Chemical Properties =====

Boiling

Pt:B.P. Text:NA
Melt/Freeze Pt:M.P/F.P Text:NA
Vapor Pres:NA
Vapor Density:NA
Spec Gravity:3.15
Evaporation Rate & Reference:NA
Solubility in Water:SLIGHT
Appearance and Odor:GRAY POWDER, ODORLESS.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:RETURN TO CONTAINER FOR LATER USE OR DISPOSE OF
AS COMMON WASTE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to thei
r
particular situation.