View NSN Online: https://aerobasegroup.kr/nsn/5610-00-771-4694

Product ID: ASPHALT ROOF COATING 454 #27502001 MSDS Date:05/01/1989 FSC:5610 NIIN:00-771-4694 **MSDS Number: CDPHJ** === Responsible Party === Company Name:KOP-COAT INC Address:436 7TH AVENUE City:PITTSBURGH State:PA ZIP:15219-1818 Country:US Info Phone Num:800-547-2468 Emergency Phone Num:800-548-0489 OR 412-227-2700 CAGE:00297 === Contractor Identification === Company Name: KOP-COAT INC Address:436 7TH AVENUE City:PITTSBURGH State:PA ZIP:15219-1818 Country:US Phone:800-553-5631, CHEMTREC 800-424-9300 CAGE:00297

Ingred Name:ASPHALT (PETROLEUM) CAS:8052-42-4 RTECS #:CI9900000 Fraction by Wt: 50-55% Other REC Limits:NONE RECOMMENDED OSHA PEL:100 LBS.

Η

andling and Storage Precautions: AVOID CHRONIC VAPOR/MIST/FUME/BREATHING & EYE/SKIN CONTACT. KEEP IN CLOSED/LABELED CNTNR IN COOL DRY WELL VENTED AREA. DONT DAMAGE CONTAINER. Respiratory Protection: IF TLV/PEL EXCEEDED, USE APPROPRIATE MSHA/NIOSH APPROVED RESPIRATORY PROTECTION. Ventilation:SUFFICIENT GENERTAL/LOCAL EXHAUST VENT TO KEEP BELOW LIMITS, USE LOCAL EXHAUST FOR USE IN ENCLOSED CONFINED SPACES. Prot ective Gloves: AS REQUIRED. Eye Protection: SAFETY GLASSES, MINIMUM Other Protective Equipment: WORK CLOTHING, SAFETY FOOTWEAR, IMPERVIOUS PROTECTIVE GARMENTS. Work Hygienic Practices: WASH THOROUGHLY BEFORE EATING/DRINKING/USING TOBACCO/TOILET, DONT WEAR CONTAM CLOTHING, DISCARD CONTAM FOOTWEAR. Supplemental Safety and Health MORE INFORMATION ON FILE Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NA Vapor Pres:NA Va por Density:NA Spec Gravity:0.95-1.05 pH:NE Viscosity:50-400 STORM Evaporation Rate & amp; Reference:NA Solubility in Water:NIL Appearance and Odor:BLACK SEMISOLID W/CHARACTERISTIC ODOR Percent Volatiles by Volume:25.0

Stability Indicator/Materials to Avoid:YES MAY ATTACK SOME PLASTIC & RUBBERS. Hazardous Decomposition Products:NONE

Waste Disposal Methods:AS

HAZARDOUS WASTE IN ACCORDANCE W/LOCAL/STATE/FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibilit y for the suitability of this information to their

y for the suitability of this information to the particular situation.