View NSN Online: https://aerobasegroup.kr/nsn/5610-01-281-9741

Product ID:FORANAFT COMPOUND #1102000400 MSDS Date:01/29/1993 FSC:5610 NIIN:01-281-9741 Kit Part:Y MSDS Number: CDPJM === Responsible Party === Company Name: SELBY, BATTERSBY AND COMPANY Address:5220 WHITBY AVE. City:PHILADELPHIA State:PA ZIP:19143 Country:US Info Phone Num:215-474-4 790 Emergency Phone Num:215-474-4790 Preparer's Name: J. FORAN CAGE:GO790 === Contractor Identification === Company Name: REFINERS MARKETING COMPANY Address:302 FIFTH ST.STE 300 **City:SAN PEDRO** State:CA ZIP:90731 Country:US Phone:213-519-7696 CAGE:86737 Company Name: SELBY, BATTERSBY & CO. CAGE:GO790

Ingred Name:SILICA, CRYSTALLINE - QUARTZ CAS:14808-60-7 RTECS #:VV7330000 Fraction by Wt: 45.0% Other REC Limits:NONE RECOMMENDED O SHA PEL:0.1 MG/M3

Ingred Name:CALCIUM ALUMINUM SILICATE CAS:1327-39-5 Fraction by Wt: 15-30% Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG/M3

Ingred Name:SILICON DIOXIDE CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 4.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:0.1 MG/M3

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:YES OSHA:NO Health Hazards Acute and Chronic:I NHALATION: UPPER RESPIRATORY IRRITATION. NOSE TISSUE INFLAMMATION, SILICOSIS. SKIN: DRYING, ALKALI BURNS. ALLERGIC DERMATITIS. EYE: IRRITATION. INGESTION: LOW TOXICITY. ACUTE: CORNEAL INFLAMMATION. Explanation of Carcinogenicity:IARC HAS EVALUATED THERE IS LIMITED EVIDENCE CARCINOGENICITY OF CRYSTALINE SILICA DUST W/RESPECT TO HUMANS.

Medical Cond Aggravated by Exposure: CHRONIC RESPIRATORY CONDITIONS.

Firs

t Aid:EYES: FLUSH W/COOL WATER >15 MINUTES. CALL DR. SKIN: WASH W/SOAP & WATER. CALL DR. INGESTION: CALL DR. NEVER GIVE ANYTHING BY MOUTH TO UNCONSCIOUS PERSON. INHALATION: MOVE TO FRESH AIR. IF NOT BREATHI NG GIVE ARTIFICIAL RESPIRATION. IF TROUBLE BREATHING, GIVE OXYGEN. CALL DR.

Flash Point:NA Lower Limits:NA Upper Limits:NA Extinguishing Media:FOAM, ALCOHOL FOAM, CO2, DRY CHEMICAL, WATER FOG. Fire Fighting

Procedures:WEAR NIOSH/MSHA APPROVED RESPIRATORS.
======================================
Spill Release Procedures: USE DUSTLESS METHOD. DON'T DRY SWEEP. PLACE IN CLOSED CONTAINER FOR DISPOSAL. WEAR APPROPRIATE PROTECTIVE EQUIPMENT.
======================================
 Handling and Storage Precautions: USE DUSTLESS SYSTEMS FOR HANDLING/STORAGE/CLEAN-UP SO THAT AIRBOURNE DUST DOES NOT EXCEED PEL. USE ADEQUATE VENTILATION & DUST COLLECTION. Other Precautions: KEEP DRY. AVOID WIND & SPILLING.
======================================
Respiratory Protection:NIOSH APPROVED DUST MASK/RESPIRATOR. Ventilation:SUFFICIENT LOCAL EXHAUST TO REDUCE DUST TO PEL. Protective Gloves:RECOMMENDED Eye Protection:SAFETY GLASSES Other Protective Equipment:EYEWASH FACILITY, SAFETY SHOWER RECOMMENDED LONG SLEEVED SHIRTS/PANTS. Work Hygienic Practices:WASH W/SOAP & WATER AFTER USING/BEFORE EATING. Supple mental Safety and Health NK
======================================
Boiling Pt:B.P. Text:4046F,2230C Vapor Density:NA Spec Gravity:2.77 Evaporation Rate & amp; Reference:NA Solubility in Water:INSOLUBLE Appearance and Odor:DARK GRAY SANDY POWDER, NO ODOR
======================================
Stability Indicator/Materials to Avoid:YES NK Stability Condition to Avoid:NONE
======================================

Waste Disposal Methods: ACCORDING TO LOCAL, STATE, FEDERAL EPA REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assum

e responsibility for the suitability of this information to their particular situation.

===