View NSN Online: https://aerobasegroup.kr/nsn/6750-01-227-1125

CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP -- DTR ACTIVATOR -- 6750-01-227-1125

============= Product Identification ========================

Product ID:DTR ACTIVATOR

MSDS Date:10/31/1996

FSC:6750

NIIN:01-227-1125

MSDS Number: CDPYK === Responsible Party ===

Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP

Address:RR 1 Box:276-Z

City:HEATHSVILLE

State:VA ZIP:22473 Country:US

Info Phone Num:804-580-8105

Emergency

Phone Num:708-640-4800/800-424-9300(CHEMTREC)

CAGE:6W820

=== Contractor Identification ===

Company Name: CLAYTON CHEMICAL CO., A DIV OF VARICHEM CORP

Address:RR 1 Box:276-Z

City:HEATHSVILLE

State:VA ZIP:22473 Country:US

Phone:703-759-9399

CAGE:6W820

======= Composition/Information on Ingredients ========

Ingred Name:DIETHANOLAMINE (SARA 313) (CERCLA)

CAS:111-42-2

RTECS #:KL2975000 Fraction by Wt: 1 - 2%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:3 PPM

ACGIH TLV:0.46 PPM; 9596

EPA R

pt Qty:1 LB DOT Rpt Qty:1 LB
Ingred Name:SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Fraction by Wt: 2 - 4% Other REC Limits:NONE RECOMMENDED
Ingred Name:SODIUM HYDROXIDE (CERCLA) CAS:1310-73-2 RTECS #:WB4900000 Fraction by Wt: 5 - 10% Other REC Limits:NONE RECOMMENDED OSHA PEL:2 MG/M3 ACGIH TLV:C 2 MG/M3; 9596 EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS
======================================
Flash Point:NONE Lower Limits:NOT RELEVANT Upper Limits:NOT RELEVANT Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED CONTAINERS. Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. EVACUATE PERSONNEL TO A SAFE AREA. Unusual Fire/Explosion Hazard:MAY FORM TOXIC FUMES.
====== Exposure Controls/Personal Protection ========
Supplemental Safety and Health
======================================
HCC:B3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:212F,100C Spec Gravity:1.100 pH:12.10 Solubility in Water:100% Appearance and Odor:CLEAR, COLORLESS LIQUID - ODORLESS ===================================
Clabing and Rodoning Data

Stability Indicator/Materials to Avoid:YES STRONG MINERAL ACIDS, STRONG OXIDIZING AGENTS Stability Condition to Avoid:NONE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for

use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.