

SULTAN CHEMISTS -- SUPEROXOL 1OZ 11513;HYDROGEN PEROXIDE,35% -- 6520-01-173-2454

===== Product Identification =====

Product ID:SUPEROXOL 1OZ 11513;HYDROGEN PEROXIDE,35%

MSDS Date:07/01/1995

FSC:6520

NIIN:01-173-2454

MSDS Number: CDQNS

=== Responsible Party ===

Company Name:SULTAN CHEMISTS

Address:85 WEST FOREST AVE.

City:ENGLEWOOD

State:NJ

ZIP:07631

Country:US

Info Phone Num:201-871-1232

Emergency

Phone Num:201-871-1232

Preparer's Name:UNKNOWN(201-797-2770)

CAGE:0EWB0

=== Contractor Identification ===

Company Name:SULTAN CHEMISTS INC

Address:85 W FOREST AVENUE

Box:City:ENGLEWOOD

State:NJ

ZIP:07631

Phone:(201) 871-1232

CAGE:0EWB0

===== Composition/Information on Ingredients =====

Ingred Name:HYDROGEN PEROXIDE (SARA 302)

CAS:7722-84-1

RTECS #:MX0900000

Fraction by Wt: 35%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:1 PPM

ACGIH TLV:1 PPM; 9596

===== Haza

Product Identification =====

LD50 LC50 Mixture:TLV IS 1PPM,8HR-TWA

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:MAY CAUSE SEVERE DAMAGE,POSSIBLY BLINDNESS.EFFECTS MAYBE DELAYED AS MUCH AS A WEEK.SKIN:MAY CAUSE BLEACHING.INGEST:MAY CAUSE DAMAGE TO GI TRACT DUE TO SUDDEN DISTENTION FROM THE EVOLUTION OF OXYGEN.INHAL:MAY CAUSE RESPIRATORY IRRITATION.

Explanation of C

arcinogenicity:THERE ARE NO INGREDIENTS ABOVE 0.1%

WHICH ARE IDENTIFIED AS CARCINOGENS BY NTP,IARC OR OSHA.

Effects of Overexposure:SKIN:REDNESS,BLISTERING.INGEST:ESOPHAGEAL AND STOMACH BLEEDING.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:SKIN:REMOVE CONTAMINATED CLOTHING;WASH WITH WATER.GET MEDICAL ATTENTION IF NEEDED.EYES:FLUSH WITH WATER FOR 15 MINUTES.GET IMMEDIATE MEDICAL

ATTENTION.INHAL:REMOVE TO FRESH AIR.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NEEDED.GET IMMEDIATE MEDICAL ATTENTION IF CHEST TIGHTNESS OCCURS.INGEST:GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCIOUS,INDUCE VOMITING WITH IPECAC OR FINGER DOWN THROAT.

===== Fire Fighting Measures =====

Flash Point:NON-COMBUSTIBLE

Extinguishing Media:WATER SPRAY.

Fire Fighting Procedures:USE A SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE EQUIPMENT.

Unusual Fire/Explosion Hazard:**STRONG OXIDIZER** CONTACT WITH OTHER MATERIALS MAY CAUSE FIRE.CONTAINERS MAY EXPLODE IN A FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION.USE PROPER RESPIRATORY AND PROTECTIVE EQUIPMENT.VENTILATE AREA.SOAK UP WITH A NON-COMBUSTIBLE INERT ABSORBANT(VERMICULITE,PERLITE);PLACE IN PROPER CONTAINER FOR DISPOSAL. NOTIFY AUTHORITIES THAT SPILL HAS OCCURED.

Neutraliz

ing Agent:NOT APPLICABLE.

===== Handling and Storage =====

Handling and Storage Precautions:REFRIGERATE.KEEP CONTAINER CLOSED WHEN NOT IN USE.KEEP AWAY FROM HEAT,SPARKS,FLAMES AND INCOMPATIBLE MATERIALS.

Other Precautions:CONTAINER MAY DEVELOP PRESSURE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHERE ENVIRONMENTAL CONTROLS ARE LACKING OR IN ENCLOSED SPACES USE A SELF-CONTAINED BREATHING APPARATUS.

Ventilation:USE IN A CHEMICAL FUME HOOD.

Protective Gloves:IMPERVIOUS.

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:IMPERVIOUS CLOTHING,AS NEEDED.PROVIDE A LOCAL EYE WASH STATION AND SAFETY SHOWER.

Work Hygienic Practices:EXECISE GOOD LABORATORY PRACTICES.WASH HANDS AFTER USE AND BEFORE EATING.

Supplemental Safety and Health
NONE

===== Physical/Chemical Properties =====

HCC:D3

Boiling Pt:B.P. Text:226F,108C

Vapor Pres:23

Spec Gravity:1.

11

pH:7

Solubility in Water:MISCIBLE

Appearance and Odor:LIQUID,CLEAR;COLORLESS;ODORLESS.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
REDUCING AGENTS,FERROUS METALS.

Stability Condition to Avoid:HIGH HEAT,SOURCES OF IGNITION,STORAGE AT ELEVATED TEMPERATURES.

Hazardous Decomposition Products:WATER,OXYGEN.

===== Disposal Considerations =====

Waste Disposal Meth

ods:DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND
LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume respons
ibility for the suitability of this information to their
particular situation.