View NSN Online: https://aerobasegroup.kr/nsn/5610-00-242-3793

PACIFIC COAST CEMENT CORP. -- PORTLAND CEMENT -- 5610-00-242-3793

Product ID:PORTLAND CEMENT MSDS Date:07/01/1988 FSC:5610 NIIN:00-242-3793 MSDS Number: CDVHC === Responsible Party === Company Name: PACIFIC COAST CEMENT CORP. Address:300 N. LAKE AVE. SUITE 1111 City:PASADENA, State:CA ZIP:91101 Country:US Info Phone Num:818-568-1111 Emergency Phone Num:213-435-019 5 CAGE:KO799 === Contractor Identification === Company Name: PACIFIC COAST CEMENT CORP. Address:300 N. LAKE AVE. SUITE 1111 Box:City:PASADENA, State:CA ZIP:91101 Country:US Phone:818-568-1111 CAGE:KO799

Ingred Name:TRICALCIUM SILICATE CAS:12168-85-3 Other REC Limits:NONE RECOMMENDED

Ingred Name:DICALCIUM SILICATE Other REC Limits:NONE RECOMMENDED

Ingred Name:TRICALCIUM ALUMINATE CAS:12042-78-3 Other REC Limits:NONE RECOMMEND Ingred Name:TETRACALCIUM ALUMINATE FARITE Other REC Limits:NONE RECOMMENDED

Ingred Name:GYPSUM CAS:13397-24-5 Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:RDUST 5MG/M3 TDUST 10 MG/M3 Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:SKIN: DRYING, ALKALI BURNS. EYE: IRRIT. INHAL: UPPER RESP IRRIT. INFLAMMATION OF NOSE T ISSUE/CORNEA.

ALLERGIC DERMATITIS.

First Aid:EYE: IRRIGATE OR FLOOD IMMED/REPEATEDLY W/CLEAN WATER. SKIN: WASH W/SOAP & WATER, GET PROMPT MED AID.

Flash Point:NONCOMBUSTIBLE

Spill Release Procedures: USE DRY METHODS THAT DO NOT DISPERSE DUST. AVOID BREATHING DUST. EMERGENCY PR OCEDURES ARE NOT REQUIRED.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:USE OSHA/MSHA/NIOSH APPROVED RESPIRATOR & TIGHT FITTING GOGGLES. Ventilation:LOCAL EXHAUST IF NECESSARY TO CONTROL AIRBORNE DUST LEVELS. Protective Gloves:IMPERVIOUS. Other Protective Equipment:BARRIER CREAMS, BOOTS, PROTECTIVE CLOTHING. Work Hygienic Practices:SHOWER W/SOAP & WATER AFTER WORK. Supplemental Safety and Health NK

========= Physical/Chemical Propert

ED

## Spec Gravity:3.15 Solubility in Water:SLIGHT (0.1 TO 1.04 Appearance and Odor:GRAY COLORED POWDER

Stability Indicator/Materials to Avoid:YES MOISTURE.

Waste Disposal Methods:TREAT AS COMMON WASTE FOR DISPOSAL OR RETURN TO CONTAINER FOR LATER USE IF NOT CONTAMINATED OR WET.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.