

WESTPAC PRODUCTS CO INC -- U-24 LATEX -- 5610-00-618-0260

=====
Product Identification
=====

Product ID:U-24 LATEX
MSDS Date:02/13/1989
FSC:5610
NIIN:00-618-0260
Kit Part:Y
MSDS Number: CDVLQ
=== Responsible Party ===
Company Name:WESTPAC PRODUCTS CO INC
Address:106 HEGENBERGER LOOP
City:OAKLAND
State:CA
ZIP:94621-1326
Country:US
CAGE:4Z694
=== Contractor Identification ===
Company Name:WESTPAC PR
ODUCTS CO INC
Address:106 HEGENBERGER LOOP
Box:City:OAKLAND
State:CA
ZIP:94621-1326
Country:US
CAGE:4Z694

=====
Composition/Information on Ingredients
=====

Ingred Name:ACRYLIC POLYMER
CAS:25068-63-7
Fraction by Wt: 36.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:DEFOAMER
Fraction by Wt: 0.5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 63.0%
Other REC Limits:NONE RECOMMENDED

Ingred Name:FORMALDEHYDE (SARA 302/313)

(CERCLA)
CAS:50-00-0
RTECS #:LP8925000
Fraction by Wt: .05%
Other REC Limits:NONE RECOMMENDED
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

=====
===== Hazards Identification =====

LD50 LC50 Mixture:ORAL RAT LD50 >50G/KG RABBIT SKIN >5GKG
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:INHAL: HEADACHE, NAUSEA,
NOSE/THROAT/LUNG IRRITATION. SKIN: IRITATION. EYE: IRRITATION.
Me
dical Cond Aggravated by Exposure:RESPIRATORY PROBLEMS

=====
===== First Aid Measures =====

First Aid:INHAL: MOVE TO FRESH AIR. EYE: FLUSH W/LARGE AMOUNTS WATER
FOR >15 MINUTES, CALL DR. SKIN: WASH W/SOAP & WATER

=====
===== Fire Fighting Measures =====

Flash Point:NONCOMBUSTIBLE
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:NA
Fire Fighting Procedures:NA
Unusual Fire/Explosion Hazard:MAY SPLATTER >212F POLYMER FILMS WILL
BURN.

=====
===== Accidental Release Measures =====

Spill Release Procedures:EVAC AREA, FLOOR MAY BE SLIPPERY. DIKE/CONTAIN
W/INERT MATERIAL, TRANSFER TO CONTAINER FOR RECOVERY/DISPOSAL, KEEP
AWAY FROM BODIES OF WATER.
Neutralizing Agent:FERRIC ACID & LIME.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE BETWEEN 34 & 140F, DONT FREEZE,
MAINTAIN ADEQUATE VENTWHERE PRODUCT HEATED/CURED.

=====

==== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF GOOD VENT. IF NOT, USE
MSHA/NIOSH APPROVED EQUIPMENT.

Ventilation:LOCAL EXHAUST AT POINT OF CONTAMINATION, MECHANICAL VENT AT
POINT OF CONTAMINATION RELEASE.

Protective Gloves:IMPERVIOUS.

Eye Protection:CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:ADEQUATE SKIN PROTECTION.

Supplemental Safety and Health

NK

===== Physical/Chemical Properties =====

Boilin

g Pt:B.P. Text:212F,100C

Vapor Pres:17 @ 68F

Vapor Density: