

FISHER SCIENTIFIC -- NITRIC ACID, A200 -- 6810-00-281-0439

=====
===== Product Identification =====

Product ID:NITRIC ACID, A200

MSDS Date:10/13/1994

FSC:6810

NIIN:00-281-0439

MSDS Number: CDWZV

=== Responsible Party ===

Company Name:FISHER SCIENTIFIC

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ

ZIP:07410

Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:201-796-7100;800-424-9300(CHEMTREC)

CA

GE:1B464

=== Contractor Identification ===

Company Name:FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address:1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802

Country:US

Phone:201-796-7100

CAGE:1B464

=====
===== Composition/Information on Ingredients =====

Ingred Name:NITRIC ACID (SARA 302/313) (CERCLA). LD50:(ORAL) 50-500
MG/KG.

CAS:7697-37-2

RTECS #:QU5775000

Fraction by Wt: 70%

OSHA PEL:2 PPM

ACGIH TLV:2 PPM;4 STEL

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ingred Name:WAT

ER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 30%
OSHA PEL:N/K
ACGIH TLV:N/K

Ingrid Name:SUPDAT:OF TANKS. FOR MASSIVE FIRE IN CARGO AREA, USE
UNMANNED HOSE HOLDER/MONITOR NOZZS; IF THIS IS IMPOSS, W/ (ING 4)
RTECS #:9999999ZZ

Ingrid Name:ING 3:DRAW FROM AREA & LET FIRE BURN. USE FLOODING AMTS OF
WATER AS FOG. COOL CNTNRS W/FLOODING AMTS OF WATER, (ING 5)
RTECS #:9999999ZZ

Ingrid Name:ING 4:APPLY FROM AS FAR A DIST AS POSS. AVOID BRTHG CORR
VAPS, KEEP UPWIND. CONSIDER EVACUA
TION OF DOWNWIND AREA (ING 6)
RTECS #:9999999ZZ

Ingrid Name:ING 5:IF MATERIAL IS LEAKING.
RTECS #:9999999ZZ

Ingrid Name:EFTS OF OVEREXP:BECOME DEEPLY VASCULARIZED & OPAQUE RSLTG
IN BLINDNESS. YELLOW COLOR TO EYE. INGEST:CORR/TOX. (ING 8)
RTECS #:9999999ZZ

Ingrid Name:ING 7:CIRCUMORAL BURNS W/YELLOW DISCOLORATION & CORR OF MUC
MEMBS OF MOUTH, THROAT & ESOPHAGUS. MAY BE IMMED PAIN(ING 9)
RTECS #:9999999ZZ

Ingrid Name:ING 8:& DFCLTY/INABILITY TO SWALLOW/SPEAK. EPIGLOTTAL EDEMA
MAY R
SLT IN RESP DISTRESS, ASPHY, MARKED THIRST, (ING 10)
RTECS #:9999999ZZ

Ingrid Name:ING 9:EPIGASTRIC PAIN, NAUS, VOMIT & DIARR. VOMITUS MAY
CNTN FRESH/DARK PRECIP BLOOD & LG SHREDS OF MUCOSA. (ING 11)
RTECS #:9999999ZZ

Ingrid Name:ING 10:SHOCK W/MARKED HYPOTENSION, WEAK, RAPID PULSE,
SHALLOW RESP & CLAMMY SKIN. CIRCULATORY COLLAPSE MAY LEAD (ING 12)
RTECS #:9999999ZZ

Ingrid Name:ING 11:TO RENAL FAILURE, GASTRIC & ESOPHAGEAL PERFORATION &
SUBSEQUENT PERITONITIS ACCOMPANIED BY FEVER

& ABDOM (ING 13)
RTECS #:9999999ZZ

Inged Name:ING 12:RIGIDITY, ESOPHAGEAL, GASTRIC & PYLORIC STRICTURE.
DEATH MAY RSLT FROM ASPHY, CIRCULATORY COLLAPSE/ASPIR.(ING 14)
RTECS #:9999999ZZ

Inged Name:ING 13:LATER DEATH MAY BE DUE TO PERITONITIS, SEV
NEPHRITIS/PNEUM, COMA & CONVLS. CHRONIC:INHAL:EROSION OF (ING 15)
RTECS #:9999999ZZ

Inged Name:ING 14:TEETH, INFLAMM & ULCERATIVE CHANGES IN MOUTH & POSS
JAW NECROSIS, BRONCH IRRIT W/COUGH & FREQUENT ATTACKS(ING 16)
RTECS #:9999999ZZ

I
ngred Name:ING 15:OF BRONCH PNEUM, GI DISTURBS. SKIN:DERM/EFTS AS IN
ACUTE. EYE:CONJ/EFTS AS IN ACUTE. INGEST:INFLAMM & (ING 17)
RTECS #:9999999ZZ

Inged Name:ING 16:ULCERATIVE CHANGES IN MOUTH & OTHER EFTS AS IN
ACUTE. ANIMALS:REPRO EFTS. FOR MORE INFO CONTACT NEHC .
RTECS #:9999999ZZ

Inged Name:SPILL PROC:LGR SPILLS:DIKE FAR AHEAD OF SPILL FOR LATER
DISP. KEEP UNNEC PEOPLE AWAY. ISOLATE HAZ AREA & DENY (ING 19)
RTECS #:9999999ZZ

Inged Name:ING 18:ENTRY. VENTILATE CLOSED SPACES
BEFORE ENTERING. FOR
MORE SPECIFIC INFORMATION CONTACT NEHC .
RTECS #:9999999ZZ

Inged Name:RESP PROT:SUPPLIED-AIR RESP W/FULL FACEPIECE; ANY
AIR-PURIFYING, FULL-FACEPIECE RESP (GAS MASK) W/CHIN-STYLE, (ING
21)
RTECS #:9999999ZZ

Inged Name:ING 20:FRONT- OR BACK-MOUNTED CANISTER PROVIDING PROT
AGAINST NITRIC ACID (ONLY NONOXIDIZABLE SORBENTS ARE (ING 22)
RTECS #:9999999ZZ

Inged Name:ING 21:ALLOWED (NOT CHARCOAL)). ANY CHEM CARTRIDGE RESP
W/FULL FACEPIECE & CARTRIDGE(S).

ESCAPE-ANY AIR- (ING 23)
RTECS #:9999999ZZ

Ingred Name:ING 22:PURIFYING, FULL-FACEPIECE RESP (GAS MASK)
W/CHIN-STYLE, FRONT- OR BACK-MOUNTED CANISTER; ANY APPROP (ING 24)
RTECS #:9999999ZZ

Ingred Name:ING 23:ESCAPE-TYPE, SELF-CONTAINED BREATHING APPARATUS. FOR
MORE SPECIFIC INFORMATION CONTACT NEHC .
RTECS #:9999999ZZ

=====
===== Hazards Identification =====

LD50 LC50 Mixture:SEE INGREDIENT 1.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Report

s of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:INHAL:CORR/HIGHLY TOX. SEV RESP
IRRIT W/COUGH, CHOKING & POSS YELLOWISH BURNS OF MUC MEMBS, DIZZ,
HDCH, NAUS & WEAK. PULM EDEMA; TIGHTNESS IN CHEST, DYSP, DIZZ,
FROTHY SPUTUM, CYANOSIS, HYPOTENS ION, WEAK, RAPID PULSE, MOIST
RALES & HEMOCONC. DEATH DUE TO ANOXIA AFTER ONSET OF PULM EDEMA.
SKIN: (EFTS OF OVEREXP)

Explanation of Carcinogenicity:NOT RELEVANT

Effects of Overexposure:HLTH HAZ:COR

R. SEV PAIN, BURNS & POSS YELLOWISH
STAINS. BURNS MAY BE DEEP W/SHARP EDGES & HEAL SLOWLY W/SCAR TISS
FORM. DILUTE SOLNS:MILD IRRIT & HARDEN EPIDERMIS W/OUT DESTROYING
IT. RATS:ELEVATED ME THEMOGLOBIN & BLOOD NITRATE LEVELS. EYE:CORR.
PAIN & LACRIM, PHOTOPHOBIA & BURNS, POSS SEV. WHOLE CORNEA MAY (ING
7)

Medical Cond Aggravated by Exposure:PERSONS W/IMPAIRED PULMONARY
FUNCTION, PRE-EXISTING EYE & SKIN DISORDERS ARE AT INCREASED RISK
FROM EXPOSURE.

=====
==== First Aid Measures =====

First Aid:INGEST:CALL MD IMMED . INHAL:REMOVE TO FRESH AIR. SUPPORT
BREATHING (GIVE O*2/ARTF RESP) . EYES:IMMEDIATELY FLUSH W/POTABLE
WATER FOR A MINIMUM OF 15 MINUTES, SEEK ASSISTANCE FROM MD (FP N).
SKIN:FLUSH W/COPIOUS AMOUNTS OF WATER. CALL MD . ANTIDOTE:NO
SPECIFIC ANTIDOTE. TREAT SYMPTOMATICALLY & SUPPORTIVELY. FOR MORE
SPECIFIC INFO REGARDING FIRST AID TREATMENT CONT NEHC .

=====
===== Fire Fighting Measur

es =====

Extinguishing Media:WATER, DRY CHEMICAL, OR SODA ASH. FOR LARGER FIRES, FLOOD AREA W/WATER FROM A DISTANCE.

Fire Fighting Procedures:USE NIOSH APPRVD SCBA & FULL PROT EQUIP . MOVE CNTNR FROM FIRE AREA IF YOU CAN DO IT W/OUT RISK. APPLY COOLING WATER TO SIDES OF CNTNRS THAT ARE (SUPDAT)

Unusual Fire/Explosion Hazard:NEGLIG FIRE HAZ WHEN EXPOS TO HEAT/FLAME. OXIDIZER; OXIDIZERS DECOMPOSE, ESP WHEN HEATED, TO YIELD OXYG/OTHER GASES WHICH WILL INCR BURNING RATE OF (SUPP DATA)

===== Accidental Release Measures =====

Spill Release Procedures:KEEP COMBUSTS (WOOD, PAPER, OIL, ETC) AWAY FROM SPILLED MATL. DO NOT TOUCH SPILLED MATL. STOP LEAK IF YOU CAN DO IT W/OUT RISK. USE WATER SPRAY TO REDUCE VAPS. DO NOT GET WATER INSIDE CNTNR. SM SPILLS :FLUSH AREA W/FLOODING AMTS OF WATER. FOR (ING 18)

Neutralizing Agent:SLAKED LIME, SODIUM BICARBONATE OR CRUSHED LIMESTONE.

===== Handling and Storage =====

Handling and Storage Precautions:OBSERVE ALL FED, STATE & LOC REGS WHEN STORING SUBSTANCE. FOR ASSISTANCE, CONT THE DISTRICT DIRECTOR OF THE EPA. STORE AWAY FROM INCOMPAT SUBSTANCES.

Other Precautions:PROT AGAINST PHYSICAL DMG. SEPARATE FROM METALLIC POWDERS, CARBIDES, HYDROGEN SULFIDE, TURPENTINE, ORG ACIDS & ALL COMBUST, ORG/OTHER READILY OXIDIZABLE MATLS. PROVIDE GOOD VENT & AVOID DIRECT SUNLIGH T. FLAMM, POIS GASES MAY ACCUM (SUPDAT)

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:SPECIFIC RESP SELECTED MUST BE BASED ON CONTAM LEVELS FOUND IN WORK PLACE, MUST NOT EXCEED WORKING LIMS OF RESP & BE NIOSH APPRVD: 50 PPM-ANY SUPPLIED-AIR OPERATED IN CONTINUOUS FLOW-MODE. 100 PPM-ANY SCBA W/FULL FACEPIECE; ANY (ING 20)

Ventilation:PROCESS ENCLOSURE RECOMMENDED TO MEET PELS.

Protective Gloves:IMPERVIOUS GLOVES .

Eye Protection:ANSI APPRVD CHEM WORKERS GOGGS &(SUPDAT)

Other Prote

ective Equipment:ANSI APPROVED EYE WASH FOUNTAIN & DELUGE
SHOWER . APPROPRIATE PROTECTIVE (IMPERVIOUS) CLOTHING & EQUIPMENT.

Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health

EXPLO HAZ:COMBUST MATTER. CONT W/EASILY OXIDIZABLE, ORG/OTHER COMBUST
MATLS MAY RSLT IN IGNIT, VIOLENT COMBUST/EXPLO. OTHER PREC:IN TANKS
& HOPPER CARS. RUNOFF TO SEWER MAY CREATE FIRE/EXPLO HAZ. EYE
PROT:FULL LGTH FSHLD . FIRE FIGHTPROC:EXPOS TO FLAMES UNTIL WELL
AFT

ER FIRE IS OUT. STAY AWAY FROM ENDS (ING 3)

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:181F,83C

Melt/Freeze Pt:M.P/F.P Text:-44F,-42C

Vapor Pres:47.9 @ 20C

Vapor Density:3.2

Spec Gravity:1.5027

Solubility in Water:VERY SOLUBLE

Appearance and Odor:COLORLESS TO PALE YELLOW LIQUID W/SUFFOCATING ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACETIC ACID, BASES, METALS, ORGANIC MAT
ERIALS, PLASTICS. FOR A COMPLETE

LISTING OF MATLS TO AVOID CONTACT NEHC .

Stability Condition to Avoid:MAY IGNITE OTHER COMBUSTIBLE MATERIALS
(WOOD, PAPER, OIL, ETC). REACTS VIOLENTLY W/WATER & FUELS.

Hazardous Decomposition Products:THERMAL DECOMPOSITION PRODUCTS MAY
INCLUDE TOXIC OXIDES OF NITROGEN.

===== Disposal Considerations =====

Waste Disposal Methods:OBSERVE ALL FED, STATE & LOC REGS WHEN DISP OF
SUBSTANCE. FOR ASSISTANCE, CONT THE DISTR
ICT DIRECTOR OF THE EPA.

DISPOSAL MUST BE I/A/W STANDARDS APPLICABLE TO GENERATORS OF
HAZARDOUS WASTE, 40 CFR 26 2. EPA HAZARDOUS WASTE NUMBER D002.
RQ:100 LBS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any perso

n utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.