

CYTEC INDUSTRIES INC -- BR95 ADHESIVE, PART B -- 8040-01-389-6930

=====
Product Identification
=====

Product ID:BR95 ADHESIVE, PART B

MSDS Date:01/24/1994

FSC:8040

NIIN:01-389-6930

Kit Part:Y

MSDS Number: CDXNM

=== Responsible Party ===

Company Name:CYTEC INDUSTRIES INC

Address:5 GARRET MOUNTAIN PLAZA

City:WEST PATERSON

State:NJ

ZIP:07424

Country:US

Info Phone Num:201-357-3100

Emergency Phone Num

:800-424-3100

CAGE:0V7G8

=== Contractor Identification ===

Company Name:CYTEC INDUSTRIES INC

Address:FIVE GARRET MOUNTAIN PLAZA

Box:City:WEST PATERSON

State:NJ

ZIP:07424

Country:US

Phone:800-652-6013

CAGE:0V7G8

Company Name:KAMAN AEROSPACE CORP

Address:OLD WINDSOR ROAD

Box:City:BLOOMFIELD

State:CT

ZIP:06002

Country:US

Phone:203-242-4164

CAGE:84955

=====
Composition/Information on Ingredients
=====

Ingred Name:2,4,6-TRIS(DIMETHYLAMINO METHYL) PHENOL

CAS:90-72-2

RTECS #:SN35000

00

Fraction by Wt: 8-13%

Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt: 0.1-1%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:10 MG/M3 (FE)

ACGIH TLV:5MG(FE)/M3FUME,B2;95

Ingred Name:AMINE TERMINATED POLYMER

Fraction by Wt: 15-40%

Other REC Limits:NONE RECOMMENDED

Ingred Name:POLYAMIDE

Fraction by Wt: 60-100%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL RAT, ESTIMATED) = >5 G/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:WARNING! MAY CAUSE ALLERGIC SKIN REACTION! ALLERGIC SKIN REACTIONS OR PRIMARY SKIN IRRITATION MAY BE PRODUCED BY PROLONGED &/OR REPEATED SKIN CONTACT.

Explanation of Carcinogenicity:MANUFACTURER GAVE NO INFORMATION ABOUT CARCINOGENICITY. HMIS FOUND NO LISTING & DOES NOT EXPECT IT TO BE CARCINOGENIC.

Effects of O

verexposure:EYE, SKIN, RESPIRATORY IRRITATION

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS.

=====
===== First Aid Measures =====

First Aid:IN CASE OF SKIN CONTACT IMMEDIATELY WAS AFFECTED AREAS W/SOAP & PLENTY OF WATER. REMOVE CONTAMINATED CLOTHING & SHOES. GET IMMEDIATE MEDICAL ATTENTION. DESTROY OR THOROUGHLY CLEAN SHOES BEFORE REUSE. DO NOT REUSE CONTAMINATED CLOTHING W/O LAUNDERING. IN CASE OF EYE CONTACT, IMMEDIATELY

IRRIGATE W/PLENTY OF WATER FOR
15 MIN.

===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:>200F,>93C

Autoignition Temp:Autoignition Temp Text:N/A.

Lower Limits:2

Upper Limits:6

Extinguishing Media:USE WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS & FULL
PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

==

Spill Release Procedures:WEAR SUITABLE PERSONAL PROTECTIVE CLOTHING
CHOSEN TO PROTECT FROM APPROPRIATE EXPOSURE. COVER SPILL W/INERT
ABSORBENT, SWEEP UP SPILLS & PLACE IN A WASTE DISPOSAL CONTAINER.
FLUSH AREAS W/WATER.

Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED &/OR REPEATED SKIN
CONTACT. WASH THOROUGHLY AFTER HANDLING.

Other Precautions:NONE

=====

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF PEL, USE

NIOSH RESPIRATOR APPROVED FOR THE MATERIAL & LEVEL OF EXPOSURE. FOR
CUTTING, SANDING, GRINDING CURED MATERIAL, RESPIRATOR FOR DUST
EXPOSURE MAY BE NECESSARY.

Ventilation:USE LOCAL EXHAUST TO KEEP EXPOSURE