

BONDED PRODUCTS INC -- MMM-A-187B (PART A), EPI PLUS A. -- 8040-00-753-4800

=====
Product Identification
=====

Product ID:MMM-A-187B (PART A), EPI PLUS A.

MSDS Date:01/02/1996

FSC:8040

NIIN:00-753-4800

Kit Part:Y

MSDS Number: CDXTH

=== Responsible Party ===

Company Name:BONDED PRODUCTS INC

Address:439 S BOLMAR ST

Box:39

City:WEST CHESTER

State:PA

ZIP:19382-4933

Country:US

Preparer's Name:JOHN BAR

TUSIAK

CAGE:19092

=== Contractor Identification ===

Company Name:ABBEY COLOR INC DBA ABBEY PRODUCTS AND BONDED

Address:400 E TIOGA ST

Box:City:PHILADELPHIA

State:PA

ZIP:19134-1127

Country:US

Phone:215-739-9960

CAGE:19092

=====
Composition/Information on Ingredients
=====

Ingred Name:EPOXIDE RESIN

CAS:25068-38-6

RTECS #:KC2100000

Other REC Limits:NONE RECOMMENDED

Ingred Name:CALCIUM CARBONATE

CAS:1317-65-3

RTECS #:EV9580000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M3

ACGIH TLV:10 MG/M3

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7

RTECS #:XR2275000

Other REC Limits:NONE RECOMMENDED

OSHA PEL:10 MG/M3

ACGIH TLV:10 MG/M3

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHAL: HEADACHE, DIZZINESS. SKIN:

IRRITATION, RASH, ITCHING, EYE: ITCHING, IRRITATION. INGEST:

STOMACH DISCOMFORT. CHRONIC: S

ENSITIZATION.

Medical Cond Aggravated by Exposure:ALLERGIES, HEAD COLDS, ABRADED SKIN
WOUNDS.

=====
===== First Aid Measures =====

First Aid:EYE: FLUSH W/PLENTY OF WATER FOR >15 MINUTES. CALL DR. SKIN:

WASH W/SOAP AND WATER. CALL DR. INGEST: GIVE WATER IF CONSCIOUS.

CALL DR. INHAL: REMOVE TO FRESH AIR. GIVE OXYGEN IF NECESSARY,

ARTIFICAL RE SPIRATION IF NOT BREATHING. CALL DR IMMEDIATLEY.

REMOVE CONTAM CLOTHES, WASH BEFORE REUSE.

=====
=====

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>240F,>116C

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:FOAM, CO2, DRY CHEMICAL

Fire Fighting Procedures:WEAR FULL PROTECTIVE EQUIPMENT INCLUDING SCBA.

REMAIN UPWIND FROM FIRE. COOL FIRE EXPOSED CONTAINERS W/WATER
SPRAY.

Unusual Fire/Explosion Hazard:CONTAINERS MAY BURST IN HEAT OF FIRE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:DIKE, R

REMOVE IGNITS, ABSORB, SCRAPE UP,
CONTAINERIZE, USE RESPIRATORY EQUIPMENT AND PROTECTIVE CLOTHING.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL DRY AREA.
Other Precautions:DESTROY CONTAMINATED SHOES AND OTHER LEATHER
ARTICLES.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:AS REQUIRED
Ventilation:ADEQUATE
Protective Gloves:IMPERVIOUS
Eye Protection:SAFTEY GOGGLES OR FACE S
HIELD
Other Protective Equipment:IMPERVIOUS PROTECTIVE GARMENTS. SAFTEY
SHOWER, EYE BATH.
Work Hygienic Practices:WASH AFTER HANDLING PRODUCT AND BEFORE EATING.
Supplemental Safety and Health
NK

=====
===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:NOT EST.
Vapor Pres:NA
Spec Gravity:1.76
Evaporation Rate & Reference:NA
Solubility in Water:VERY SLIGHT
Appearance and Odor:WHITE PASTE W/SLIGHT ODOR

=====
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG ACIDS, BASES, AND OXIDIZING AGENTS.
Stability Condition to Avoid:TEMPERATURES >100F
Hazardous Decomposition Products:OXIDES OF CARBON AND SMOKE.

=====
===== Disposal Considerations =====

Waste Disposal Methods:REACT W/PART B. DISPOSE IN COMPLIANCE W/FEDERAL,
STATE, AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use

by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.