

COURTAULDS AEROSPACE, INC -- PR-1826 A-1/2 BLACK #1826A1 -- 8030-01-330-0730  
===== Product Identification =====

Product ID:PR-1826 A-1/2 BLACK #1826A1

MSDS Date:10/21/1993

FSC:8030

NIIN:01-330-0730

Kit Part:Y

MSDS Number: CDXWC

=== Responsible Party ===

Company Name:COURTAULDS AEROSPACE, INC

Address:5430 SAN FERNANDO RD.

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2

060

Emergency Phone Num:800-424-9300 (CHEMTREC)

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:CALCIUM CARBONATE (MARBLE) (LIMESTONE)

CAS:1317-65-3

RTECS #:EV9580000

Fraction by Wt: 20.0%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:15 MG/M

3 TDUST  
ACGIH TLV:10 MG/M3 TDUST

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE) (MEK) (SARA 313) (CERCLA)  
VP = 70  
CAS:78-93-3  
RTECS #:EL6475000  
Fraction by Wt: 10.0%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:200 PPM/300 STEL  
ACGIH TLV:200 PPM/300 STEL  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:MERCAPTAN TERM. POLYTHIOETHR (NONHAZARDOUS)  
CAS:119147-78-3  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALUMINUM HYDROXIDE (NONHAZARDOUS)  
CAS:21645-51-2  
RTECS #:BD0940000  
Other REC Limit  
s:NONE RECOMMENDED

Ingred Name:MAGNESIUM OXIDE (NONHAZARDOUS)  
CAS:1309-48-4  
RTECS #:OM3850000  
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOC = 119 G/L COMBINED PARTS A & B  
RTECS #:9999999VO  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:NOT RELEVANT  
ACGIH TLV:NOT RELEVANT

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: BURNING

, TEARING, REDDENING,  
POSSIBLE TRANSIENT CORNEAL CLOUDING. SKIN: REDNESS, BURNING,  
DRYING, CRACKING. INHAL: COUGHING, CHEST PAIN, THROAT IRRIT,  
HEADACHE, DIZZINESS, ANESTHETIC & OTHER CNS EFFECTS. REVERSIBLE  
LIVER DAMAGE. INGEST: DROWSINESS, DIZZINESS, NAUSEA.

===== First Aid Measures =====

First Aid:EYE: FLUSH W/LUKEWARM WATER 15 MINUTES. IF SYMPTOMS PERSIST,  
CALL DR. SKIN: WASH W/SOAP & WATER. IF SYMPTOMS PERSIST. CALL DR.  
INHAL:  
GET FRESH AIR. IF SYMPTOMS PRESENT, CALL DR. INGEST: DO NOT  
INDUCE VOMIT. CALL DR.

===== Fire Fighting Measures =====

Flash Point Method:PMCC  
Flash Point:25.0F,-3.9C  
Lower Limits:1.8  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER.  
Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR.  
Unusual Fire/Explosion Hazard:HIGH TEMPERATURES MAY CAUSE PRESSURE  
BUILDUP IN CLOSED CONTAINER.

===== Accidental Release Measures =====  
=====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. WEAR AIR SUPPLIED  
RESPIRATOR FOR MAJOR UNVENTED SPILL. COVER W/ABSORBENT. SCOOP INTO  
CONTAINER. CLEAN UP RESIDUE W/SUITABLE SOLVENT. CERCLA RQ FOR MEK,  
5000 LBS.

===== Handling and Storage =====

Other Precautions:EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS, DONT CUT,  
PUNCTURE, WELD ON/NEAR DRUMS. VAPOR >AIR, MAY COLLECT IN  
LOW/CONFINED AREAS.

===== Exposure Controls/Pe  
rsonal Protection =====

Respiratory Protection:WHEN SPRAYING OR APPLYING IN ANY CIRCUMSTANCES  
LIKELY TO PRODUCE AIRBORNE LEVELS OF HAZARDOUS INGREDIENTS IN  
EXCESS OF TLV USE AN ORGANIC VAPOR CARTRIDGE OR AIR SUPPLIED  
RESPIRATOR.

Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL.

Protective Gloves:SOLVENT RESISTANT.

Eye Protection:SAFETY GLASSES.

Other Protective Equipment:NONE

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING & BEFORE SMOKING  
OR EATING,

AVOID INGESTION.  
Supplemental Safety and Health  
NK

===== Physical/Chemical Properties =====

Vapor Density:>AIR  
Spec Gravity:1.304  
Evaporation Rate & Reference:NA  
Appearance and Odor:WHITE PASTE  
Percent Volatiles by Volume:18.3

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS.  
Hazardous Decomposition Products:OXIDES OF CARBON, SULFUR DIOXIDE &  
TRACES OF HYDROGEN SULFIDE.

===== Disposal Considerations =====

Waste Disposal Methods:EPA D-001 & D-035 HAZARDOUS WASTE. DISPOSE OF IN  
COMPLIANCE W/FEDERAL/STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use  
. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.