View NSN Online: https://aerobasegroup.kr/nsn/6830-01-356-1211

Product ID:HALON 1211 RECYCLED MSDS Date:05/31/1989 FSC:6830 NIIN:01-356-1211 MSDS Number: CDYJQ === Responsible Party === **Company Name: METALCRAFT INC** Address:718 DEBELIUS AVE City:BALTIMORE State:MD ZIP:21205 Country:US Info Phone Num:410-485-0880/FAX -4451 Emergency Phone Num:800-457-4280 CAGE:06535 === Contractor Identification === Company Name: DDRV STOCK MAINTENANCE DIV/DDRV-H Address:8000 JEFFERSON-DAVIS HIGHWAY Box:City:RICHMOND State:VA ZIP:23297 Country:US Phone:804-279-3125 CAGE:02LX8 Company Name: METALCRAFT INC Address:9331 PHILADELPHIA ROAD Box:City:BALTIMORE State:MD ZIP:21237 Country:US Phone:410-687-5500 CAGE:06535

Ingred Name:BROMOCHLORDIFLUOROMETHANE (HALON 1211) (SARA 313) CAS:353-59-3 Fraction by Wt: 100% Oth LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT RELEVANT. Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TARGET ORGANS:CNS, EYES, SKIN, LUNGS. ACUTE- EYE:CONTACT WITH LIQUID CAN CAUSE "FREEZER" BURNS. SKIN:LIQUID CAN CAUSE FROSTBITE. ORAL:NOT LIKELY TO OCCUR (GAS AT ROOM TEMPERATURES). INHALE:AT C ONCENTR ATIONS >20,000 PPM, IRREGULARITIES IN THE CENTRAL NERVOUS SYSTEM AND CARDIAC MUSCLE ARE EXHIBITED. CHRONIC- UNKNOWN. Explanation of Carcinogenicity:NONE Effects of Overexposure:FROSTBITE, EYE BURNS, HEADACHE, DIZZINESS, CONFUSION, INCOORDINATION, UNCONSCIOUSNESS, IRREGULAR PULSE, CONVULSION

Medical Cond Aggravated by Exposure:ANEMIA, ASTHMA, DERMAL SENSITIVITY AND LOW BLOOD PRESSURE

First Aid:CALL

A DOCTOR IF SYMPTOMS PERSIST. EYE: IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: REMOVE CONTAMINATED CLOTHING AND WASH EXPOSED SKIN WITH LARGE AMOUNT OF WATER. INHALED: REMOVE TO FRESH AIR. PROVIDE CPR/OXYGENIF NEEDED. ORAL:NOT A POTENTIAL ROUTE OF EXPOSURE (GAS). NOTE TO PHYSICIAN: DO NOT GIVE ADRENALINE OR SIMILAR DRUGS.

Flash Point:NONE

Lower Limits:NOT RELEVANT

Upper Limits:N

OT RELEVANT

=====

Extinguishing Media:THIS IS FIRE EXTINGUISHER. COOL FIRE EXPOSED CONTAINERS WITH WATER WELL AFTER FIRE IS OUT TO PREVENT POSSIBLE EXPLOSIONS

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard: IRRITATING AND/OR TOXIC GASES DUE TO DECOMPOSITION OF THE PRODUCT MAY BE GENERATED DURING A FIRE. CONTAINERS MAY EXPLODE DUE TO FIRE. Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS. VENTIALTE AREA ESPECIALLY LOW PLACES. REMOVE SPILL WITH ABSORBENT MATERIAL AND PLACE INTO A DRUM APPROVED FOR WASTE DISPOSAL. Neutralizing Agent:NOT RELEVANT

Handling and Storage Precautions:STORE IN A COOL, WELL-VENTILATED AREA AWAY FROM HEAT, FLAMES, HOT SURFACES AND INCOMPATIBLE MATERIALS. DO

NOT SMOKE WHILE WORKING WITH THIS PRODUCT.

Other Precautions: AVOID EYE AND SKIN CONTACT. DO NOT INHALE VAPORS. KEEP OUT OF REACH OF CHILDREN. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING.

Respiratory Protection: IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS TO AN ACCEPTABLE LEVEL, A NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS MUST BE WORN. Ventilation: PROVIDE SUFFICIENT ME CHANICAL (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE TO A MINIMUM LEVEL. Protective Gloves: NITRILE OR NATURAL RUBBER Eye Protection: SPLASH PROOF GOGGLES WITH SIDE SHIELDS Other Protective Equipment: EYE WASH STATION, EMERGENCY SHOWER, IMPERVIOUS BODY COVERING AND BOOTS WHERE SPILLS OR SPLASHING OCCUR Work Hygienic Practices: OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND

RECOMMENDED PROCEDURES.

Supplemental Safety and Health

========== Physical/Chemical Prope

HCC:G3 NRC/State Lic Num:NOT RELEVANT Boiling Pt:B.P. Text:24.8F,-4.0C Melt/Freeze Pt:M.P/F.P Text:-256F,-160C Decomp Temp:Decomp Text:850F,454C Vapor Pres:2518 @ 68F Vapor Density:6.0 Spec Gravity:1.82 Viscosity:NOT RELEVANT Evaporation Rate & amp; Reference:NOT RELEVANT Solubility in Water:NOT MISCIBLE Appearance and Odor:COLORLESS GAS WITH SLIGHT ETHEREAL ODOR Percent Volatiles by Volume:100

Stabil

ity Indicator/Materials to Avoid:YES ALKALINE EARTH METALS, ALKALI, POWDERED ALUMINUM, ZINC, BERYLLIUM Stability Condition to Avoid:EXPOSURE TO FLAMES OR HOT SURFACES ABOVE 850F (454C)

Hazardous Decomposition Products:HYDROBROMIC, HYDROCHLORIC AND HYDROFLUORIC ACIDS, POSSIBLY FREE HALIDES AND CARBONYL HALIDES

Waste Disposal Methods:RECOVERED MATERIAL CAN BE INCINERATED IN A FURNACE WHERE PERMITTED. OBSERVE ALL LOCA

L, STATE AND FEDERAL

REGULATIONS. RECYCLING OR REUSE IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsib

ility for the suitability of this information to their particular situation.