

METALCRAFT INC -- HALON 1211 RECYCLED -- 6830-01-356-1211

=====
Product Identification
=====

Product ID:HALON 1211 RECYCLED

MSDS Date:05/31/1989

FSC:6830

NIIN:01-356-1211

MSDS Number: CDYJQ

=== Responsible Party ===

Company Name:METALCRAFT INC

Address:718 DEBELIUS AVE

City:BALTIMORE

State:MD

ZIP:21205

Country:US

Info Phone Num:410-485-0880/FAX -4451

Emergency Phone Num:800-457-4280

CAGE:06535

===

Contractor Identification ===

Company Name:DDRV STOCK MAINTENANCE DIV/DDRV-H

Address:8000 JEFFERSON-DAVIS HIGHWAY

Box:City:RICHMOND

State:VA

ZIP:23297

Country:US

Phone:804-279-3125

CAGE:02LX8

Company Name:METALCRAFT INC

Address:9331 PHILADELPHIA ROAD

Box:City:BALTIMORE

State:MD

ZIP:21237

Country:US

Phone:410-687-5500

CAGE:06535

=====
Composition/Information on Ingredients
=====

Ingred Name:BROMOCHLORDIFLUOROMETHANE (HALON 1211) (SARA 313)

CAS:353-59-3

Fraction by Wt: 100%

Oth

er REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS NOT RELEVANT.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:TARGET ORGANS:CNS, EYES, SKIN, LUNGS.

ACUTE- EYE:CONTACT WITH LIQUID CAN CAUSE "FREEZER" BURNS.

SKIN:LIQUID CAN CAUSE FROSTBITE. ORAL:NOT LIKELY TO OCCUR (GAS AT ROOM TEMPERATURES). INHALE:AT C

ONCENTR ATIONS >20,000 PPM,

IRREGULARITIES IN THE CENTRAL NERVOUS SYSTEM AND CARDIAC MUSCLE ARE EXHIBITED. CHRONIC- UNKNOWN.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:FROSTBITE, EYE BURNS, HEADACHE, DIZZINESS, CONFUSION, INCOORDINATION, UNCONSCIOUSNESS, IRREGULAR PULSE, CONVULSION

Medical Cond Aggravated by Exposure:ANEMIA, ASTHMA, DERMAL SENSITIVITY AND LOW BLOOD PRESSURE

=====
===== First Aid Measures =====

First Aid:CALL

A DOCTOR IF SYMPTOMS PERSIST. EYE: IMMEDIATELY FLUSH

WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN: REMOVE CONTAMINATED CLOTHING AND WASH EXPOSED SKIN WITH LARGE AMOUNT OF WATER. INHALED: REMOVE TO FRESH AIR. PROVIDE CPR/OXYGENIF NEEDED.

ORAL:NOT A POTENTIAL ROUTE OF EXPOSURE (GAS). NOTE TO PHYSICIAN: DO NOT GIVE ADRENALINE OR SIMILAR DRUGS.

=====
===== Fire Fighting Measures =====

Flash Point:NONE

Lower Limits:NOT RELEVANT

Upper Limits:N

OT RELEVANT

Extinguishing Media:THIS IS FIRE EXTINGUISHER. COOL FIRE EXPOSED CONTAINERS WITH WATER WELL AFTER FIRE IS OUT TO PREVENT POSSIBLE EXPLOSIONS

Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS. HAZARDOUS DECOMPOSITION PRODUCTS MAY BE FORMED.

Unusual Fire/Explosion Hazard:IRRITATING AND/OR TOXIC GASES DUE TO DECOMPOSITION OF THE PRODUCT MAY BE GENERATED DURING A FIRE. CONTAINERS MAY EXPLODE DUE TO FIRE.

=====

===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENTS. VENTIALTE AREA ESPECIALLY LOW PLACES. REMOVE SPILL WITH ABSORBENT MATERIAL AND PLACE INTO A DRUM APPROVED FOR WASTE DISPOSAL.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, WELL-VENTILATED AREA AWAY FROM HEAT, FLAMES, HOT SURFACES AND INCOMPATIBLE MATERIALS. DO

NOT SMOKE WHILE WORKING WITH THIS PRODUCT.

Other Precautions:AVOID EYE AND SKIN CONTACT. DO NOT INHALE VAPORS. KEEP OUT OF REACH OF CHILDREN. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS TO AN ACCEPTABLE LEVEL, A NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS MUST BE WORN.

Ventilation:PROVIDE SUFFICIENT MECHANICAL (GENERAL AND/OR LOCAL EXHAUST) VENTILATION TO MAINTAIN EXPOSURE TO A MINIMUM LEVEL.

Protective Gloves:NITRILE OR NATURAL RUBBER

Eye Protection:SPLASH PROOF GOGGLES WITH SIDE SHIELDS

Other Protective Equipment:EYE WASH STATION, EMERGENCY SHOWER, IMPERVIOUS BODY COVERING AND BOOTS WHERE SPILLS OR SPLASHING OCCUR

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:G3

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:24.8F,-4.0C

Melt/Freeze Pt:M.P/F.P Text:-256F,-160C

Decomp Temp:Decomp Text:850F,454C

Vapor Pres:2518 @ 68F

Vapor Density:6.0

Spec Gravity:1.82

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:NOT MISCIBLE

Appearance and Odor:COLORLESS GAS WITH SLIGHT ETHEREAL ODOR

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stabil

ity Indicator/Materials to Avoid: YES

ALKALINE EARTH METALS, ALKALI, POWDERED ALUMINUM, ZINC, BERYLLIUM

Stability Condition to Avoid: EXPOSURE TO FLAMES OR HOT SURFACES ABOVE
850F (454C)

Hazardous Decomposition Products: HYDROBROMIC, HYDROCHLORIC AND
HYDROFLUORIC ACIDS, POSSIBLY FREE HALIDES AND CARBONYL HALIDES

===== Disposal Considerations =====

Waste Disposal Methods: RECOVERED MATERIAL CAN BE INCINERATED IN A
FURNACE WHERE PERMITTED. OBSERVE ALL LOCAL, STATE AND FEDERAL
REGULATIONS. RECYCLING OR REUSE IS RECOMMENDED.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.