

L. CARLTON MERTZ CO./DBA L. CA -- MIL-C-10578

MSDS Safety Information

FSC: 6850

NIIN: 00-656-1292

MSDS Date: 10/07/1996

MSDS Num: CDYWH

Product ID: MIL-C-10578

MFN: 01

Responsible Party

Cage: 60797

Name: L. CARLTON MERTZ CO./DBA L. CARLTON MERTZ COMPANY

Address: 6147 W. 65TH STREET

City:

CHICAGO IL 60638

Info Phone Number: 708-594-1050

Emergency Phone Number: 800-424-9300(CHEMTREC)

Preparer's Name: UNKNOWN

Review Ind: Y

Published: Y

Contractor Summary

Cage: 60797

Name: VJ COMPOUNDING CORP (FORMALLY: L. CARLTON MERTZ CO.)

Address: 6147 W. 65TH STREET

City: CHICAGO IL 60638

Phone: 708-594-1050

Item Description Info

rmation

Item Manager: S9G

Item Name: CORROSION REMOVING COMPOUND

Specification Number: MIL-C-10578

Type/Grade/Class: TYPE II

Unit of Issue: DR

Quantitative Expression: 00000000005GL

UI Container Qty: 1

Type of Container: DRUM

Ingredients

Cas: 7664-38-2

RTECS #: TB6300000

Name: PHOSPHORIC ACID (SARA 313) (CERCLA)

% Wt: <55

Oth

er REC Limits: NONE RECOMMENDED

OSHA PEL: 1 MG/M3

ACGIH TLV: 1 MG/M3/3 STEL; 9596

EPA Rpt Qty: 5000 LBS

DOT Rpt Qty: 5000 LBS

Health Hazards Data

LD50 LC50 Mixture: NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: **CORROSIVE** EYES:MAY CAUSE BURNS,IRREVERSIBLE EYE INJURY

OR BLINDESS.SKIN:MAY CAUSE DERMATITIS,BURNS AND TISSUE DESTRUCTION.INHAL:MAY CAUSE RESPIRATORY IRRITATION,BRONCHITIS AND PULMONARY EDEMA.INGE ST:MAY CAUSE GASTROINTESTINAL BURNS.

Explanation Of Carcinogenicity: THIS ITEM DOES NOT CONTAIN ANY INGREDIENT AT 0.1% OR GREATER WHICH IS A CARCINOGEN.

Signs And Symptoms Of Overexposure: INGEST:CHEST AND STOMACH PAIN,DIFFICULTY IN BREATHING,NAUSEA,VOMITING,BLOODY DIARRHEA,CONVULSION,COLLAPSE AND DEATH.INHAL:COUGHING,CHOKING,BURNING THROAT.

Medical Cond Aggravated By Exposure: MAY AGGRAVATE EXISTING SKIN AND/OR EYE CONDITIONS,ASTHMA/OTHER RESPIRATORY DISEASES.

First Aid: EYES:FLUSH WITH WATER UNTIL ALL TRACES ARE GONE.SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.SKIN:REMOVE CONTAMINATED CLOTHING.WASH WITH SOAP AND WATER.SEEK MEDICAL ATTENTION IF IRRITATION PERSISTS.I NHAL:REMOVE FROM EXPOSURE.GIVE OXYGEN OR ARTIFICIAL RESPIRATION IF NESCESSARY.INGEST:DO NOT INDUCE VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CONSCI
OUS,GIVE
2 GLASSES WATER/MILK.

Handling and Disposal

Spill Release Procedures: ONLY ALLOW TRAIN PERSON TO CLEANUP SPILL.SMALL

SPIILLS:VENTILATE AREA.USE PROPER RESPIRATORY AND PROTECTIVE EQUIPMENT.NEUTRALIZE SPILL,THEN FLUSH WITH WATER.NEUTRALIZATION RESULTS IN HEAT;USE CAUTION.P LACE WASTE IN A DOT-APPROVED CONTAINER.

Neutralizing Agent: SODA ASH, SODIUM BICARBONATE, LIME.

Wast

e Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL,STATE AND LOCAL REGULATIONS.
Handling And Storage Precautions: STORE IN A COOL,DRY,WELL-VENTILATED PLACE.KEEP CONTAINER CLOSED WHEN NOT IN USE.AVOID HEAT,SPARKS AND FLAMES.
Other Precautions: ALWAYS ADD ACID TO WATER,NOT THE REVERSE.

=====

Fire and Explosion Hazard Information

=====

Flash Point Text: NONE
Lower Limits: NA
Upper Limits:
NA
Extinguishing Media: EXTINGUISH FIRE USING AGENTS SUITABLE FOR SURROUNDING FIRE.

Fire Fighting Procedures: USE A SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE PROTECTIVE EQUIPMENT.COOL FIRE EXPOSED CONTAINERS WITH WATER FOG.
Unusual Fire/Explosion Hazard: THERMAL DECOMPOSITION PRODUCTS MAY BE TOXIC.CONTACT W/REACTIVE METALS MAY PRODUCE FLAMMABLE/EXPLOSIVE HYDROGEN-AIR MIXTURES.REACTS VIOLENTLY W/STRONG BASES.

=====

Control Measures

=====

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR W/FULL FACE PIECE WHEN HNDLG THIS PRODUCT.
Ventilation: USE LOCAL EXHAUST AT THE WORKSITE;GENERAL EXHAUST TO MAINTAIN TLV/PEL.
Protective Gloves: NATURAL RUBBER,NEOPRENE,NITRILE.
Eye Protection: CHEMICAL SPLASH GOGGLES.
Other Protective Equipment: APRON,COVERALLS.PROVIDE A LOCAL EYE WASH STATION AND QUICK DRENCH SHOWER.
Work Hygienic Practices: DISCARD CONTAMINATED CLOTHING.
WASH HANDS AFTER USING THIS PRODUCT.
Supplemental Safety and Health: NONE

=====

Physical/Chemical Properties

=====

HCC: C1
B.P. Text: 212F,100C
Decomp Text: UNKNOWN
Spec Gravity: 1.37
PH: <2(1%)
Evaporation Rate & Reference: UNKNOWN
Solubility in Water: COMPLETE.
Appearance and Odor: CLEAR, COLORLESS LIQUID, ACIDIC ODOR

=====

Reactivity D

ata
=====

Stability Indicator: YES
Stability Condition To Avoid: PROTECT FROM MOISTURE.MAY SPATTER UPON CONTACT WITH WATER OR WATER CONTAINING CHEMICAL(WITH EVOLUTION OF HEAT).
Materials To Avoid: RXS VIOLENTLY W/BASES,LIBERATING HEAT & SPATTERING. CONTACT W/COMMON METALS PRODUCE FLAMM/POTENTIALLY EXPLO HYDROGEN GAS
Hazardous Decomposition Products: OXIDES OF PHOSPHORUS & ACID MIST AS WELL AS HYDROGEN GAS.
Hazardous Polymerization Indicator: NO
=====

Toxicological Information
=====

Ecological Information
=====

MSDS Transport Information
=====

Regulatory Information

=====

Other Information
=====

Transportation Information
=====

Responsible Party Cage: 60797
Trans ID NO: 80914
Product ID: MIL-C-10578
MSDS Prepared Date: 10/07/1996
Review Date: 12/05/1997
MFN: 1
Tech Entry NOS Shipping Nm: PHOSPHORIC ACID
Net Unit Weight: 57.1 LBS
AF MMAC Code: NR
Multiple KIT Number: 0
Review IND: Y
Unit Of Issue: DR
Container QTY: 1
Type Of Container: DRUM
Additional Data: CARGO AIRCRAFT ONLY.
=====

Detail DOT Information
=====

DOT PSN Code: DWD
Symbols: G
DOT Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Hazard Class: 8
UN ID Num: UN3264
DOT Packaging Group: II
Label: CORROSIVE
Special

I Provision: B2,T14
Packaging Exception: 154
Non Bulk Pack: 202
Bulk Pack: 242
Max Qty Pass: 1 L
Max Qty Cargo: 30 L
Vessel Stow Req: B
Water/Ship/Other Req: 40

=====

Detail IMO Information

=====

IMO PSN Code: ESE
IMO Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. o
IMDG Page Number: 8147-1
UN Number: 3264
UN Hazard Class: 8
IMO Packaging Group: I/II/III
Subsidiary Risk Label:
-

EMS Number: 8-15
MED First Aid Guide NUM: 760

=====

Detail IATA Information

=====

IATA PSN Code: HLA
IATA UN ID Num: 3264
IATA Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. *
IATA UN Class: 8
IATA Label: CORROSIVE
UN Packing Group: II
Packing Note Passenger: 808
Max Quant Pass: 1L
Max Quant Cargo: 30L
Packaging Note Cargo: 812

=====

=====

Detail AFI Information

=====

AFI PSN Code: HJZ
AFI Symbols: *
AFI Proper Shipping Name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
AFI Hazard Class: 8
AFI UN ID NUM: UN3264
AFI Packing Group: II
Special Provisions: P4
Back Pack Reference: A12.3

=====

HAZCOM Label

=====

Product ID: MIL-C-10578
Cage: 60797
Company Name: VJ COMPOUNDING CORP

(FORMALLY: L. CARLTON MERTZ CO.)
Street: 6147 W. 65TH STREET
City: CHICAGO IL
Zipcode: 60638
Health Emergency Phone: 800-424-9300(CHEMTREC)
Label Required IND: Y
Date Of Label Review: 12/15/1997
Status Code: C
MFG Label NO: UNKNOWN
Label Date: 12/15/1997
Year Procured: 1997
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES
Health Hazard: Severe
Contact Hazard: Severe
Fire Hazard: None
Reactivity Hazard: None
Hazard And Preca

utions: **CORROSIVE** EYES:MAY CAUSE BURNS,IRREVERSIBLE EYE
INJURY OR BLINDESS.SKIN:MAY CAUSE DERMATITIS,BURNS AND TISSUE
DESTRUCTION.INHAL:MAY CAUSE RESPIRATORY IRRITATION,BRONCHITIS AND PULMONARY
EDEMA.INGE ST:MAY CAUSE GASTROINTESTINAL BURNS. FIRST AID: EYES:FLUSH WITH
WATER UNTIL ALL TRACES ARE GONE.SEEK MEDICAL ATTENTION IF IRRITATION
PERSISTS.SKIN:REMOVE CONTAMINATED CLOTHING.WASH WITH SOAP AND WATER .SEEK
MEDICAL ATTENTION IF IRRITATION PERSISTS.INHAL:REMOVE FROM EXPOSURE.GIVE

OXYGEN OR ARTIFICIAL RESPIRATION IF NESCESSARY.INGEST:DO NOT INDUCE
VOMITING.GET PROMPT QUALIFIED MEDICAL ATTENTION.IF CO NSCIOUS,GIVE 2 GLASSES
WATER/MILK.

=====

Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to
have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume responsibility for the suitability of this information to their
part

icular situation regardless of similarity to a corresponding Department of Defense or other government situation.