

SYON CORPORATION -- 39-900000-195 SEAL-N-PLACE, PART A -- 8040-01-108-6660

=====
Product Identification
=====

Product ID:39-900000-195 SEAL-N-PLACE, PART A

MSDS Date:01/01/1995

FSC:8040

NIIN:01-108-6660

Kit Part:Y

MSDS Number: CDZXS

=== Responsible Party ===

Company Name:SYON CORPORATION

Address:280 ELIOT STREET

City:ASHLAND

State:MA

ZIP:01721

Country:US

Info Phone Num:800-255-3924

Emergency Phon

e Num:800-255-3924

CAGE:SYONC

=== Contractor Identification ===

Company Name:SYON CORPORATION

Address:280 ELIOT STREET

City:ASHLAND

State:MA

ZIP:01721

Country:US

Phone:508-881-8852

CAGE:SYONC

=====
Composition/Information on Ingredients
=====

Ingred Name:EPICHLOROHYDRIN (SARA III)

CAS:106-89-8

RTECS #:TX4900000

Fraction by Wt: 0.001%

Other REC Limits:NONE SPECIFIED

OSHA PEL:2 PPM

ACGIH TLV:5 PPM

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

=====
Hazards Identific

ation =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:POSSIBLE IRRITATION & SENSITIZATION.

===== First Aid Measures =====

First Aid:EYE: FLUSH W/WATER FOR >15 MINUTES. SKIN: REMOVE CONTAM
CLOTHES. WASH W/SOAP & WATER. INGEST: IF CONSCIOUS, GIVE WATER OR
MILK, INDUCE VOMIT. INHAL: REMOVE TO FRESH AIR. GIVE OXYGEN &
ARTIFICIAL RE
SPIRATION IF NECESSARY.

===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:200F,93C
Lower Limits:NA
Upper Limits:NA
Extinguishing Media:CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS AND
FULL PROTECTIVE EQUIPMENT.
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WEAR APPROPRIATE PROTECTIVE CLOTHING AND
RESPIRATO
R. SCOOP UP EXCESS AND REMOVE. RESIDUAL CAN BE REMOVED
WITH NONFLAMMABLE SOLVENT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED ORGANIC VAPOR RESPIRATOR.
Ventilation:LOCAL & MECHANICAL EXHAUST.
Protective Gloves:IMPERVIOUS GLOVES.
Eye Protection:SPLASH-PROOF GOGGLES.
Other Protective Equipment:SAFETY SHOWERS AND EYE WASH FACILITIES.
Supplemental Safety and Health
NK

===== Physical/Chemical Properties =====

====

Boiling Pt:B.P. Text:NA

Vapor Pres:NA

Vapor Density:NA

Spec Gravity:1.16

Evaporation Rate & Reference:NA

Solubility in Water:INSOLUBLE.

Appearance and Odor:GRAY LIQUID.

Percent Volatiles by Volume: