

FISKE BROS REFINING CO -- LUBRIPLATE FMO SERIES -- 9150-01-237-7467

=====
Product Identification
=====

Product ID:LUBRIPLATE FMO SERIES

MSDS Date:01/01/1997

FSC:9150

NIIN:01-237-7467

MSDS Number: CDZYF

=== Responsible Party ===

Company Name:FISKE BROS REFINING CO

Address:129 LOCKWOOD ST

City:NEWARK

State:NJ

ZIP:07105-4720

Country:US

Info Phone Num:201-589-9150

Emergency Phone Num:201-589-9150

Pre

parer's Name:JAMES R. KONTAK

CAGE:73219

=== Contractor Identification ===

Company Name:FISKE BROS REFINING CO

Address:129 LOCKWOOD ST

Box:City:NEWARK

State:NJ

ZIP:07105-4720

Country:US

Phone:201-589-9150

CAGE:73219

Company Name:INDUSTRIAL SUPPLY CORP

Address:1905 WESTWOOD AVE

Box:6356

City:RICHMOND

State:VA

ZIP:23230

Country:US

Phone:804-355-8041

CAGE:6A908

=====
Composition/Information on Ingredients
=====

Ingred Name:MANUFACTURER CLAIMS ONLY NON-HAZARDOUS INGREDIENTS W/O

SPECIFYING ANY INDIVIDUAL INGREDIENT.

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:PRODUCT'S LD50 (ORAL RAT) WAS NOT STATED

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES:MAY CAUSE IRRITATION. SKIN:MAY CAUSE IRRITATION. HIGH PRESSURE INJECTION MAY RESULT IN NECROSIS. INGESTION:THIS ITEM HAS A LOW ORDER OF ORAL TOXICITY. MAY CAUSE LUNG DAMAGE IF VOMITED AFTER INGESTING. INHALATION:MAY CAUSE RESPIRATORY IRRITATION. EXPOSURE TO LIQUIDS, VAPORS OR MISTS SHOULD BE MINIMIZED.

Explanation of Carcinogenicity:MFR GAVE THE ABOVE LISTINGS ON THE MSDS BUT NO OTHER COMMENTS ABOUT CARCINOGENICITY WERE RECORDED.

Effects of Overexposure:IRRITATION. NECROSIS.

Medical Cond Aggravated by Exposure:MFR GAVE NO INFORMATION OF MSDS.

=====
===== First Aid Measures =====
=====

First Aid:IF IRRITATION PERSISTS OR IS SEVERE, GET MEDICAL ATTENTION. EYE:FLUSH W/WATER FOR 15 MIN. SKIN:WASH W/SOAP & WATER. REMOVE CONTAMINATED CLOTHING & LAUNDER BEFORE REUSE. *IF INJECTED BELOW SKIN, GET IM MEDIATE MEDICAL ATTENTION!* INHALED:REMOVE FROM EXPOSURE. AID OR RESTORE BREATHING AS NEEDED. INGESTED:DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====
=====

Flash Point:335F,168

C

Lower Limits:0.9

Upper Limits:7.0

Extinguishing Media:WATER SPRAY (FOG), DRY CHEMICAL, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures:COOL EXPOSED CONTAINERS W/WATER. USE AIR-SUPPLIED BREATHING EQUIPMENT FOR ENCLOSED OR CONFINED SPACES.

Unusual Fire/Explosion Hazard:DO NOT STORE OR MIX W/STRONG OXIDANTS. EMPTY CONTAINERS RETAIN RESIDUE. DO NOT CUR, DRILL, GRIND OR WELD AS THEY MAY EXPLODE.

=====
===== Accidental Release Measures =====
=====

Spill Release Proce

dures:RECOVER LIQUID, WASH REMAINDER W/SUITABLE
PETROLEUM SOLVENT OR ADD ABSORBENT. KEEP PETROLEUM PRODUCTS OUT OF
SEWERSS & WATER COURSED. ADVISE AUTHORITIES IF PRODUCT HAS ENTERED
OR MAY ENTER SEWERW & WA TER COURSES.

Neutralizing Agent:MFR GAVE NO INFORMATION OF MSDS.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE.
KEEP AWAY FROM HEAT, SPARKS, FLAMES & STRONG OXIDANTS.

Other Precautio

ns:AVOID BREATHING OIL MIST. REMOVE OIL-SOAKED CLOTHING
& LAUNDER BEFORE REUSE. CLEANSE SKIN THOROUGHLY AFTER CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NOT NORMALLY NEEDED.

Ventilation:USE LOCAL EXHAUST TO CAPTURE FUMES & VAPORS.

Protective Gloves:USE OIL RESISTANT GLOVES IF NEEDED.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Other Protective Equipment:USE OIL-RESISTANT APRON IF NEEDED.

Work Hygienic Practices:MFR GAVE NO INFORMATION
OF MSDS.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NONE

Boiling Pt:B.P. Text:>550F,>288C

Melt/Freeze Pt:M.P/F.P Text:LIQUID

Vapor Pres:5

Spec Gravity:0.88

Evaporation Rate & Reference: