View NSN Online: https://aerobasegroup.kr/nsn/6810-00-237-2910

Product ID:60180 POTASSIUM CYANIDE MSDS Date:08/28/1996 FSC:6810 NIIN:00-237-2910 MSDS Number: CFCSB === Responsible Party === Company Name: CITY CHEMICAL CORPORATION Address:100 HOBOKEN AVE City: JERSEY CITY (FORMALLY IN NEW YORK, NY) State:NJ ZIP:07310 Country:US Info Phone Num:201-653-6900/ FAX -4468 Emergency Phone Num:201-653-6900/800-424-9300(CHEMTREC) CAGE:83628 === Contractor Identification === Company Name: CITY CHEMICAL CORPORATION Address:100 HOBOKEN AVE City: JERSEY CITY State:NJ ZIP:07310 Country:US Phone:201-653-6900/800-248-2436 CAGE:83628 Ingred Name: POTASSIUM CYANIDE (SARA 302/313) (CERCLA)

CAS:151-50-8 RTECS #:TS8750000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG(CN)/M3 ACGI H TLV:S, 5 MG(CN)/M3; 9596 EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

LD50 LC50 Mixture:ORAL LD50 RAT:5MG/KG

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY BE FATAL IF INHALED, SWALLOWED OR ABSORBED THROUGH SKIN. CAN CAUSE SKIN IRRITATION & SEVERE EYE IRRITATION. EXPOSURE MAY CAUSE NAUSEA, DIZZINESS, HEADACHE, LUNG

IRRITATION. EXPOS

ATION, CYANOSIS, CNS DEPRESSIO N. TARGET ORGANS: CNS, BLOOD, HEART.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:SKIN-IRRITATION. EYES-SEVERE IRRITATION. INHALED/SWALLOWED/SKIN ABSORBED-CYANOSIS, NAUSEA, DIZZINESS, HEADACHE, CNS DEPRESSION.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:IN ALL CASES GET IMMEDIATE EMERGENCY MEDICAL ATTENTION. EYES-FLUSH WITH WATER FOR 15 MINUTES. SKIN-REMOVE CONTAMINATED CLOTHES. FLUSH WITH WATER THEN WASH WITH MILD SOAP & WATER. INHALED-REMOVE TO FRE SH AIR. ADMINISTER OXYGEN OR ARTIFICIALRESPIRATION AS NEEDED. INGESTED-WASH OUT MOUTH IF CONSCIOUS.

Extinguishing Media: APPROPRIATE FOAM. DO NOT USE CARBON DIOXIDE EXTINGUISHER ON THIS

MATERIAL.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL FIRE FIGHTER'S PROTECTIVE GEAR. PREVENT CONTACT WITH EYES. USE WATER TO COOL FIRE EXPOSED CONTAINERS. Unusual Fire/Explosion Hazard:EMITS TOXIC FUMES UNDER FIRE CONDITIONS.

Spill Release Procedures: EVACUATE AREA. WEAR SCBA, RUBBER BOOTS & HEAVY RUBBER GLOVES. SWEEP UP, PLACE IN A BAG & HOLD FOR HAZARDOUS WASTE DISPOSAL. AVOID RA

ISING DUST. VENTILATE AREA & WASH SPILL SITE
AFTER MATERIAL PICKUP I S COMPLETE.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

Respiratory Protection: IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IAW 29 CFR 1910.134.

Ventilation: USE ONLY IN CHEMICAL FUME HOOD.

Protective Gloves: CHEM-RESISTANT GLOVES-NEOPRENE,

PVC.

Eye Protection: SAFETY GLASSES/CHEMICAL SPLASH GOGGLES.

Other Protective Equipment:WEAR OTHER PROTECTIVE CLOTHING. DLA-HMIS: EYE WASH STATION & SAFETY SHOWER.

Work Hygienic Practices: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES BEFORE REUSE. Supplemental Safety and Health

FIREFIGHT:DIRECT CONTACT OF MATERIAL W/WATER/STEAM WILL CAUSE DECOMPOSITION, LIBERATING HIGHLY TOXIC HYDROGEN CYANIDE GAS & HIGHLY HAZARDOUS SOLUTION OF DIS

SOLVED CYANIDE WHICH MUST BE KEPT

OUT OF SEW ERS/WATERCOURSES. CYANIDE FORMS EXPLOSIVE MIXTURE SPONTANEOUS W/CHLORATES,NITRATES,NITROGEN TRICHLORIDE PLUS AMMONIA.

HCC:T2

Melt/Freeze Pt:M.P/F.P Text:1174F,635C Spec Gravity:1.520 Appearance and Odor:WHITE GRANULAR POWDER.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. AVOID CONTAC T WITH ACID.

Stability Condition to Avoid:MAY DECOMPOSE ON EXPOSURE TO MOIST AIR OR WATER. ABSORBS CARBON DIOXIDE FROM AIR.

Hazardous Decomposition Products:TOXIC FUMES OF HYDROGEN CYANIDE, CARBON MONOXIDE, CARBON DIOXIDE, NITROGEN OXIDES.

Waste Disposal Methods:TREAT DILUTE BASIC SOLUTION (PH9-10) W/50% EXCESS OF COMMERCIAL LAUNDRY BLEACH. LET STAND OVERNIGHT. CAUTIOUSLY ADJUST PH TO 7. FILTER ANY SOLIDS FOR B

URIAL IN A

CHEMICAL LANDFILL. PRECIPITATE HEAVY M ETALS W/ADDS OF SULFIDE & ISOLATE FOR BURIAL.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.