View NSN Online: https://aerobasegroup.kr/nsn/6750-01-201-9678

EASTMAN KODAK COMPANY -- 102 7671 EKTACHROME R-3 FIRST DEVELOPER REPLENISHER,

W.S. -- 6750-01-201-9678

Product ID:102 7671 EKTACHROME R-3 FIRST DEVELOPER REPLENISHER, W.S.

MSDS Date:11/07/1997

FSC:6750

NIIN:01-201-9678

MSDS Number: CFCVS === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY ZIP:14650 Country

:US

Info Phone Num:716-477-3194 MSDS:800-242-2424

Emergency Phone Num:716-722-5151

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

Company Name: EASTMAN KODAK CO US CUSTOMER SERVICE/GOVERNMENT SALES

Address:800 LEE RD Box:City:ROCHESTER

State:NY

ZIP:14650-3129 Country:US

Phone:800-828-6203

CAGE:5K871

====== Compo

sition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS #:ZC0110000 Fraction by Wt: 90-95%

Other REC Limits: NONE RECOMMENDED

Ingred Name: POTASSIUM SULFITE

CAS:10117-38-1 RTECS #:WT3530000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: POTASSIUM CARBONATE

CAS:584-08-7

RTECS #:TS7750000 Fraction by Wt: 1-5%

Other REC Limits: NONE RECOMMENDED

Ingred Name: POTASSIUM HYDROQUINONE MONOSULFATE

CAS:21799-87-1 Fraction by Wt: 1-5% Other REC Limits:NONE RECOMMENDED

Ingred Name: SODIUM CARBONATE

CAS:497-19-8

RTECS #:VZ4050000 Fraction by Wt: < 1%

Other REC Limits: NONE RECOMMENDED

Ingred Name: HYDROXYMETHYL-4-METHYL-1-PHENYL-3-PYRAZOLIDONE

CAS:13047-13-7 Fraction by Wt: < 1%

Other REC Limits: NONE RECOMMENDED

========== Hazards Identification ===========================

LD50 LC50 Mixture:ORAL LD50 (RAT): NOT GIVEN Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Ac

ute and Chronic: EXPECTED TO BE A LOW INHALATION HAZARD FOR RECOMMENDED HANDLING. MAY LIBERATE SULFUR DIOXIDE GAS, WHICH IS IRRITATING TO THE RESPIRATORY TRACT. EYE CONTACT CAUSES IRRITATION. IMMEDIATE FLUSHING WITH W ATER WILL MINIMIZE THE EFFECTS. SKIN CONTACT MAY CAUSE ALLERGIC REACTION. MAY BE HARMFUL IF SWALLOWED. Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDIENTS AT CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS. Effec ts of Overexposure: RESPIRATORY TRACT IRRITATION, EYE IRRITATION, ALLERGIC SKIN REACTION, DIFFICULT BREATHING.

Medical Cond Aggravated by Exposure: SOME ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING.

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: WASH OUT IMMEDIATELY WITH WATER, GET MEDICAL ATTENTION IF SYMPTOMS OCCUR, SKIN:

WASH WITH

SOAP AND WATER . GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

============= Fire Fighting Measures ========================

Flash Point: NONFLAMMABLE Lower Limits: NOT GIVEN Upper Limits:NOT GIVEN

Extinguishing Media: USE APPROPRIATE AGENT FOR ADJACENT FIRE.

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusu

al Fire/Explosion Hazard:FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSTION PRODUCTS.

=======================================	Accident	al F	⊀ele:	ase	Measures	===============
-----------------------------------------	----------	------	-------	-----	----------	-----------------

Spill Release Procedures: FLUSH TO SEWER IF ALLOWABLE WITH LARGE AMOUNTS OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE TO REMOVE RESIDUA L CONTAMINATION.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

====== Han

dling and Storage ==========

Handling and Storage Precautions:AVOID BREATHING MIST. AVOID CONTACT WITH EYES, SKIN AND CLOTHING. USE WITH ADEQUATE VENTILATION. KEEP CONTAINER TIGHTLY CLOSED.

Other Precautions: THE ROUTINE USE OF A NONALKALINE (ACID) TYPE OF HAND CLEANER AND REGULAR CLEANING OF WORKING SURFACES WILL HELP MINIMIZE THE POSSIBILITY OF A SKIN REACTION. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES.

===== Exposure Controls/Personal Protection ======

Respiratory Protection: NONE SHOULD BE NEEDED.

Ventilation: GOOD GENERAL VENTILATION, TYPICALLY 10 AIR CHANGES PER HOUR, SHOULD BE USED. RATES SHOULD MATCH CONDITIONS.

Protective Gloves: IMPERVIOUS

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS OR GOGGLES

Other Protective Equipment: CHEMICAL RESISTANT CLOTHING AS NECESSARY TO PREVENT SKIN CONTACT. AN EMERGENCY EYEWASH AND SHOWER SHOULD BE AVAILABLE.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATIN

G, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health

REMOVE AND WASH CONTAMINATED CLOTHING BEFORE REUSE.

======== Physical/Chemical Properties ============

HCC:N1

Boiling Pt:B.P. Text:>212F,>100C

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres:18 Vapor Density:0.6 Spec Gravity:1.06

pH:9.7

Evaporation Rate & Reference: NOT GIVEN

Solubility in Water: COMPLETE

Appearance and Odor:LIGHT YELLOW LIQUID, NO ODOR

Percent

========== Stability and Reactivity Data ===========	
Stability Indicator/Materials to Avoid:YES NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE MATERIAL MA REASONABLY COME INTO CONTACT. Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER. Hazardous Decomposition Products:SULFUR DIOXIDE, CARBON MONOXIDE, CARBON DIOXIDE	Υ

Waste Disposal Methods:DISCHARGE, TRE
ATMENT OR DISPOSAL MAY BE SUBJECT
TO NATIONAL, STATE OR LOCAL LAWS. MAY REQUIRE NEUTRALIZATION IF PH
< 2.0 OR PH > 12.5. DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE
FEDERAL, STATE AND L OCAL REGULATIONS.

======= Disposal Considerations ============

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and dis

Volatiles by Volume:90-95%

claims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.