

POINTER INC -- 7938174-60/3000-9, BATTERY PACK, LITHIUM -- 5826-01-307-7380

=====  
Product Identification  
=====

Product ID:7938174-60/3000-9, BATTERY PACK, LITHIUM

MSDS Date:09/27/1995

FSC:5826

NIIN:01-307-7380

MSDS Number: CFCWN

=== Responsible Party ===

Company Name:POINTER INC

Address:1027 N STADEM DR

City:TEMPE

State:AZ

ZIP:85281

Country:US

Info Phone Num:602-966-1674

Emergency Phone Num:602-96

6-1674, 800-424-9300 CHEMTREC

CAGE:58507

=== Contractor Identification ===

Company Name:POINTER INC

Address:1027 N STADEM DR

Box:City:TEMPE

State:AZ

ZIP:85281

Country:US

Phone:602-966-1674

CAGE:58507

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LITHIUM METAL

CAS:7439-93-2

RTECS #:OJ5540000

Fraction by Wt: 2.5%

Other REC Limits:NONE RECOMMENDED

Ingred Name:SULFUR DIOXIDE

CAS:7446-09-5

RTECS #:WS4550000

Fraction by Wt: 25%

Other REC Limits:NONE RECOMMENDED

OS

HA PEL:5 PPM  
ACGIH TLV:2 PPM

Ingred Name:ACETONITRILE  
CAS:2206-26-0  
Fraction by Wt: 60%  
Other REC Limits:NONE RECOMMENDED

Ingred Name:ACETYLENE BLACK  
CAS:133-86-4  
Fraction by Wt: 5%  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:DEPENDING ON THE CONCENTRATION OF  
SULFUR DIOXIDE, ACTS AS AN ASP  
HYXIAN AND MAY POSSIBLY CAUSE  
UNCONSCIOUSNESS WITH NO KNOWN CHRONIC HEALTH EFFECTS.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:SULPUR DIOXIDE-IRRITATION OF NOSE, THROAT, EYES  
AND/OR SKIN. SUFFOCATING ODOR.  
Medical Cond Aggravated by Exposure:SULPHUR DIOXIDE-ASTHMA AND OTHER  
RESPIRATORY DISEASE.

===== First Aid Measures =====

First Aid:IF CELLS OF BATTERY VENTS PERSONNEL SHOULD BE EVACUATED FROM  
THE CONTAMINATED AREA, ARTIF  
ICIAL RESPIRATION SHOULD BE GIVEN IF  
BREATHING STOPS. FLUSH MATERIAL FROM SKIN.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:NON-FLAMMABLE  
Extinguishing Media:USE WATER OR CARBON DIOXIDE ON BURNING LITHIUM  
SULPHUR DIOXIDE CELLS OR BATTERIES. USE CLASS D FIRE EXT. AGENT ON  
RAW LI  
Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:BATTERY MAY VENT WHEN SUBJECT TO  
EXCESSIVE HEAT

## EXPOSING CELL CONTENTS.

### ===== Accidental Release Measures =====

Spill Release Procedures:KEEP OUT OF AREA UNLESS USING IMPERVIOUS GLOVES AND CLOTHING AND FULL FACE BREATHING APPARATUS. PROVIDE MAXIMUM VENTILATION TO CLEAR OUT HAZARDOUS GASES.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

### ===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE AT TEMPERATURES ABOVE 160F. STORE AT 70F FOR MAX

IMUM SHELF LIFE IN WELL VENTILATED AREA.

DO NOT CRUSH OR PUNCTURE PACK OR CELLS.

Other Precautions:DO NOT BYPASS FUES/DIODE ASSEMBLY IN PACK. TRANSPORT RESTRICTIONS APPLY.

### ===== Exposure Controls/Personal Protection =====

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS.

Supplemental Safety and Health

NONE

### ===== Physical/Chemical Properties =====

HCC:R2

Melt/Freeze Pt:M.P/F.P Text:374F,190C

Spec Gravity:1

Solubility in Water:NOT SOLUBLE IN WATER

### ===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:BATTERY CONTAINS HERMATICALLY SEALED CELLS AND IS NON-REACTIVE PROVIDED THE CELL SEAL REMAINS INTACT.

Conditions to Avoid Polymerization:HEATING, MECHANICAL ABUSE AND ELECTRICAL ABUSE. DO NOT ATTEMPT TO RECHARGE OR SHORT CIRCUIT.

### ===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORD

ANCE WITH LOCAL, STATE AND  
FEDERAL ENVIRONMENTAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility f  
or the suitability of this information to their  
particular situation.