

F & L COMPANY, INC. -- TECTYL 435, #50501525 -- 8030-00-231-2354

=====  
Product Identification  
=====

Product ID:TECTYL 435, #50501525

MSDS Date:03/19/1993

FSC:8030

NIIN:00-231-2354

MSDS Number: CFDBP

=== Responsible Party ===

Company Name:F & L COMPANY, INC.

Address:1537 E. DEL AMO BLVD

City:CARSON

State:CA

ZIP:90746

Country:US

CAGE:JO940

=== Contractor Identification ===

Company Name:F & L COMPAN

Y

Address:1537 E DEL AMO BLVD

Box:City:CARSON

State:CA

ZIP:90746

Country:US

Phone:310-603-2200

CAGE:0KWT9

Company Name:F & L COMPANY, INC.

Address:1537 E. DEL AMO BLVD

Box:City:CARSON

State:CA

ZIP:90746

Country:US

CAGE:JO940

=====  
Composition/Information on Ingredients  
=====

Ingred Name:ORGANIC SALT

CAS:61789-86-4

Fraction by Wt: 1-10%

Other REC Limits:NONE RECOMMENDED

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

Ingred Name:PARAFFIN WAX

CAS:8002-74-2

RTECS #:RV0350000

Fraction by Wt:

70-85%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:2 MG/M3  
ACGIH TLV:2 MG/M3

Ingred Name:HEAVY NAPHTHENIC HYDROTREATED DISTILLATE  
CAS:64742-52-5  
RTECS #:PY8035000  
Fraction by Wt: 10-25%  
Other REC Limits:NONE RECOMMENDED  
OSHA PEL:5 MG/M3  
ACGIH TLV:5 MG/M3 STEL 10

=====  
===== Hazards Identification =====  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYE: IRRITATION, (REDNE  
SS, TEARING).

INHAL: IRRITATION TO NASAL/RESPIRATORY PASSAGES. INGEST: GI  
IRRITATION, (NAUSEA, VOMIT, DIARRHEA). SKIN: IRRITATION,  
(DEFATTING, DERMATITIS, ALLERGIC REACTION).

=====  
===== First Aid Measures =====  
=====

First Aid:SKIN: THOROUGHLY WASH W/SOAP & WATER. REMOVE CONTAM CLOTHES,  
WASH BEFORE REUSE. EYE: FLUSH W/LARGE AMOUNTS OF WATER, LIFT LIDS.  
GET MED AID. INGEST: DO NOT INDUCE VOMIT. KEEP PERSON WARM/QUIET,  
GET MED AID. INHAL: MOVE  
TO FRESH AIR. IF BREATHING IS DIFFICULT,  
GIVE OXYGEN. IF BREATHING HAS STOPPED GIVE ARTIFICIAL RESPIRATION.  
KEEP PERSON WARM/QUIET, GET MED AID.

=====  
===== Fire Fighting Measures =====  
=====

Flash Point Method:PMCC  
Flash Point:>350F,>177C  
Lower Limits:NA  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, REGULAR FOAM. WATER &  
FOAM MAY CAUSE VIOLENT AND DANGEROUS FROTHING.  
Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND  
FULL FIRE FIGHTER

R'S PROTECTIVE GEAR.

Unusual Fire/Explosion Hazard:NEVER USE WELDING OR CUTTING TORCH ON OR NEAR DRUM (EVEN EMPTY) BECAUSE PRODUCT (EVEN RESIDUE) CAN IGNITE EXPLOSIVELY.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: SWEEP UP FOR DISPOSAL/RECOVERY.  
LARGE SPILL: PREVENT RUNOFF. IF RUNOFF OCCURS, NOTIFY PROPER AUTHORITIES AS REQUIRED. SHOVEL MATERIAL INTO CONTAINER. THOROUGHLY SWEEP AREA TO CLEAN UP ANY RESIDUAL MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:CONTAINER RETAINS RESIDUE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR AN MSHA/NIOSH AIR-SUPPLIED RESPIRATOR.  
Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).  
Protective Gloves:NITRILE.  
Eye Protection:CHEMICAL SPLASH GOGGLES.  
Other Protective Equipment:NORMAL WORK CLOTHES COVERING ARMS & LEGS.  
Supplemental Safety and Health  
MORE INFORMATION ON FILE.

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:NA  
Vapor Pres: