View NSN Online: https://aerobasegroup.com/nsn/8030-01-328-0574

DOW CORNING CORPORATION -- 737 NEUTROCURE SEALANT-CLEAR -- 8030-01-328-0574

Product ID:737 NEUTROCURE SEALANT-CLEAR

MSDS Date: 10/25/1994

FSC:8030

NIIN:01-328-0574

MSDS Number: CFDGD === Responsible Party ===

Company Name: DOW CORNING CORPORATION

Address:3901 SOUTH SAGINAW ROAD

City:MIDLAND

State:MI

ZIP:48686-5601 Country:US

Info Phone Num:517-496-4000/517-496-857

7

Emergency Phone Num:517-496-6000/517-496-5900

CAGE:5D028

=== Contractor Identification ===

Company Name: DOW CORNING CORP

Address:3901 S SAGINAW RD

Box:997

City:MIDLAND

State:MI

ZIP:48686-0997

Country:US

Phone:517-496-6000/517-496-6315

CAGE:5D028

======= Composition/Information on Ingredients ========

Ingred Name: AMINOETHYLAMINOPROPYL MAY FORM ETHYL ALCOHOL & ETHYL METHYL

KETOXIME. CAS:1760-24-3

RTECS #:KV7400000 Fraction by Wt: 2.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL

:10 PPM/STEL 250

Ingred Name: SILICA AMORPHOUS

CAS:112945-52-5 RTECS #:VV7310000 Fraction by Wt: 11.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:5 MG/M3 TDUST ACGIH TLV:10 MG/M3 TDUST

Ingred Name:METHYLTRI(ETHYLMETHYLKETOXIME) SILANE

CAS:22984-54-9 Fraction by Wt: 6.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:10 PPM

Ingred Name:DI(ETHYLMETHYLKETOXIME)METHOXYMETHYLSILANE

CAS:83817-72-5 Fraction by Wt: 2.0%

Other REC Limits: NONE RECOMMENDED

OSHA PEL:200 PPM/STEL 250 ACGIH TLV:200 PPM/STEL 250

============= Hazards Identification ========================

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: EYE: IRRITATION, REDNESS, SWELLING. SKIN: DEFATTING, DERMATITIS, SENSITIZATION. INHAL: DROWSINESS,

BLOOD/LIVER INJURY, IRRITATION. INGEST: INJURY.

First Aid:EYE: IMMED FLUSH W/WATER FOR 15 MINUTS. SKIN: REM OVE PRODUCT

& IMMED FLUSH W/WATER FOR 15 MINUTES, GET MED AID. INHAL: MOVE TO FRESH AIR, GET MED AID. INGEST: GET MED AID.

=========== Fire Fighting Measures ==========================

Flash Point Method:CC

Flash Point:NA

Autoignition Temp: Autoignition Temp Text: NE

Lower Limits:NE **Upper Limits:NE**

Extinguishing Media: CO2, WATER, WATER FOG/SPRAY, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: WEAR SCBA & PROTECTIVE CLOTHING. IF LARGE AMOUNT IS INVOLVED, EVACUATE AREA.

Unusual Fi

| ====================================== |
|--|
| Spill Release Procedures:SCRAPE UP & CONTAIN FOR SALVAGE/DISPOSAL. USE PERSONAL PROTECTIVE EQUIPMENT. REPORT SPILL TO AUTHORITIES IF REQUIRED. |
| ====================================== |
| Handling and Storage Precautions:KEEP CONTAINER CLOSED & STORE AWAY FROM WATER/MOISTURE. |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protectio n:USE AIR SUPLIED OR SCBA. Ventilation:LOCAL EXHAUST. Protective Gloves:SILVER SHIELD. Eye Protection:SAFETY GLASSES. Work Hygienic Practices:WASH AT MEAL TIMES & END OF SHIFT. Supplemental Safety and Health METHYL ALCOHOL FORMS ON CONTACT WITH WATER OR HUMID AIR AND HAS A PEL OF 200 PPM, TLV 200 PPM, STEL 250 PPM. MORE INFORMATION ON FILE. |
| ========== Physical/Chemical Properties ============ |
| Boiling Pt:B.P. Text:NA Melt/Freeze Pt:M.P/F.P Text:NE Vapor Pres:NA Vapor Density :NA Spec Gravity:1.04 pH:NA Viscosity:NA Solubility in Water:NONE Appearance and Odor:TRANSLUCENT WHITE PASTE. |
| ========= Stability and Reactivity Data =========== |
| Stability Indicator/Materials to Avoid:YES OXIDIZING MATERIAL Stability Condition to Avoid:NONE Hazardous Decomposition Products:CO, TRACES OF INCOMPLETELY BURNED CARBON COMPOUNDS, METAL OXIDES, SILICON DIOXIDE, NITROGEN OXIDES & FORMALDEHYDE. =================================== |
| |

re/Explosion Hazard:NONE

Waste Disposal Methods:IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility f or the suitability of this information to their particular situation.