

WARREN OIL COMPANY, INC -- PARTS MASTER BRAKE FLUID

=====  
MSDS Safety Information  
=====

FSC: 9150  
NIIN: 00-231-9071  
MSDS Date: 11/10/1993  
MSDS Num: CFFDD  
Product ID: PARTS MASTER BRAKE FLUID  
MFN: 01  
Responsible Party  
Cage: 6J284  
Name: WARREN OIL COMPANY, INC  
Box: 1507  
City: DUNN NC 28325  
Info Phone Number  
: 910-892-6466  
Emergency Phone Number: 910-892-6466  
Proprietary Ind: Y  
Review Ind: Y  
Published: Y

=====  
Contractor Summary  
=====

Cage: 6J284  
Name: WARREN OIL COMPANY  
Address: 727 SOUTH 13TH STREET  
Box: 1507  
City: OMAHA NE 68102  
Phone: (402) 341-9397  
Cage: 07YX7  
Name: WARREN OIL COMPANY, INC  
Address: UNKNOWN  
Box: UNKNOW  
City: UNKNOWN NK 00000  
Phone: UNKNOWN

=====  
Item Description Information  
=====

Item Manager: S9G  
Item Name: BRAKE FLUID,AUTOMOTIVE  
Specification Number: SAE J1703  
Type/Grade/Class: NONE  
Unit of Issue: GL  
UI Container Qty: 6  
Type of Container: CAN

=====  
Ingredients  
=====

Name: \*\*\* PROPRIETARY \*\*\*  
-----  
=====

=====

Health Hazards Data

=====

LD50 LC50 Mixture: ORAL LD50, RAT: >2000MG/KG.

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: EYE:MAY CAUSE MODERATE IRRIT.MAY CAUSE MODERATE CORNEAL INJURY.SKIN:PROL/REP EXPO MAY CAUSE IRRIT.MAY CAUSE MORE SEVERE RESPONSE IF SKIN IS ABRADED(SCRATCHED/CUT).SKIN ABSORPT:SINGLE PROL EXPO NOT LIK ELY TO RESULT IN MATL BEIN

G ABSORBED THRU SKIN IN HARMFUL AMTS.PROL/REP W/LG AMTS OF SOME INGREDIENTS MAY CAUSE (SUPPLEMENT)

Explanation Of Carcinogenicity: PER MSDS:2 MINOR COMPO POSE NO CARC RISK TO MAN.

Signs And Symptoms Of Overexposure: MINOR

COMPONENT:KIDNEY,LIVER,GI,TESTICULAR,CNS EFFECTS,BLADDER STONES,NAU,VOMIT.

Medical Cond Aggravated By Exposure: NONE SPECIFIED BY MANUFACTURER.

First Aid: EYE:IRRIGATE W/FLOWING WATER IMMED & CONT FOR 15MINS.CONSULT MED PERSONNEL.SKIN:WASH OFF IN FLOWING WATER OR SHOWER.

R.INGEST:INDUCE VOMIT IF LG

AMTS INGEST.CONSULT MED PERSONNEL.INHAL:REMOVE TO FRESH AIR IF EFFECTS OCCUR.CONSULT PHYSICIAN.DR:NO SPECIFIC ANTIDOTE.SUPPORTIVE CARE.TREATMENT BASED ON JUDGEMENT OF PHYSICIAN IN RESPONSE TO REACTIONS OF PATIENT.

=====

Handling and Disposal

=====

Spill Release Procedures: DO NOT ALLOW TO CONTAMINATE GROUND WATER.SOAK UP W/SUITABLE ABSORBENT MATL & SCOOP INTO DRUMS.

Waste Disposal Methods: BURN IN APPROVED INCINERATOR IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Handling And Storage Precautions: PRACTICE REASONABLE CARE & PERSONAL CLEANLINESS.

Other Precautions: NONE SPECIFIED BY MANUFACTURER.

=====

Fire and Explosion Hazard Information

=====

Flash Point Text: SUPPLEMENTAL

Autoignition Temp Text: NO

Lower Limits: NA

Upper Limits

: NA  
Extinguishing Media: WATER FOG, ALCOHOL-RESISTANT FOAM, CO2, DRY CHEMICAL.  
Fire Fighting Procedures: WEAR POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard: PRODUCT WILL BURN. BURNING PRODUCES CARBON DIOXIDE, CARBON MONOXIDE, WATER.

=====  
Control Measures  
=====

Respiratory Protection: WHEN AIRBORNE EXPO GUIDELINE &/OR COMFORT LEVELS MAY BE EXCEEDED  
USE APPROVED AIR-PURIFYING RESPIRATOR.  
Ventilation: GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT FOR MOST CONDITIONS.  
Protective Gloves: IMPERV GLOVES.  
Eye Protection: NONE SPECIFIED BY MANUFACTURER.  
Other Protective Equipment: BRIEF CONTACT NO PRECAUT OTHER THAN CLEAN BODY-COVERING CLOTHING SHOULD BE NEEDED.  
Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health: FLASH PT:272F/133C BY PMCC;280F/138C BY COC.  
HEALTH:DROWS.INGEST:SINGLE DOSE ORAL TOXICITY LOW  
.AMTS INGEST INCINDENTAL TO  
INDUSTRIAL HNDLG NOT LIKELY TO CAUSE INJURY HOWEVER INGEST OF LG AMTS MAY CAUS E INJURY.INHAL:VAP MIN DUE TO PHY PROPERTIES.SINGLE EXPO NOT LIKELY TO BE HAZ.

=====  
Physical/Chemical Properties  
=====

HCC: V6  
B.P. Text: 460F,238C  
Vapor Pres: LOW  
Vapor Density: N/DETERMIN  
Spec Gravity: 1.03  
Solubility in Water: INFINITE.  
Appearance and Odor: AMBER LIQUID, MILD ODOR.

=====  
Reactivity Data  
=====

Stability Indicator: YES  
Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.  
Materials To Avoid: STRONG OXIDIZING MATLS.  
Hazardous Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, WATER.  
Hazardous Polymerization Indicator: NO

=====  
Toxicological Information  
=====

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

Transportation Information

=====

Responsible Party Cage: 6J284

Trans ID NO: 58390

Product ID: PARTS MASTER BRAKE FLUID

MSDS Prepared Date: 11/10/1993

Review Date: 09/04/1997

MFN: 1

Net Unit Weight: 8.6 LBS

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: GL

Container QTY: 6

Type Of Container: CAN

=====

=====

Detail DOT Information

=====

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

Detail IMO Information

=====

IMO PSN Code: ZZZ

IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====

Detail IATA Information

=====

=====  
IATA PSN Code: ZZZ

IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

Detail AFI Information  
=====

AFI PSN Code: ZZZ

AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION  
=====

HAZCOM Label  
=====

Product

Product ID: PARTS MASTER BRAKE FLUID

Cage: 6J284

Company Name: WARREN OIL COMPANY

Street: 727 SOUTH 13TH STREET

PO Box: 1507

City: OMAHA NE

Zipcode: 68102

Health Emergency Phone: 910-892-6466

Label Required IND: Y

Date Of Label Review: 09/04/1997

Status Code: C

Label Date: 09/04/1997

Origination Code: F

Skin Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: EYE:MODERATE IRRIT,MODERATE CORNEAL  
INJURY.SKIN:PROL/REP EXPO M

May Cause Irrit.MORE SEVERE RESPONSE IF SKIN IS

ABRADED(SCRATCHED/CUT).SKIN ABSORPT:SINGLE PROL EXPO NOT LIKELY TO RESULT IN  
MATERIAL BEING ABSORBED THRU SKIN IN HARMFUL AMTS.PROL/REP W/LG AMTS OF SOME  
INGREDIENTS CAUSE DROWS.INHAL:VAP MIN DUE TO PHYS PROPER.1ST AID:EYE:IRRIGATE  
W/FLOWING WATER IMMEDIATE FOR 15MINS.SEE MED PERSON.SKIN:WASH OFF IN FLOWING  
WATER/SHOWER.INGEST:LG AMTS INGEST INDUCE VOMIT.CONSULT MED  
PERSON.INHAL:EFFECTS OCCUR MOVE TO FRESH AIR.SEE PHYSICIAN.DR:NO SPECIFIC  
ANTIDOTE

.SUPPORTIVE CARE.TREATMENT BASED ON JUDGEMENT OF PHYSICIAN IN  
RESPONSE TO REACTIONS OF PATIENT.

=====  
Disclaimer (provided with this information by the compiling agencies): This  
information is formulated for use by elements of the Department of Defense.  
The United States of America in no manner whatsoever expressly or implied  
warrants, states, or intends said information to have any application, use or  
viability by or to any person or  
persons outside the Department of Defense  
nor any person or persons contracting with any instrumentality of the United  
States of America and disclaims all liability for such use. Any person  
utilizing this instruction who is not a military or civilian employee of the  
United States of America should seek competent professional advice to verify  
and assume responsibility for the suitability of this information to their  
particular situation regardless of similarity to a corresponding Depa  
rtment  
of Defense or other government situation.